

## CGI Tools for the Web Server 9.4

### Prerequisites

Platform	Install Space Required
Microsoft Windows for x64	351 MB
AIX	433 MB
HP-UX for the Itanium Processor Family Architecture	466 MB
Linux for x64	373 MB
Solaris	395 MB
Solaris for x64	388 MB

SAS/IntrNet users may need to install a Java Runtime Environment (JRE) on their client systems. A JRE is required on client systems only if your SAS/IntrNet applications use the SAS/GRAPH Java Applets. For the latest information about required JREs, please see the Third Party Software Reference Web site at

<http://support.sas.com/resources/thirdpartysupport/index.html>.

### Installing CGI Tools for the Web Server 9.4

Before performing the following steps, Windows users should ensure they are logged in as an administrator. UNIX users should ensure they are logged in with an installer ID that is not root.

1. Unpack the download package to a location that is accessible from where you want to install the software. Do not put the download package in an existing SAS Software Depot or in the directory where you want to install. Doing so will cause the SAS Software Depot and SAS Deployment Wizard to work incorrectly. You must put the download package in its own directory/folder.
2. To start the SAS Deployment Wizard, Windows users should double-click the `setup.exe` at the location in which the files have been unpacked (depending on your settings, you may have to right-click the `setup.exe` and select **Run as administrator**). UNIX users should execute `setup.sh`. z/OS users should execute `setup.rexx`.
3. The **Choose Language** page opens. Choose the language in which you want to perform the installation of your downloaded software. Click **OK**. Note that Windows users who have already installed SAS software using the SAS Deployment Wizard will not see this page.

4. The **Specify SAS Home** page opens. Enter the location you want to install your software in the text field, or use the **Browse** button to search for a location. When the correct location is in the text field, click **Next** to continue. Note that Windows users who have already installed SAS software using the SAS Deployment Wizard will not see this page.

*Note:* You should not select a SAS Home where SAS software already exists. Software from the download page should be installed in a clean SAS Home.

5. The **Select Products to Install** page opens. Ensure the checkbox beside every product in the list is checked. If you click the **Info** icon, you will be directed to documentation about the software you have downloaded. The pertinent parts of that documentation are repeated in the "Prerequisites" section above.

When each checkbox has been checked, click **Next** to continue.

6. The **Select Regional Settings** page opens. Select the locale you wish to install your software for, then click **Next** to continue. Note that if you have already installed SAS software in the SAS Home that you selected above, the SAS Deployment Wizard will use the same regional settings selection for this installation, and you will not see this page.
7. The **Checking System** page opens while the SAS Deployment Wizard checks for enough disk space and for locked files. If any files are listed in this window, follow the instructions on the page. If there are no files listed, or after any that were listed have been addressed, click **Next** to continue.
8. The **Deployment Summary** page opens. Click **Start** to begin the installation.
9. The **Deployment in Progress** page opens, indicating that the installation is taking place. When the installation is complete, click **Next**.
10. The **Additional Resources** page opens, listing a number of online resources should you run into difficulty. Use **Print** to make a copy of this information for future use. Click **Finish** to close the SAS Deployment Wizard.

## Uninstalling CGI Tools for the Web Server 9.4

One of the tasks included on the SAS Deployment Manager is the removal of SAS software. Before using the following steps to remove SAS software from your system, ensure that you are logged on with the same user ID that was used to install the software.

1. To locate the SAS Deployment Manager, go to the `\SASDeploymentManager\9.4` folder in your SAS Home.
2. To start the SAS Deployment Manager, Windows users should double-click `sasdm.exe` (if your Windows operating system is Windows Vista or later, you may have to right-click the `sasdm.exe` and select **Run as administrator**). UNIX users should execute `sasdm.sh`.

3. The **Choose Language** page opens. Choose the language in which you want to perform the removal of your downloaded software. Click **OK**.
4. The **Select SAS Deployment Manager Task** page opens. Under Administration Tasks, ensure **Uninstall SAS Software** is selected. Click **Next** to continue.
5. The **Select SAS Products to Uninstall** page opens. Ensure that CGI Tools for the Web Server 9.4 is selected. Click **Next** to continue.
6. The **Checking System** page opens. The SAS Deployment Wizard ensures that no file being removed is being used by your system. If any files are listed in this window, follow the instructions on the page. If there are no files listed, or after any that were listed have been addressed, click **Next** to continue.
7. The **Summary** page opens, describing what products are about to be removed. Click **Start** to begin the removal of your SAS software.
8. The **Deployment in Progress** page opens, indicating that the removal is taking place. When the SAS Deployment Manager is finished, the **Deployment Complete** page opens, listing what has been removed. Click **Finish** to exit the SAS Deployment Manager.

*SAS and all other SAS Institute product or service names are registered trademarks or trademarks of SAS Institute Inc. in the USA and other countries. Other brand and product names are registered trademarks or trademarks of their respective companies.*

*® indicates USA registration.*

*Copyright © 2013 SAS Institute Inc., Cary, NC, USA. All rights reserved.*