



SAS[®] Business Rules Manager 3.1: User's Guide

The correct bibliographic citation for this manual is as follows: SAS Institute Inc. 2015. *SAS® Business Rules Manager 3.1: User's Guide*. Cary, NC: SAS Institute Inc.

SAS® Business Rules Manager 3.1: User's Guide

Copyright © 2015, SAS Institute Inc., Cary, NC, USA

All Rights Reserved. Produced in the United States of America.

For a hard copy book: No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without the prior written permission of the publisher, SAS Institute Inc.

For a web download or e-book: Your use of this publication shall be governed by the terms established by the vendor at the time you acquire this publication.

The scanning, uploading, and distribution of this book via the Internet or any other means without the permission of the publisher is illegal and punishable by law. Please purchase only authorized electronic editions and do not participate in or encourage electronic piracy of copyrighted materials. Your support of others' rights is appreciated.

U.S. Government License Rights; Restricted Rights: The Software and its documentation is commercial computer software developed at private expense and is provided with RESTRICTED RIGHTS to the United States Government. Use, duplication, or disclosure of the Software by the United States Government is subject to the license terms of this Agreement pursuant to, as applicable, FAR 12.212, DFAR 227.7202-1(a), DFAR 227.7202-3(a), and DFAR 227.7202-4, and, to the extent required under U.S. federal law, the minimum restricted rights as set out in FAR 52.227-19 (DEC 2007). If FAR 52.227-19 is applicable, this provision serves as notice under clause (c) thereof and no other notice is required to be affixed to the Software or documentation. The Government's rights in Software and documentation shall be only those set forth in this Agreement.

SAS Institute Inc., SAS Campus Drive, Cary, NC 27513-2414

February 2017

SAS® and all other SAS Institute Inc. product or service names are registered trademarks or trademarks of SAS Institute Inc. in the USA and other countries. ® indicates USA registration.

Other brand and product names are trademarks of their respective companies.

3.1-P2:brsug

Contents

<i>What's New in SAS Business Rules Manager 3.1</i>	<i>vii</i>
<i>Accessibility</i>	<i>ix</i>

PART 1 Getting Started 1

Chapter 1 • Introduction to SAS Business Rules Manager	3
Enterprise Decision Management Systems	3
About SAS Business Rules Manager	3
Managing Preferences	5
Viewing Help and Documentation	7
Create and Publish Business Rules	7
Chapter 2 • Quick Start Tutorial	9
Overview of the Quick Start Tutorial	9
Make the Tutorial Files Available	10
Sign In	11
Define Data Sources	11
Define Business Rule Folders	13
Create a Vocabulary, Entities, and Terms	14
Create a Rule Set and Define Business Rules	17
Create and Publish a Rule Flow	20
Chapter 3 • Managing Data Tables	23
About Managing Data Tables	23
Adding Tables Using SAS Visual Data Builder	24
Add Tables That Are Registered in Metadata	24
Register and Add New Tables	24
Edit Table Properties and View Table Metadata	25
View Table Data	26
Filter Data in the Table View	27
Create a New Table Summary	28
Add Attachments to a Table	29
Add Comments to a Table	30
Delete a Table Summary	30
Remove a Table	30
Chapter 4 • Managing Business Rule Folders	31
About Business Rules Folders	31
Create New Top-Level Folders	31
Create New Folders	32
Move Folders	32
Delete Folders	32

PART 2 Defining a Rules Database 33

Chapter 5 • Managing Vocabularies	35
Introduction to Vocabularies, Entities, and Terms	35
Tips for Creating Entities and Terms	36
Create a Vocabulary	36
Create an Entity	37
Create a Term	37
Import Terms from a Data Source	38
Specify Domain Values	39
Edit Existing Vocabularies, Entities, or Terms	40
Delete Vocabularies, Entities, or Terms	40
Move Vocabularies, Entities, Terms	40
Duplicate Vocabularies, Entities, or Terms	40
Search for Rule Sets by Term	41
Chapter 6 • Using Lookup Tables and Functions	43
About Lookup Tables and Functions	43
Create a New Lookup Table	44
Refresh a Lookup Table	45
Delete Lookup Tables	45
Duplicate Lookup Tables	45
Move Lookup Tables	46
Dictionary	46
Chapter 7 • Managing Rules and Rule Sets	49
About Rules, Rule Sets, and Expressions	50
How Rules Are Evaluated and Rule-Fired Records	51
Create a New Rule Set	51
Defining New Rules in the Rule Set	52
Validate the Expressions in a Rule Set	66
Change the Order of Rules in a Rule Set	66
Copy Rules and Expressions	67
Delete Terms, Rules, and Expressions	67
Edit the Properties of a Rule Set	68
Edit the Properties of a Rule	68
Display Usage Information for a Rule Set	68
Managing Rule Set Versions	69
Add Comments to a Rule Set	71
Add Attachments to a Rule Set	71
Duplicate Rule Sets	71
Move Rule Sets	72
Delete Rule Sets	72
Validate and Save a Rule Set	72
Chapter 8 • Creating and Publishing Rule Flows	73
Introduction to Rule Flows	74
Simple Rule Flows, Complex Rule Flows, and BY Groups	74
Create a Rule Flow Using the Rule Flow Editor	74
Create a Rule Flow by Using Discovery Techniques	76
Open Rule Sets from the Rule Flow Editor	79
Add Attachments to a Rule Flow	79
Add Comments to a Rule Flow	80
Change the Order of the Rule Sets	80
View the Terms Used in a Rule Flow	80
Managing Versions of a Rule Flow	81
Rename a Rule Flow	81
Duplicate Rule Flows	81

Move Rule Flows	82
Remove Rule Sets from a Rule Flow	82
Delete Rule Flows	82
Testing a Rule Flow	83
Reducing Overhead in SAS Data Integration Studio	85
When Are Output Records Generated?	85
Publish a Rule Flow	85
Display Publish Information for Rule Flows	86
Deploy a Rule Flow as a Stored Process	86
Dynamically Choose the Latest Rule Flow Version	87
Viewing Lineage Information for a Rule Flow	87

PART 3 Using SAS Workflow with SAS Business Rules Manager 89

Chapter 9 • Starting a Workflow and Working with Tasks	91
Overview of Using Workflows	91
Start a New Workflow	91
Working with Workflow Tasks	92
Chapter 10 • Managing Workflows	95
Overview of Managing Workflows	95
Viewing Workflows	96
Migrate Workflows	97
Set Mappings	97
Working with Workflow Participants	98
Edit Task Properties	100
Terminate a Workflow	100

PART 4 Appendix 101

Appendix 1 • Rule-Fired and Test Information Tables	103
Overview	103
Columns in the Test Information Table	104
Columns in the Rule-Fired Details Table	104
Columns in the Rules-Fired Summary Table	105
Glossary	107
Index	111

What's New in SAS Business Rules Manager 3.1

Overview

SAS Business Rules Manager 3.1 runs on the third maintenance release of SAS 9.4. Major features for this release include integration with SAS Relationship Service and SAS Lineage. New features and enhancements in this release enable you to perform the following tasks:

- view lineage information for rule flows
- execute rule flows inside the Hadoop database
- lock rule set versions automatically when rule flows are published
- dynamically choose the latest compatible rule flow version in deployed SAS Data Integration Studio jobs
- use the simplified list view in the rule set editor
- see improved performance when you generate rule-fired summary tables and when you generate rules with the New Discovery wizard
- run the %BRM_GET_RULE_FLOW_CODE macro to create a DS2 package for a specific rule flow
- retrieve numeric values from lookup tables by using the LOOKUPVALUE function
- duplicate, delete, and move multiple folders, vocabularies, terms, lookup tables, rule sets, or rule flows
- use pre-existing vocabularies when you generate rules with the New Discovery wizard
- run the same SAS Business Rules Manager import macro at the same time as other users
- easily add DS2 functions to your expression and display information about the functions while working in the Equation Editor
- view the publish history of rule flows
- export the revision history for a specific version of a rule set
- configure which separator character is used in CSV files that are used as input files for lookup tables
- easily use negative values for comparison purposes in expressions

Integration with SAS Relationship Service and SAS Lineage

SAS Business Rules Manager 3.1 is integrated with SAS Relationship Service and SAS Lineage. This integration enables you to view the relationships between the data, the rule flows, and the processes that consume them. SAS Lineage displays network, governance, and impact analysis diagrams. The information in these diagrams is drawn from the Relationship database. For more information, see [“Viewing Lineage Information for a Rule Flow” on page 87](#).

Deploy Rule Flows Dynamically

In SAS Business Rules Manager 2.2, when a rule flow is deployed in a SAS Data Integration Studio job, the job is associated with a specific version of a rule flow. Beginning with SAS Business Rules Manager 3.1, you can specify that a SAS Data Integration Studio job use the latest compatible version of a rule flow. You can use the `&DCM_USE_LATEST_VERSION` and `&DCM_DEPLOYED_RULEFLOW_NAME` macro variables to tell SAS Data Integration Studio to always use the latest compatible version of the rule flow. For more information, see [“Dynamically Choose the Latest Rule Flow Version” on page 87](#).

Run Rule Flows with the %BRM_GET_RULE_FLOW_CODE Macro

The `%BRM_GET_RULE_FLOW_CODE` macro creates a DS2 package that contains the code for a specific rule flow. You can execute this package outside of the SAS Business Rules Manager interface by using the `%BRM_RULE_FLOW` macro. For more information, see [“%BRM_GET_RULE_FLOW_CODE” in SAS Business Rules Manager: Administrator’s Guide](#).

Compare Negative Values in the Rules

Beginning with SAS Business Rules Manager 3.1, the rule set editor does not automatically add the term name in an expression that begins with the leading minus sign (-). For example, if you enter `-10` for `term`, SAS Business Rules Manager interprets this as `term = -10`.

The behavior for positive values has not changed. The value `+10` is still interpreted as `term = term +10` in action expressions.

For more information, see [“Leading Plus and Minus Operators” on page 63](#).

Accessibility

For information about the accessibility of this product, see [Accessibility Features of SAS Business Rules Manager 3.1](https://support.sas.com/resources/whitepapers/Accessibility-Features-of-SAS-Business-Rules-Manager-3.1) at support.sas.com.

Part 1

Getting Started

<i>Chapter 1</i>	
Introduction to SAS Business Rules Manager	3
<i>Chapter 2</i>	
Quick Start Tutorial	9
<i>Chapter 3</i>	
Managing Data Tables	23
<i>Chapter 4</i>	
Managing Business Rule Folders	31

Chapter 1

Introduction to SAS Business Rules Manager

Enterprise Decision Management Systems	3
About SAS Business Rules Manager	3
Managing Preferences	5
About Setting Preferences	5
Global Preferences	5
Decision Manager Preferences	6
SAS Preferences Manager	6
Change the Delivery Type for Alert Notifications	6
Viewing Help and Documentation	7
Create and Publish Business Rules	7

Enterprise Decision Management Systems

Enterprise decision management systems can transform the way businesses make decisions. They enable businesses to use the information they already have to make better decisions—decisions that are based on predictive analytics rather than on past history. Decision management systems automate the process of making decisions, particularly day-to-day operational decisions. They improve the speed, efficiency, and accuracy of routine business processes, in part by reducing the need for human intervention. By automating decisions, organizations in every industry can improve interactions with customers, partners, suppliers, and employees. In addition, organizations that are highly regulated, such as financial services, health care, and insurance, can more easily achieve compliance as a result of repeatable, traceable decisions.

About SAS Business Rules Manager

Business rules capture the logic of business decisions and are one of the core components of decision management systems. Business rules make the decision-making process transparent and adaptable, allowing organizations to respond quickly to new information about customers and markets. They allow organizations to identify and deal with fraud, avoid unnecessary risk, and find opportunities hidden in customer data.

You can use SAS Business Rules Manager to create a database of business rules, connect those rules together into rules flows, and publish the rule flows for use by other applications. SAS Business Rules Manager provides the following capabilities:

data management

You can manage your list of data tables from within the application. You can create new Base SAS libraries, add and remove tables, view table data and metadata, create and delete table summaries, and associate attachments and comments with tables.

The application uses these data tables whenever it needs to access data, such as for rule discovery and rule flow testing.

vocabulary management

A business vocabulary defines entities and terms. Terms are the building blocks that you use to construct business rules. SAS Business Rules Manager enables you to easily create and edit entities and terms. For individual terms, you can create a list of allowable values, which makes creating rules even easier.

business rule authoring

A business rule specifies conditions to be evaluated and action to be taken if those conditions are satisfied. For example, you can create a rule that determines whether a customer has a mortgage. That same rule can then add the outstanding balance of the mortgage to a running total of the customer's debt. With SAS Business Rules Manager, you define the conditions and actions for each rule. You can use the Equation Editor to create the expressions for the rule.

The rule authoring features of SAS Business Rules Manager make creating rules easier and more accurate. For example, the list of allowable values for a term help avoid incorrect rules. The lists of allowable values can be updated as needed, and the lists do not prevent you from providing new values manually.

rule set management

A rule set is a logical collection of rules. A single rule set can have many rules. For example, you might have a rule set that determines a customer's asset balance and another rule set that determines a customer's debt level. SAS Business Rules Manager displays rules sets in decision tables. Each row of the decision table defines the conditions and actions for one rule. By using SAS Business Rules Manager, you can easily create new rule sets, reorder the rules in a rule set, add new rules to existing rule sets, and more.

You can also manage rule sets and rule flows. When a rule set or rule flow is published, the versioning features of SAS Business Rules Manager create a static version of the rule set or rule flow. This static version helps you to enforce integrity and governance over the rule sets and rule flows that are put into production.

rule flow authoring and publishing

A rule flow is a logical collection of rule sets. A rule flow defines a set of rule sets and the order in which they will be executed. A single rule flow frequently corresponds to a single decision. For example, a rule flow can initially execute the rule set that determines a customer's asset balance. Next, the rule set that determine a customer's debt level is executed. Finally, the rule set that assign's a customer's loan application status is executed.

SAS Business Rules Manager makes it easy to combine rules sets into a rule flow and to publish those rule flows to the metadata server. After a rule flow has been published, it is available for use by other applications.

Managing Preferences

About Setting Preferences

Preferences provide a way for you to customize the user interface. Preferences for each user are stored in metadata and are retained if your deployment is migrated or reconfigured.

You can set preferences in two ways:

by using the Preferences window

To open the Preferences window, select **File** ⇒ **Preferences**. There are two general categories of preferences: Global and Decision Manager preferences. See [“Global Preferences”](#) and [“Decision Manager Preferences”](#) on page 6 for more information.

by using SAS Preferences Manager

SAS Preferences Manager is a web application that provides a central facility for users to manage their preferences and settings. See [“SAS Preferences Manager”](#) on page 6 for more information.

Global Preferences

Global preferences apply to all SAS web applications that are displayed with the Adobe Flash Player. When you set a global preference, it applies only to the user that you are logged on as.

To set global preferences, select the **Global Preferences** page. The following global preferences are available:

User locale

specifies the geographic region whose language and conventions are used in the applications. This setting might also apply to some SAS web applications that are not displayed with the Adobe Flash Player. The default is the browser locale. Locale changes take effect after you log off and log back on.

Note: You can also set the **User locale** setting by using the SAS Preferences Manager. Select the **Regional** menu option in SAS Preferences Manager. For more information, see [“SAS Preferences Manager”](#) on page 6.

Note: If the user locale that you specify in the preferences is different from the user locale for the SAS Workspace Server, you might receive an error when you try to sign in to the application. You might also receive encoding errors when executing tasks in SAS Business Rules Manager. If you receive an error, change the updated locale back to the original locale.

Theme

specifies the collection of colors, graphics, and fonts that appear in the applications. Your site administrator can change the default theme. A theme change might take a few seconds to apply if many items and features are open in the application.

Invert application colors

inverts all of the colors in the application window, including both text and graphical elements. You can also temporarily invert or revert the colors for an individual application session by pressing Ctrl+~.

Override settings for focus indicator

controls the appearance of the highlighting that surrounds the currently selected field in the SAS Business Rules Manager interface.

Decision Manager Preferences

Decision Manager preferences apply to SAS Business Rules Manager only. To set these preferences, select **Decision Manager** ⇒ **General**.

Show this number of recent items

controls the number of items that are listed in the **Recent Work** menu. To display this menu, select **File** ⇒ **Recent Work**.

SAS Preferences Manager

SAS Preferences Manager is a web application that provides a common mechanism for managing preferences for SAS web applications. The application enables users to manage their preferences and administrators to set default preferences for locale, theme, alert notification, time, date, and currency.


To launch the SAS Preferences Manager, enter the URL `http://host-name:port/SASPreferences` in your browser window. Replace the values for host-name and port based on the location of the configured SAS Web Infrastructure Platform. For more information, see “[SAS Preferences Manager](#)” in *SAS Intelligence Platform: Middle-Tier Administration Guide*.


Change the Delivery Type for Alert Notifications

The default delivery type for notifications is specified in the properties for the SAS Application Infrastructure by using the Configuration Manager plug-in to SAS Management Console. For SAS 9.4, the default delivery type is **My alerts portlet**. You can use SAS Preferences Manager to change your default delivery type.

Note: A SAS administrator can modify the default notification type for all users. For information about modifying the default delivery type for all users, see “[Configure Alert Notifications for SAS Workflow](#)” in *SAS Business Rules Manager: Administrator’s Guide*.

To specify the notification delivery preference for an individual user:

1. Enter the URL `http://host-name:port/SASPreferences` in your browser window to launch the SAS Preferences Manager. Replace the values for host-name and port based on the location of the configured SAS Web Infrastructure Platform.
2. Enter the user ID and password for the user account that you use to access SAS web applications.
3. Select **General** ⇒ **Notifications**.
4. Select a format type for the e-mail notifications. The options are **HTML-formatted e-mail** and **Plain-text e-mail**.
5. Select the notification types from the **Available** list and click  to add the selected notification types.

TIP To remove a notification type, select the type from the list and click .

6. Click **Apply** to update the notification settings, and click **OK** to save the changes.

For more information, see “SAS Preferences Manager” in *SAS Intelligence Platform: Middle-Tier Administration Guide*.

Viewing Help and Documentation

SAS Business Rules Manager provides the following types of Help and documentation:

How-to Help

How-to Help provides quick instructions or tips to help you complete some tasks in the application. To access how-to Help, select **Help** ⇒ **How To**.

Embedded Help

Help pop-up menus and tooltips provide brief descriptions of various fields.

To access a Help pop-up menu for a field, click the Help icon (??) when it appears next to a field. You can also place the mouse pointer over an element in the SAS Business Rules Manager windows to view the associated tooltip.

SAS Business Rules Manager: User's Guide

This document provides detailed information about the concepts and tasks that are related to using SAS Business Rules Manager. This document is available at <http://support.sas.com/documentation/onlinedoc/brm>.

SAS Business Rules Manager: Administrator's Guide

This document contains information about the administration tasks that are required to set up and configure the SAS Business Rules Manager and is available at <http://support.sas.com/documentation/onlinedoc/brm>.

Additional resources are available from the **Help** menu. To access these resources, select **Help** ⇒ **SAS on the Web**.

Create and Publish Business Rules

To create and publish business rules using SAS Business Rules Manager:

1. [Add data tables](#) to your list of data sources.
2. [Create business rule folders](#) where you want to save the business rules.
3. [Create vocabularies](#).
4. [Create entities](#) and [terms](#).
5. [Create rule sets and rules](#).
6. [Create rule flows](#).
7. (Optional) [Test rule flows](#).
8. [Publish rule flows](#).

After a rule flow has been published, it is available for use by other applications such as SAS Data Integration Studio. These applications map objects in the SAS Decision Manager database to objects in the input data. For example, terms are mapped to table columns or to data set variables. The output generated when a rule flow is executed is written to a data set. The location of the data set is specified by the application.

Chapter 2

Quick Start Tutorial

Overview of the Quick Start Tutorial	9
Make the Tutorial Files Available	10
About Making the Tutorial Files Available	10
Download the Tutorial Files	10
Sign In	11
Define Data Sources	11
Define Business Rule Folders	13
Create a Vocabulary, Entities, and Terms	14
Create a Rule Set and Define Business Rules	17
Create and Publish a Rule Flow	20

Overview of the Quick Start Tutorial

This Quick Start tutorial is an introduction to some of the primary features of SAS Business Rules Manager. The tutorial covers basic tasks for creating and publishing a simple rule flow for loan validation. The tutorial also shows you how to validate the installation and configuration of SAS Business Rules Manager at your site.

In this tutorial, you import a vocabulary, create a rule set, and create and publish a rule flow.

Note: In order to complete the tasks in this tutorial, your user ID must be a member of the Decision Manager Users group or must be granted equivalent permissions. See [“Configuring Users, Groups, and Roles” in SAS Business Rules Manager: Administrator’s Guide](#) for more information.

With the exception of Step 1, the steps in this tutorial are basic steps that are required to add content to the SAS Decision Manager database. In this tutorial, you complete the following steps:

1. [Make the tutorial files available on the SAS Application Server.](#)

Note: The QuickStartTutorial.zip file contains data and model files for several tutorials, including this one.

2. [Sign in](#) to SAS Business Rules Manager.
3. [Define the data source](#) needed for the tutorial.

4. Define business rule folders.
5. Create a vocabulary and import the terms.
6. Create a rule set and define business rules.
7. Create and publish a rule flow.

Make the Tutorial Files Available

About Making the Tutorial Files Available

The tutorial is designed to use the SAS Metadata Repository. Before you use tables in the SAS Metadata Repository, the tutorial data sets must be on the SAS Application Server. An administrator who has Write access to the server and a valid SASApp user ID and password can put the tables there.

The drive where you extract the tutorial ZIP file must be accessible to the SAS Metadata Repository and to tutorial users. Tutorial users can also extract tutorial ZIP files to their local computers in order to access the other files.

You can define a data library and register the tables in the SAS Metadata Repository using the Data category view in SAS Business Rules Manager.

Download the Tutorial Files

The ZIP file QuickStartTutorial.zip contains the tutorial's data sets, models, and score code, and is available at <http://support.sas.com/documentation/onlinedoc/brm/>. Before you begin the tutorial, extract the tutorial files to a computer that is accessible to the SAS Metadata Server and to SAS Business Rules Manager users. If your SAS Metadata Server is separate from the SAS Application Server, the files must be placed on the SAS Application Server. Use WinZip to extract the files. If you are using a different extraction program, follow that program's instructions for extracting the files.

To download the files:

1. Create a folder on the server machine or a network drive to store the tutorial files. The instructions refer to this folder as **<drive>**.

Note: Users must have Read, Write, and Execute permissions to this folder and subfolders. You can create a group and add the tutorial users to that group to grant the permissions. For more information, see “[Creating Operating System Accounts for Product Administrators and Users](#)” in *SAS Business Rules Manager: Administrator's Guide*.

2. Save the QuickStartTutorial.zip to **<drive>**.
3. Open Windows Explorer to **<drive>**. Right-click **QuickStartTutorial.zip** and select **Open**. Click **Open**.
4. Click the arrow on the **Unzip** button to open the Unzip from WinZip File Folder window.

Note: If you are using a previous release of Windows, from the WinZip window, click the **Extract** button. The Extract dialog box appears.

5. Select **<drive>** from the Unzip to WinZip File Folder window.

Note: If you are using a previous release of Windows, in the **Extract to** box, select **<drive>** and click **Extract**.

The ZIP file contains data and models files for the tutorial. The data for the Quick Start tutorial for SAS Business Rules Manager is in the folder **<drive>\QuickStartTutorial\Data**.

6. UNIX only: To complete the tutorial in a UNIX environment, locate the CPORT file. Files that you use to import the data sets into UNIX are located in the QuickStartTutorial.zip file. Instructions and the sample code for performing an import are provided in the Readme.txt file. In order for a transport file to be imported successfully, the encodings of the source and target SAS sessions must be compatible. Use either latin1 or UTF-8 for your SAS sessions. For more information, see [“CIMPORT Problems: Importing Transport Files”](#) in *Base SAS Procedures Guide*.

Sign In

To sign in to SAS Business Rules Manager:

1. In the address bar of your web browser, enter the URL for SAS Business Rules Manager and press **Enter**. The Sign In page appears.

Note: Contact your system administrator if you need the URL for SAS Business Rules Manager. The default URL is `http://host_name:port/SASDecisionManager`.

2. Enter a user ID and password. Your user ID might be case sensitive, depending on the operating system that is used to host the application server. Your password is case sensitive.

Note: To schedule jobs in a Windows environment, you must include the domain name when entering your user ID (for example, `domain\myuserID`).

3. Click **Sign In**.

Define Data Sources

To register new tables in the SAS Metadata Repository and add them to the list of data sources:

1. Select **Data** ⇒ **Tables**.
2. Click **+** and select **Register Tables**. The Register Tables window appears.

Register Tables

Select a Library Step 1 of 2

Select a Library

Select Tables

Library

☒ Use an existing library

Library:

☐ Create a new library

Previous Next Finish Cancel

Note: You cannot use the **Register Tables** option to add a table that has already been registered in the SAS Metadata Repository using the SAS Management Console. You must select **Add Registered Tables** instead. See [“Add Tables That Are Registered in Metadata”](#) on page 24.

3. Create a new Base SAS library.
 - a. Select **Create a new library**.

Register Tables

Select a Library Step 1 of 2

Select a Library

Select Tables

Library

☐ Use an existing library

☒ Create a new library

Name: *

Description:

Libref: * ?

Engine: BASE

Location: *

Location of Tables

SAS servers: ▼

Directory: *

Previous Next Finish Cancel

- b. Specify **QSTutorial** for the name of the new library. The name cannot exceed 60 characters.

- c. (Optional) Specify a description for the library.
- d. Specify **QSTut** for the libref.
- e. Specify the location for the new library. This location is the folder in the SAS Metadata Repository where the library is stored.
- f. Select the server and the directory where the data tables for the quick start tutorial reside (for example, **C:\QuickStartTutorial\Data**).
- g. Click **Next**.

Note: If you click **Cancel** at this point, a folder for the library is created in the SAS Metadata Repository, but the folder does not appear in the list of data tables.



4. Click  to add all of the tables to the **Selected tables** list.
5. Click **Finish**. The new library is now available in the list of data tables.

Figure 2.1 SAS Business Rules Manager Data: Tables List

Data: Tables (11 of 11)		Search: (none)		Search: Tables		Save Search	
<div><div><div><div><div></div><div></div><div></div></div><div><div></div><div></div><div></div></div><div><div></div><div></div><div></div></div></div><div><div></div><div></div><div></div></div><div><div></div><div></div><div></div></div><div><div></div><div></div><div></div></div></div><div><div></div><div></div><div></div></div><div><div></div><div></div><div></div></div><div><div></div><div></div><div></div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div></div>							

Define Business Rule Folders

All of the content in your business rules database is contained within business rules folders. You must define at least one top-level folder. To define a top-level folder:

1. Select any category under **Business Rules**, such as **Business Rules** ⇒ **Vocabularies**.
2. Click , and select **New Top-Level Folder**.
3. Enter **Tutorials** for the folder name, and click **OK**.

Because multiple users might want to perform the tasks in the tutorial, each user should create a separate folder in the **Tutorials** folder. To create a new folder:

1. Right-click the **Tutorials** folder and select **New Folder**.

2. Enter a name for the folder such as **myUserID**. The examples in this tutorial use the ID **sasdemo**.
3. Click **OK**.

For more information, see [Chapter 4, “Managing Business Rule Folders,”](#) on page 31.

Create a Vocabulary, Entities, and Terms

Vocabularies, entities, and terms are the basic building blocks of a business rules database. Vocabularies contain entities, and entities contain terms. In this tutorial, you use the data table **HMEQ_SCORE_PROB_OUTPUT**, which you registered in [“Define Data Sources”](#) to import the terms for a new vocabulary. Then, you create a new entity and term manually in SAS Business Rules Manager and rename two of the imported terms.

For more information about vocabularies, entities, and terms, see [Chapter 5, “Managing Vocabularies,”](#) on page 35.


Create a New Vocabulary

To create a vocabulary:

1. Select **Business Rules** ⇒ **Vocabularies**.
2. Right-click on your folder in the **Tutorials** folder, and select **New Vocabulary**.
3. Enter **HMEQ_Vocab** for the vocabulary name, and click **OK**.

Import Terms From an Input Data Set

The easiest way to create new entities and terms is to import them from an input data set. The following steps import all of the terms in the data table **HMEQ_SCORE_PROB_OUTPUT**, which you registered in the SAS Metadata Repository in [“Define Data Sources”](#) on page 11.

4. Double-click **HMEQ_Vocab** to open the vocabulary.
5. Click  to import the vocabulary entities and terms. The Import Terms window appears.
6. Select **HMEQ_SCORE_PROB_OUTPUT** as the data source, and enter **BadLoans_Test** as the entity name.

7. Select the check box to the left of the **Term** table header to select all of the terms, and click **OK**.

Import Terms [X]

Name: HMEQ_Vocab

Data source: * QSTutorial.HMEQ_SCORE_PROB_OUTPUT [Icon]

Entity name: * BadLoans_Test

Description: [Text Area]

Library: QSTutorial

Select the terms to import

<input checked="" type="checkbox"/>	Term ▲	Type	<input checked="" type="checkbox"/> Import Domain	Values	<input type="checkbox"/> Discrete ?	<input type="checkbox"/> Exclude from Input ?	<input type="checkbox"/> Exclude from Output ?
<input checked="" type="checkbox"/>	CLAGE	Decimal	<input checked="" type="checkbox"/>	0 - 1168.23356	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	CLNO	Decimal	<input checked="" type="checkbox"/>	0 - 71	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	DEBTINC	Decimal	<input checked="" type="checkbox"/>	1.8555399802	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	DELINQ	Decimal	<input checked="" type="checkbox"/>	0;1;2;3;4;5;6;7;	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	ID	Character	<input checked="" type="checkbox"/>	ID_000000000	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	JOB	Character	<input checked="" type="checkbox"/>	Mgr;Office;Othe	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	LANDLINE	Decimal	<input checked="" type="checkbox"/>	0;1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	LOAN	Decimal	<input checked="" type="checkbox"/>	1500 - 89000	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

OK Cancel

SAS Business Rules Manager imports the terms and adds them to the entity named **BadLoans_Test**. If you expand the list, you see all of the terms that were imported.

Name: * HMEQ_Vocab

Description:

Parent folder: sasdemo

Created by: SAS Demo User

Date created: Jun 22, 2015 06:11 PM

Modified by: SAS Demo User

Date modified: Jun 22, 2015 06:11 PM

Entities And Terms

Name	Type	Description	Date Modified	Modified By	Data Type	Domain Type	Date Created	Created By
▼ ♦ BadLoans_Test	Entity		Jun 22, 2015 ..	SAS Demo User			Jun 22, 2015 ...	SAS Demo User
123 CLAGE	Term		Jun 22, 2015 ..	SAS Demo User	Decimal	Continuous	Jun 22, 2015 ...	SAS Demo User
123 CLNO	Term		Jun 22, 2015 ..	SAS Demo User	Decimal	Continuous	Jun 22, 2015 ...	SAS Demo User
123 DEBTINC	Term		Jun 22, 2015 ..	SAS Demo User	Decimal	Continuous	Jun 22, 2015 ...	SAS Demo User
123 DELINQ	Term		Jun 22, 2015 ..	SAS Demo User	Decimal	Discrete	Jun 22, 2015 ...	SAS Demo User
▲ ID	Term		Jun 22, 2015 ..	SAS Demo User	Character	Discrete	Jun 22, 2015 ...	SAS Demo User
▲ JOB	Term		Jun 22, 2015 ..	SAS Demo User	Character	Discrete	Jun 22, 2015 ...	SAS Demo User
123 LANDLINE	Term		Jun 22, 2015 ..	SAS Demo User	Decimal	Discrete	Jun 22, 2015 ...	SAS Demo User

8. Click to close the vocabulary.

Create a New Entity and New Terms

In addition to importing terms, you can create entities and terms manually. The following steps create a new entity and two new terms.

9. In the Business Rules: Vocabularies category view, expand **HMEQ_Vocab**, right-click the **BadLoans_Test** entity, and select **New Term**. The New Term window appears.
10. Enter **DEROG** as the term name, select **Integer** as the data type, and click **OK**.
11. Right-click **HMEQ_Vocab** and select **New Entity**. The New Entity window appears.
12. Enter **BadLoans_Actions** as the entity name, and click **OK**.
13. Right-click **BadLoans_Actions** and select **New Term**. The New Term window appears.
14. Enter **BadLoanFlag** for the term name. Select **Boolean** for the data type, select **Exclude from input**, and click **OK**.

The **HMEQ_Vocab** vocabulary now contains two entities and several terms. You can display all of the terms in the vocabulary in the category view.


Business Rules: Vocabularies (18 of 18) Search: (none) Search: Vocabularies Save Search							
Name	Type	Description	Date Modified	Modified By	Data Type	Domain Type	Date Created
▼ Tutorials			Jun 22, 2015 ...	SAS Demo User			Jun 22, 2015 06:10
▼ sasdemo			Jun 22, 2015 ...	SAS Demo User			Jun 22, 2015 06:10
▼ HMEQ_Vocab	Vocabulary		Jun 22, 2015 ...	SAS Demo User			Jun 22, 2015 06:11
▼ BadLoans_Actions	Entity		Jun 22, 2015 ...	SAS Demo User			Jun 22, 2015 06:39
BadLoanFlag	Term		Jun 22, 2015 ...	SAS Demo User	Boolean	Boolean	Jun 22, 2015 06:41
▼ BadLoans_Test	Entity		Jun 22, 2015 ...	SAS Demo User			Jun 22, 2015 06:35
CLAGE	Term		Jun 22, 2015 ...	SAS Demo User	Decimal	Continuous	Jun 22, 2015 06:35
CLNO	Term		Jun 22, 2015 ...	SAS Demo User	Decimal	Continuous	Jun 22, 2015 06:35
DEBTINC	Term		Jun 22, 2015 ...	SAS Demo User	Decimal	Continuous	Jun 22, 2015 06:35
DELINQ	Term		Jun 22, 2015 ...	SAS Demo User	Decimal	Discrete	Jun 22, 2015 06:35
DEROG	Term		Jun 22, 2015 ...	SAS Demo User	Integer	Discrete	Jun 22, 2015 06:35
ID	Term		Jun 22, 2015 ...	SAS Demo User	Character	Discrete	Jun 22, 2015 06:35
JOB	Term		Jun 22, 2015 ...	SAS Demo User	Character	Discrete	Jun 22, 2015 06:35
LANDLINE	Term		Jun 22, 2015 ...	SAS Demo User	Decimal	Discrete	Jun 22, 2015 06:35
LOAN	Term		Jun 22, 2015 ...	SAS Demo User	Decimal	Continuous	Jun 22, 2015 06:35
MODELScore	Term		Jun 22, 2015 ...	SAS Demo User	Decimal	Continuous	Jun 22, 2015 06:35

Create a Rule Set and Define Business Rules

A business rule specifies conditions to be evaluated and actions to be taken if those conditions are satisfied. Rules are grouped together into rule sets. In this tutorial, you create a single rule set with three rules.

For more information, see [Chapter 7, “Managing Rules and Rule Sets,”](#) on page 49.

Create a New Rule Set

1. Select **Business Rules** ⇒ **Rule Sets**.
2. Select your folder in the **Tutorials** folder.
3. Click  and select **New Rule Set**. The New Rule Set window appears.
4. Enter **LoanScoreRules** for the rule set name.

5. Select **HMEQ_Vocab** for the vocabulary and click **Create**. SAS Business Rules Manager opens the rule set and displays the **Properties** page.

LoanScoreRules Version: 1.1

Properties | Rules | Usage | Versions | Attachments | Comments

Name: * LoanScoreRules

Description:

Folder: sasdemo

Vocabulary: * HMEQ_Vocab ⓘ

Created by: SAS Demo User Date created: Jun 22, 2015 06:51 PM

Modified by: SAS Demo User Date modified: Jun 22, 2015 06:51 PM


Number of rules: 1 Number of terms: 0

Rule Set Logic

#	Rule Name	Condition	Action
1	Default Rule Name 1	If	then

Define Business Rules

To define the business rules for the new rule set, you enter condition and action expressions for the terms in the rule set into the rule set editor. The following steps define three simple rules that determine whether a loan application is a bad risk. The determination is based on the model score that was generated for the loan, among other things. For example, if the model score is less than or equal to 0.6, the loan is considered a bad risk, and the **BadLoanFlag** term is set to **True**.

6. Select the **Rules** page.
7. Expand the **BadLoans_Test** entity, and select the **LANDLINE**, **MODELSCORE**, and **REASON** terms.
8. Right-click on one of the highlighted terms, and select **Use as Condition Term**.
9. Right-click the **BadLoanFlag** term, and select **Use as Action Term**.
10. Enter the rule expressions into the rule set editor. Each row in the table represents a different rule. Enter the expressions for each term into the column for that term. You can enter expressions directly into the table cells, or you can use the equation editor. Click  to open the equation editor.

Enter the expressions in the following table into the rule set editor.

Rule	Condition Terms			Action Term
	LANDLINE	MODELSCORE	REASON	BadLoanFlag
Rule 1		<=.6		True

Rule	Condition Terms			Action Term
	LANDLINE	MODELScore	REASON	BadLoanFlag
Rule 2	= 1	>.6 AND <=.7	'HomeImp'	True
Rule 3	= 1	>.7 AND <=.8	'DebtCon'	False

TIP If you do not specify an operator at the beginning of an expression, SAS Business Rules Manager adds an equal sign to the beginning of the expression.

TIP In condition expressions, when an AND or OR operator is followed immediately by another operator, SAS Business Rules Manager inserts the column term between the AND or OR operator and the operator that follows it.

See “Define Expressions for a Rule” on page 54 and “Terms and Operators Added by SAS Business Rules Manager” on page 63 for more information.

The following display shows the decision table with the rules that are defined for the **LoanScoreRules** rule set.




The screenshot shows the SAS Business Rules Manager interface for the **LoanScoreRules** rule set. The main table displays three rules with conditions on **LANDLINE**, **MODELScore**, and **REASON**, leading to an Action Term **BadLoanFlag**.

#	Condition Term	Action Term
1	If LANDLINE <=.6	True
2	If LANDLINE = 1 AND MODELScore >.6 AND <=.7	True
3	If LANDLINE = 1 AND MODELScore >.7 AND <=.8	False

The interface includes a **Vocabularies** pane on the left, a toolbar at the top, and a **Rule Details** pane on the right. The **Rule Details** pane shows the rule name, folder name, set identifier, order, and description.

Validate and Save the Rule Set

When you save a rule set, SAS Business Rules Manager validates the content of the rule set before saving it. However, you can validate the rule set at any time while you are creating the rule set.

11. Click  to validate the rule set.
12. Click  to save the rule set.
13. Click  to close the rule set.


Create and Publish a Rule Flow



The last major step in adding business rules content to the SAS Decision Manager database is to create and publish rule flows. A business rule flow is a logical collection of rule sets that define multiple conditions and actions. The rule flow that you create in this tutorial contains only one rule set, but most rule flows contain multiple rule sets.

For more information, see [Chapter 8, “Creating and Publishing Rule Flows,”](#) on page 73.

To create and publish a rule flow:


1. Select **Business Rules** ⇒ **Rule Flows**.
2. Right-click on your folder in the **Tutorials** folder, and select **New Rule Flow**.
3. Enter **Score_Loan** for the rule flow name and click **Create**. SAS Business Rules Manager opens the rule flow and displays the **Properties** page.
4. Select the **Rule Sets** page.
5. In the rule sets list, right-click **LoanScoreRules** and select **Add To Rule Flow**.



6. Click  to save the rule flow.
7. Click  to publish the rule flow.

SAS Business Rules Manager asks you if you want to lock the rule set versions that are used in the rule flow. All rule set versions that are used in published rule flows must be locked.

8. Click **Yes** to lock the rule set version. The Choose a Location window appears.
9. Select the location where you want to publish the rule flow, and click **OK**. SAS Business Rules Manager confirms that the rule flow has been published and displays the published name and identification number of the published rule flow.

10. Click **Close** to close the message, and then click  to close the rule flow.

Chapter 3

Managing Data Tables

About Managing Data Tables	23
Adding Tables Using SAS Visual Data Builder	24
Add Tables That Are Registered in Metadata	24
Register and Add New Tables	24
Edit Table Properties and View Table Metadata	25
View Table Data	26
Filter Data in the Table View	27
Create a New Table Summary	28
Add Attachments to a Table	29
Add Comments to a Table	30
Delete a Table Summary	30
Remove a Table	30

About Managing Data Tables

The Data category enables you to manage your list of data tables from within SAS Business Rules Manager. You can create new Base SAS libraries, add and remove tables, view table data and metadata, create and delete table summaries, and associate attachments and comments with tables. The application uses these data tables whenever it needs to access data, such as for importing terms, rule discovery, and rule flow testing.

You can view the list of tables by selecting **Data** ⇒ **Tables**. There are three ways to add tables to the list.

- You can use SAS Visual Data Builder to create new tables and add them to the list. See [“Adding Tables Using SAS Visual Data Builder” on page 24](#) for more information.
- If the table is already registered in the SAS Metadata Repository, you can add the table to the list as described in [“Add Tables That Are Registered in Metadata” on page 24](#).
- If the table is not already registered in the SAS Metadata Repository, you can add a new table as described in [“Register and Add New Tables” on page 24](#).

Note: SAS Business Rules Manager cannot access tables in a SAS LASR Analytic Server instance.

Note: If you do not have the appropriate permissions to access a folder, then the tables and libraries are not listed in the Data category view.



Adding Tables Using SAS Visual Data Builder

SAS Visual Data Builder enables analysts and data administrators to perform data preparation for analytics. You can design queries to perform joins, add calculated columns, and subset and sort data. Several productivity features speed the creation of columns based on common aggregation functions.

Once you design your queries, you can reuse them as subqueries for more sophisticated queries, export them as jobs for scheduling, or schedule them directly from the user interface.


The application has data import features that enable you to access data from spreadsheets, delimited files, and SAS data sets. Once you import the data, you can prepare it for analysis or join it with existing data.

The application provides a series of features that you can use to extract and transform data from multiple sources and create new data tables.

To access SAS Visual Data Builder, select **Data** ⇒ **Tables**. Click  to start SAS Visual Data Builder. For more information about SAS Visual Data Builder, click  to access *SAS Visual Analytics: User's Guide* and videos about using SAS Visual Data Builder.


Add Tables That Are Registered in Metadata

If a data table has already been registered in the SAS Metadata Repository, you can add it to the list of data sources. To add one or more tables:

1. Select **Data** ⇒ **Tables**.
2. Click  and select **Add Registered Tables**. The Choose an Item window appears.
3. Select the tables that you want to add, and click **OK**.

Register and Add New Tables


You can create new Base SAS libraries and register tables by using SAS Business Rules Manager. To register new tables in the SAS Metadata Repository and add them to the list of data sources:

1. Select **Data** ⇒ **Tables**.
2. Click  and select **Register Tables**. The Register Tables window appears.

Note: You cannot use the **Register Tables** option to add a table that is already registered. You must select **Add Registered Tables** instead. See [“Add Tables That Are Registered in Metadata”](#) on page 24.

3. Select an existing library, or create a new Base SAS library.



To use an existing library:

- a. Select **Use an existing library**.
- b. Click  and select the library.
- c. Click **Next**.

To create a new Base SAS library:

- a. Select **Create a new library**.
- b. Specify a name for the new library. The name cannot exceed 60 characters.
- c. (Optional) Specify a description for the library.
- d. Specify a libref. A *libref* is a name that SAS uses to refer to the library. Enter a unique name of eight characters or less.
- e. Specify the location for the new library. This location is the folder in the SAS Metadata Repository where the library is stored.
- f. Select the server and the directory where the data tables reside.
- g. Click **Next**.

Note: If you click **Cancel** at this point, a folder for the library is created in the SAS Metadata Repository, but the folder does not appear in the list of data tables.

4. Select the tables that you want to add to the library, and click  to add the tables to the **Selected tables** list. Click  to add all of the tables to the **Selected tables** list.
5. Click **Finish**.

Edit Table Properties and View Table Metadata

The **Properties** page displays table metadata. On this page, you can edit the data source name and description, and change the table associated with the data source name.

1. Select **Data** ⇌ **Tables**.
2. Double-click on the table whose properties you want to edit. The **Properties** page appears.

The **Properties** page displays table metadata such as the number of columns, the table location, and information about each column in the table.

HMEQ_PERF_Q4

Properties | Table View | Summary | Attachments | Comments

Name: HMEQ_PERF_Q4

Description:

Date registered: Jun 28, 2015 07:15 PM

Metadata location: /Shared Data/Model Manager/QSTutorial/HMEQ_PERF_Q4

Physical table name: HMEQ_PERF_Q4

Type: Table

Engine: BASE

Columns: 13

Column Information

Name	Type	Format	Length	Description
BAD	NUM		8	
LOAN	NUM		8	
MORTDUE	NUM		8	
VALUE	NUM		8	
REASON	CHAR		7	
JOB	CHAR		7	
YOJ	NUM		8	
DEROG	NUM		8	
DELINQ	NUM		8	
CLAGE	NUM		8	
NINQ	NUM		8	
CLNO	NUM		8	
DEBTINC	NUM		8	

3. Edit the data source name and description, or click to select a different table as the data source.
4. Click to save the changes.

View Table Data

To view table data:

1. Select **Data** ⇒ **Tables**.
2. Double-click on the table that you want to view.
3. Select the **Table View** page.

On the **Table View** page, you can control the display by selecting specific columns in the **Columns** section. The **Column Information** section displays information about the currently selected column.

Columns

- ☒ BAD
- ☒ LOAN
- ☒ MORTDUE
- ☒ VALUE
- ☒ REASON
- ☒ JOB
- ☒ YOJ
- ☒ DEROG
- ☒ DELINQ

Column Information

Attribute	Value
Name	BAD
Label	
Length	8
Type	num
Format	
Informat	
Varnum	1
Sorted By	0

Table Data:

BAD	LOAN	MORTDUE	VALUE	REASON	JOB
1	1100	4613.1563229	39025	Homelmp	Other
1	162.06479066	54374.03044	66177.01607	Homelmp	Other
1	1292.0169063	11615.734546	16700	Homelmp	Other
1	783.12678066	.	.		
1	1700	52740.807781	59160.815393	Homelmp	Office
1	988.83395106	30548	5882.7308813	Homelmp	Other
1	1800	48649	38634.362586	Homelmp	Other
1	1800	28502	43034	Homelmp	Other
1	2000	32700	3372.1455416	Homelmp	Other
1	2000	.	42737.002789	Homelmp	Sales
1	1254.7035819	22608	.		
1	211.53889327	20616.502098	7125.6648938	Homelmp	Office
1	684.99610605	45000	41420.135382	Homelmp	Other
0	577.27318563	53488.824759	87400		Mgr
1	2100	71000	83850	Homelmp	Other
1	2200	20355.871352	287.75473736	Homelmp	Other
1	1386.5660014	7535.3038323	13209.702579	Homelmp	Mgr
1	2200	23030	.		
1	929.95583621	28192	40150	Homelmp	Other


Rows: 5960 Filtered rows: 5960 Columns: 13 Selected row: 0

Note: The row count might not be displayed, depending on the database with which the table was created.

To sort the table based on the values in a particular column, click on the column heading. If the column is sorted in ascending order, a ▲ appears beside the column heading. When the column is sorted in descending order, a ▼ appears.

Filter Data in the Table View

You can filter the rows that are shown on the **Table View** page in either of the following ways:

- Click  above the table. The Filter window appears. Enter a valid SQL expression, and click **Apply**.
- Right-click on a value in the table. SAS Business Rules Manager displays several predefined filter options. You can select any of these options. Depending on which option you select, you might be prompted to enter data values for the query.

⑫ LOAN	⑫ MORTDUE	⑫ VALUE
110	18834	39025
130	16337	68400
150	16700	16700
150		
170	112000	112000
170	40320	40320
180	57037	57037
180	43034	43034
200	46740	46740

The expression that you enter is displayed above the data table, and the table is filtered accordingly.


Filter: LOAN between 50000 and 89900 AND REASON contains "HomeImp"					
customer...	⑫ BAD	⑫ LOAN	⑫ MORTDUE	⑫ VALUE	REASON
147-232-327	0	81200	18834	108355	HomeImp
196-218-319	0	80600	16337	109370	HomeImp

To clear the filter and display the entire table, click .

For more information about SQL expressions, see *SAS FedSQL Language Reference*.


Create a New Table Summary

To create a new table summary:

1. Select **Data** ⇒ **Tables**.
2. Double-click on the table for which you want to add a summary.
3. Select the **Summary** page.
4. Click .
5. In the New Summary window, select the **Collection period** and the specific date or time values for the collection period that is represented by the data in the table.
Note: The **Collection period** is not used to filter the data.
6. (Optional) Specify a summary description.
7. Click **Run**. SAS Business Rules Manager runs a process to summarize the data and adds the new summary to the **Summary** page.


Double-click on the summary to open it.


The following display shows the **Summary** page for the HMEQ_PERF_Q1 table. The collection period represented by the data in the table is June 2015.



Add Attachments to a Table

To add an attachment such as a document file or an image file:


1. Select the **Attachments** page.
2. Click **+**, and select the attachment file.
3. Click .


Note: You can delete an attachment by selecting the attachment and clicking .

Add Comments to a Table


You can add new comments or reply to existing comments. To add a new comment:

1. Select the **Comments** page.
2. Enter a topic title and enter the comment. The topic title is required, and the field for comments does not appear until you enter the topic title.



3. (Optional) Click  to add an attachment such as an image or a document.
4. Click **Post**.


To reply to an existing comment, enter your reply in the field immediately below the topic title for the existing comment, and click **Post**.

Click  to see comments that have been posted by others.

To search for text in the comments, enter text in the search field at the top of the **Comments** page.


Delete a Table Summary

To delete a table summary:

1. Select **Data** ⇒ **Tables**.
2. Double-click on the table whose summary you want to delete.
3. Select the **Summary** page.
4. Select the summary that you want to delete.
5. Click .

Remove a Table

Removing a table from the list of data sources does not delete the table from file system. To remove a table from the list of data sources:

1. Select **Data** ⇒ **Tables**.
2. Select the table that you want to remove from the list.
3. Click .

Chapter 4

Managing Business Rule Folders

About Business Rules Folders	31
Create New Top-Level Folders	31
Create New Folders	32
Move Folders	32
Delete Folders	32


About Business Rules Folders

Before you create any vocabularies, lookup tables, rule sets, or rule flows, you need to create business rules folders. Content that is related to business rules is stored in business rules folders.

All folders appear for each category in SAS Business Rules Manager. When you open a folder, only the items in the selected category appear.


Create New Top-Level Folders

To create a new top-level folder:

1. Click , and select **New Top-level Folder**.
2. In the New Folder window, enter the name of the new folder. Folder names are limited to 100 characters.
3. (Optional) Enter a description for the new folder. Descriptions are limited to 256 characters.
4. Click **OK**.

Create New Folders

To create a new folder within another folder:


1. Select the parent folder in which you want to create a new subfolder.
2. Click , and select **New Folder**.
3. In the New Folder window, enter the name of the new folder. Folder names are limited to 100 characters.
4. (Optional) Enter a description for the new folder. Descriptions are limited to 256 characters.
5. Click **OK**.

Move Folders

You cannot move a folder up to the level of a top-level folder. A folder cannot be moved into one of its own folders. To move folders:

1. Select the folders that you want to move, and then right-click and select **Move**. The Choose a Location window appears.
2. Select a new location for the folders, and click **Move**.

Delete Folders

A folder must be empty before you can delete it. To delete folders, select the folders that you want to delete, and then click .

Part 2

Defining a Rules Database

<i>Chapter 5</i>	
Managing Vocabularies	35
<i>Chapter 6</i>	
Using Lookup Tables and Functions	43
<i>Chapter 7</i>	
Managing Rules and Rule Sets	49
<i>Chapter 8</i>	
Creating and Publishing Rule Flows	73

Chapter 5

Managing Vocabularies

Introduction to Vocabularies, Entities, and Terms	35
Tips for Creating Entities and Terms	36
Create a Vocabulary	36
Create an Entity	37
Create a Term	37
Import Terms from a Data Source	38
Specify Domain Values	39
Edit Existing Vocabularies, Entities, or Terms	40
Delete Vocabularies, Entities, or Terms	40
Move Vocabularies, Entities, Terms	40
Duplicate Vocabularies, Entities, or Terms	40
Search for Rule Sets by Term	41

Introduction to Vocabularies, Entities, and Terms

Vocabularies, entities, and terms are the basic building blocks of a SAS Decision Manager database. Vocabularies contain entities, and entities contain terms.

Object	Description
Vocabulary	Vocabularies contain one or more business entities. Vocabularies categorize and structure the entities and terms needed to create a rules database.
Entity	An <i>entity</i> is an object in a business domain. For example, an entity could be Customer, Transaction, or Account. Entities contain terms. They group terms into logical units. Entities are not mapped to tables or to table columns when rules flows are published.


Object	Description
Term	<p>A term is an attribute of an entity. For example, a customer entity might have terms such as name, address, and income. A transaction entity might contain terms for date, time, transaction amount, and account number. Terms are the objects with which you build business rules.</p> <p>A business rule can have <i>condition terms</i> and <i>action terms</i>. Suppose your rule is if balance>1000 then account="premium". The term balance is a condition term, and account is an action term.</p> <p>Terms are mapped to table columns by the applications that use published rule flows that are within metadata.</p>

Tips for Creating Entities and Terms

- Before you define vocabulary entities and terms, review the structure of the tables that input values will come from. Vocabularies should be structured similarly to these tables to ensure that terms are mapped correctly to input columns. Coordinate your work with the groups that will use the vocabulary. Coordination helps ensure that the vocabulary structure meets their requirements.
- Boolean data can be represented with terms that are defined either as Boolean data types or as Character data types. In some cases, Boolean values might be better represented by using terms defined as Character. For example, if your data already uses **yes** and **no** for Boolean data, then you probably want to use a Character term to process these values rather than try to translate those values to **true** and **false**.


Create a Vocabulary


To create a new vocabulary:

1. Select **Business Rules** ⇒ **Vocabularies**.
2. Right-click on the folder where you want to create the new vocabulary, and select **New Vocabulary**. Alternatively, you can select the folder, click , and then select **New Vocabulary**. The New Vocabulary window appears.
3. Enter the name of the new vocabulary. Vocabulary names can contain up to 32 characters and must be unique within a folder. Vocabulary names are case insensitive. For example, SAS Business Rules Manager considers **name** to be equal to **NAME**.
4. (Optional) Enter a description for the new vocabulary. Descriptions are limited to 256 characters.
5. Click **OK**.

Create an Entity

To create a new entity from the Vocabulary category view:


1. Right-click on the vocabulary where you want to create the new entity, and select **New Entity**. Alternatively, you can select the vocabulary, click , and then select **New Entity**. The New Entity window appears.

Note: If you open a vocabulary, you can click  to create a new entity.

2. Enter the name of the new entity. Entity names can contain up to 32 characters and must be unique within a vocabulary. Entity names are case insensitive. For example, SAS Business Rules Manager considers **name** to be equal to **NAME**.
3. (Optional) Enter a description for the new entity. Descriptions are limited to 256 characters.
4. Click **OK**.

Create a Term

To create a new term:

1. Right-click on the entity where you want to create the new term, and select **New Term**. Alternatively, you can select the entity, click , and then select **New Term**. The New Term window appears.

2. Enter the name of the new term. Term names can contain up to 32 characters and must be unique within a vocabulary. Term names are case insensitive. For example, SAS Business Rules Manager considers **name** to be equal to **NAME**.

Note: Do not use any of these operators or keywords as term names: AND, OR, IN, NOT, LIKE, TRUE, or FALSE. Do not use **_N_** or any DS2 reserved word as a term name. See [“Reserved Words in the DS2 Language” in SAS DS2 Language Reference](#).


3. (Optional) Enter a description for the new term. Descriptions are limited to 256 characters.
4. Select the data type for the new term.
5. Select the domain type for the new term.
6. (Optional) Specify the domain values for the new term. Domain values are the set of expected values for a term. See [“Specify Domain Values” on page 39](#) for more information.
7. (Optional) Select **Exclude from input** if you do not want the term to be mapped to a column in an input data set. (The application expects all terms to be mapped to columns in an input data set.)
8. (Optional) Select **Exclude from output** to exclude a term from the output data sets that are generated by rule flows.

TIP To create a temporary term for use only while a rule flow is executing, select both **Exclude from input** and **Exclude from output**.


9. Click **OK**.

Import Terms from a Data Source

To import terms from a data source:

1. Create a new vocabulary or open an existing vocabulary. For information, see [“Create a Vocabulary” on page 36](#).
2. Click . The Import Terms window appears.
3. Select the data source from which you want to import terms. SAS Business Rules Manager displays the terms, their type, and domain information.
4. Enter the entity name where you want to add the terms.
5. (Optional) Enter a description for the entity.
6. Select the terms and domain values that you want to import.

TIP To select all of the items in a column, select the box beside the column heading.



Import Terms

Name: HMEQ_Vocab

Data source: * QSTutorial.HMEQ_SCORE_PROB_OUTPUT

Entity name: * BadLoans_Test

Description:

Library: QSTutorial

Select the terms to import

<input checked="" type="checkbox"/> Term	Type	<input checked="" type="checkbox"/> Import Domain	Values	<input type="checkbox"/> Discrete	<input type="checkbox"/> Exclude from Input	<input type="checkbox"/> Exclude from Output
<input checked="" type="checkbox"/> CLAGE	Decimal	<input checked="" type="checkbox"/>	0 - 1168.23356	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> CLNO	Decimal	<input checked="" type="checkbox"/>	0 - 71	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> DEBTINC	Decimal	<input checked="" type="checkbox"/>	1.8555399802	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> DELINQ	Decimal	<input checked="" type="checkbox"/>	0;1;2;3;4;5;6;7;	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> ID	Character	<input checked="" type="checkbox"/>	ID_000000000	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> JOB	Character	<input checked="" type="checkbox"/>	Mgr;Office;Othe	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> LANDLINE	Decimal	<input checked="" type="checkbox"/>	0;1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> LOAN	Decimal	<input checked="" type="checkbox"/>	1500 - 89000	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

OK Cancel

7. Select the **Discrete** box for terms that have a discrete set of values. For more information, see [“Specify Domain Values” on page 39](#).
8. All of the imported terms are included in both the input and the output unless you exclude them. Select any terms that you want to exclude. See [Step 7](#) and [Step 8](#) of [“Create a Term” on page 37](#) for more information.

9. Click **OK**.

Specify Domain Values

Domain values are the set of expected values for a term. Domain values are not used to validate rules. They are used to enable faster and easier rule authoring. They are displayed in the Equation Editor, which enables you to add a value to an expression by double-clicking on the value.

Domain values can include term or variable names. For continuous values, you can use the greater than (>), less than (<), and equal (=) signs to set limits for ranges. You cannot include a semi-colon (;) within a domain value. You do not need to enclose Character values in quotation marks unless the value itself contains an apostrophe (').

Separate individual domain values with a semi-colon (;).

Note: To enter continuous Date and Datetime values, enclose the values in single quotation marks, followed by a **d** or **dt** as shown in the following table.


The following table shows examples of domain values.

Table 5.1 Examples of Domain Values

Data Type	Domain Type	Examples
Character	Discrete	high risk;low risk "d'oscail";"d'fhill"
	Continuous	>100;<=myterm
Decimal	Discrete	3.14;12.98
	Continuous	>1.25;<=N1
Date	Discrete	01jul2012;31jul2012
	Continuous	>='01jan2013'd;<='31dec2013'd
Datetime	Discrete	01jul2012:10:52:00;31jul2012:23:00:00
	Continuous	<='01jul2012:00:00:00'dt;>'31jul2012:23:00:00'dt
Boolean	By default, Boolean values are set to True and False and cannot be changed.	

Edit Existing Vocabularies, Entities, or Terms


To edit existing items:

1. Select the items that you want to edit, and click **Open** in the toolbar.
2. Edit the item properties as needed.
3. Click .

Delete Vocabularies, Entities, or Terms

Note: You cannot delete a vocabulary, entity, or term if it is used in a rule set.

You can delete multiple vocabularies or terms at the same time, but all of the items that you are deleting must be of the same type. You can delete only one entity at a time.

Select the items that you want to delete, and click .

Move Vocabularies, Entities, Terms

Note: You cannot move a vocabulary, entity, or term if it is used in a rule set.

You can move multiple vocabularies or terms at the same time, but all of the items that you are moving must be of the same type. You can move only one entity at a time.

To move items:

1. Select the items that you want to move, and then right-click and select **Move**. The Choose a Location window appears.
2. Select a new location for the folders, and click **Move**.

When you move multiple terms and terms with the same name already exist in that destination folder, SAS Business Rules Manager also appends an underscore, a number, and **Move** to the term names.

Duplicate Vocabularies, Entities, or Terms

You might want to duplicate a vocabulary when, for example, your company starts a new initiative similar to a previous one, and you need a similar vocabulary to work with. Duplicating terms is useful when you have the same actions that must be performed by different entities.

To duplicate a single vocabulary, entity, or term, right-click the item that you want to duplicate and select **Duplicate**. The window that appears contains the same fields that are displayed when you define a new vocabulary, entity, or item. For more information, see:

- “Create a Vocabulary” on page 36
- “Create an Entity” on page 37
- “Create a Term” on page 37


You can duplicate multiple vocabularies or terms at the same time. You cannot duplicate multiple entities at the same time. To duplicate multiple vocabularies or terms:



1. Select the items that you want to duplicate. All of the items must be of the same type.
2. Right-click and select **Duplicate**. The Choose a Location window appears.
3. Select the location for the duplicate items, and click **Duplicate**.

When you duplicate multiple vocabularies or multiple terms and save the duplicates in a different folder than the original, SAS Business Rules Manager appends an underscore, a number, and **Move** to the names.

Search for Rule Sets by Term

To find all of the rule sets that use a specific term:

1. Select **Business Rules** ⇒ **Vocabularies**.
2. Select the term that you want to search for and click . The Search for Rule Sets window appears.

TIP You do not have to select a term before you click . You can click , and manually enter the term that you want to search for.

3. Select the usage that you want SAS Business Rules Manager to search for.

Anywhere

finds terms that are used as condition terms, action terms, or in expressions

As a condition term

finds terms that are used only as condition terms (terms that have been added to the column or row headings of the decision table)


As an action term


finds terms that are used only as action terms (terms that have been added to the column or row headings of the decision table)

In an expression

finds terms only when they are used in rule expressions

4. Click **Search**. If the search returns results, SAS Business Rules Manager displays all of the rule sets and versions in which it found the term.

To open one of the rule sets, select the rule set in the search results list, and click .



Search for Rule Sets [X]

Term:

Display this term when used:

☒ Anywhere

☐ As a condition term

☐ As an action term

☐ In an expression

Search

Search Results

Term Name	Rule Set Name ▲	Version	Vocabulary	Location
Income_Level	Set_Income_Level	1.1	Voc_Retail_Loans	Retail_Loans/Set_Incom...
Income_Level	Set_Risk_Category	1.1	Voc_Retail_Loans	Retail_Loans/Set_Risk_...

Close

Note: If a term is referenced implicitly in an expression, then selecting **In an expression** and searching for that term does not find it. For example, if you enter the expression **+10** into the rule set editor for the term **myterm**, then the resulting expression for **myterm** is **=myterm+10**. Because the expression that you entered into the rule set editor did not explicitly reference **myterm**, the search was not successful.

Chapter 6

Using Lookup Tables and Functions

About Lookup Tables and Functions	43
Create a New Lookup Table	44
Refresh a Lookup Table	45
Delete Lookup Tables	45
Duplicate Lookup Tables	45
Move Lookup Tables	46
Dictionary	46
LOOKUP Function	46
LOOKUPVALUE Function	47


About Lookup Tables and Functions

SAS Business Rules Manager provides the ability to import lookup tables and reference them from rules. Lookup tables are tables of key-value pairs. For example, you can use a lookup table to retrieve a part name based on the part code number or to retrieve the full name for a country based on its abbreviation.

You can import lookup data from comma-separated-values (CSV) files such as those created by Microsoft Excel into lookup tables in SAS Business Rules Manager. You can re-import updated CSV files as needed to refresh the lookup tables.

Note: SAS Business Rules Manager does not support CSV files that contain signature lines.

Note: You can configure the character that is used as a separator in CSV files that are imported through the SAS Business Rules Manager interface. See Step 4 of “[Review Business Rules Manager Web Properties](#)” in *SAS Business Rules Manager: Administrator’s Guide* for more information.

Figure 6.1 CSV File Imported Into SAS Business Rules Manager


	A	B
1	AU	Australia
2	BR	Brazil
3	CA	Canada
4	CR	Costa Rica
5	DK	Denmark
6	EE	Estonia
7	ES	Spain
8	FR	France
9	GL	Greenland
10	HK	Hong Kong
11	IN	India
12	JP	Japan
13	KE	Kenya

Values	
Key	Value
AU	Australia
BR	Brazil
CA	Canada
CR	Costa Rica
DK	Denmark
EE	Estonia
ES	Spain
FR	France
GL	Greenland
HK	Hong Kong


In a lookup table, each *lookup key* is associated with a *lookup value*. Lookup keys must be unique within each lookup table. Character strings in lookup tables are limited to 512 characters.

SAS Business Rules Manager provides two functions, LOOKUP and LOOKUPVALUE, that enable you to determine whether a lookup key exists in a lookup table and to retrieve a lookup value from a lookup table.

Create a New Lookup Table


You create a new lookup table by importing a CSV file.

To create a new lookup table:

1. Select the **Lookups** category.
2. Right-click on the folder where you want to create the new lookup table, and select **New Lookup Table**. The New Lookup Table window appears.
3. Enter a name for the new lookup table. Names are limited to 32 characters and can contain only alphanumeric characters and underscores. Lookup table names must be unique within the SAS Decision Manager database. Lookup table names are case insensitive. For example, SAS Business Rules Manager considers **NAME** to be equal to **name**.
4. (Optional) Enter a description for the new lookup table. Descriptions are limited to 256 characters.
5. Click , and select the CSV file that contains the lookup data.
6. Click **OK**.

Refresh a Lookup Table


To refresh a lookup table:

1. Right-click on the lookup table that you want to refresh, and select **Refresh Lookup Table**. The Refresh Lookup Table window appears.
2. Click , and select the CSV file that contains the lookup data.
3. Click **OK**.

Note: You can also refresh a lookup table by using the %BRM_IMPORT_LOOKUP macro. See “%BRM_IMPORT_LOOKUP” in *SAS Business Rules Manager: Administrator’s Guide* for more information.


Delete Lookup Tables

Note: You cannot delete a lookup table if it is referenced in a rule.

Select the lookup tables that you want to delete, and click .

Duplicate Lookup Tables

To duplicate a single lookup table:

1. Right-click on the lookup table, and select **Duplicate**. The Duplicate window appears.
2. Enter a name for the duplicate lookup table. Names are limited to 32 characters and can contain only alphanumeric characters and underscores. Lookup table names must be unique within the SAS Decision Manager database. Lookup table names are case insensitive. For example, SAS Business Rules Manager considers **NAME** to be equal to **name**.
3. (Optional) Enter a description for the duplicate table. Descriptions are limited to 256 characters.
4. Click , and select the folder where you want to save the duplicate lookup table.
5. Click **OK**.

If you do not enter a new name for the duplicate table, SAS Business Rules Manager appends an underscore and a number to the duplicate table name.

To duplicate multiple lookup tables:

1. Select the tables that you want to duplicate.
2. Right-click and select **Duplicate**. The Choose a Location window appears.
3. Select the location where you want to save the duplicate tables, and click **Duplicate**.

SAS Business Rules Manager appends an underscore, a number, and **Move** to the duplicate table names.

Move Lookup Tables

You cannot move a lookup table if it is open. To move lookup tables:

1. Select the tables that you want to move, and then right-click and select **Move**. The Choose a Location window appears.
2. Select a new location for the tables, and click **Move**.

Dictionary

LOOKUP Function

Determines whether a lookup key exists in a lookup table. Specify the LOOKUP function as the expression for the term whose value contains the lookup key that you want to search for.

Restrictions: You can specify the LOOKUP function in condition expressions only.
If an expression contains the LOOKUP function, then the expression cannot contain anything else.

Returned data type: Boolean

Syntax

LOOKUP ('lookup_table_name')

Required Argument


lookup_table_name
specifies the name of the lookup table that you want to search.

Example

Suppose you have a Country_Codes lookup table that uses two-letter abbreviations for countries as the lookup key and country names as the lookup values.

Values	
Key	Value
AU	Australia
BR	Brazil
CA	Canada
CR	Costa Rica

To verify that the value of the term Ctry_Key exists as a lookup key in the table Country_Codes, enter the LOOKUP function as the expression for the Ctry_Key term. For example, if the Ctry_Key column in the current input record contains the value **CA**, then the following expression evaluates to True.

Condition Term	
 Ctry_Key	
	Lookup("Country_Codes")

LOOKUPVALUE Function

Retrieves a lookup value from a lookup table.

Restrictions: You can specify the LOOKUPVALUE function in action expressions only. If an expression contains the LOOKUPVALUE function, then the expression cannot contain anything else.

Returned data type: Lookup tables are stored as character data. However, you can assign the results of the LOOKUPVALUE function to a Character, an Integer, a Decimal, a Date, a Datetime, or a Boolean action term. The LOOKUPVALUE function converts the results to match the type of the action term.

Syntax

LOOKUPVALUE ('lookup_table_name', term_or_string)

Required Arguments

lookup_table_name

specifies the name of the lookup table that you want to search.

term_or_string

specifies the lookup key for the value that you want to retrieve. Enclose character strings in quotation marks.

Example

Suppose you have a Country_Codes lookup table that uses two-letter abbreviations for countries as the lookup key and country names as the lookup values. The Country_Codes lookup table contains the lookup key **CA**, and the lookup value that corresponds to that key is **Canada**.


Values	
Key	Value
AU	Australia
BR	Brazil
CA	Canada
CR	Costa Rica

If the Ctry_Key column in the current input record contains the value **CA**, you can retrieve the lookup value that is associated with that key from the table Country_Codes with the following expression:

```
LOOKUPVALUE('Country_Codes', Ctry_Key)
```

If this expression is entered for the Country_Name action term, the expression assigns the value **Canada** to the term Country_Name.

Action Term

 Country_Name
LookupValue('Country_Codes', Ctry_Key)

Chapter 7

Managing Rules and Rule Sets

About Rules, Rule Sets, and Expressions	50
How Rules Are Evaluated and Rule-Fired Records	51
Create a New Rule Set	51
Defining New Rules in the Rule Set	52
Add a New Rule	52
Selecting the Rule Set Editor View	52
Define Expressions for a Rule	54
Controlling Which Conditions Are Evaluated	56
Tips for Entering Expressions	57
Using the Equation Editor	57
Punctuation for Data Values	59
Operators for Use in Expressions	60
Using the LIKE Operator	61
Using Functions in Expressions	62
Working with Missing Values	62
Terms and Operators Added by SAS Business Rules Manager	63
Leading Plus and Minus Operators	63
Examples of Expressions	63
Validate the Expressions in a Rule Set	66
Change the Order of Rules in a Rule Set	66
Move a Rule to a New Position in a Rule Set	66
Swap Two Rules	66
Copy Rules and Expressions	67
Copy an Entire Rule	67
Copy Text within a Rule	67
Delete Terms, Rules, and Expressions	67
Delete a Term from a Rule Set	67
Delete a Rule	68
Cut and Paste Text within a Rule	68
Edit the Properties of a Rule Set	68
Edit the Properties of a Rule	68
Display Usage Information for a Rule Set	68
Managing Rule Set Versions	69
About Rule Set Versions	69
Set the Displayed Version	70

Create a New Version of a Rule Set	70
Lock a Rule Set Version	70
Edit a Version Description	70
Add Comments to a Rule Set	71
Add Attachments to a Rule Set	71
Duplicate Rule Sets	71
Move Rule Sets	72
Delete Rule Sets	72
Validate and Save a Rule Set	72

About Rules, Rule Sets, and Expressions

A rule specifies conditions to be evaluated and actions to be taken if those conditions are satisfied. Rules are grouped together into rule sets. Rule sets are logical collections of rules that are grouped together because of interactions or dependencies between the rules or because they are processed together when they are published.

Most rules correspond to this form:

if condition_expressions then action_expressions

For example, suppose you have the following rule:

if customer_debt > customer_assets then app_status = "Decline"

In this case, **customer_debt** is a condition term, and **customer_debt > customer_assets** is a condition expression. The term **app_status** is an action term, and **app_status = "Decline"** is an action expression. To enter this rule in the rule set editor, you first need to add the terms **customer_debt** and **app_status** to the rule set editor, and then enter the expressions under the terms to which the expressions apply.

The following figure shows the rule set editor with this rule added to it:

		Condition Term	Action Term
#		Ⓢ customer_debt	Ⓢ app_status
1	If	>customer_assets	= 'Decline'

Condition expressions are not required. Rules with only action expressions are always executed.

A single rule can have multiple terms, conditions, and actions. Multiple condition expressions within the same rule are joined together with the AND operand. For example, suppose you define the following rule in SAS Business Rules Manager:

		Condition Term		Action Term	
#		Ⓢ Credit_Score	Ⓢ Homeowner	Ⓢ Approved	Ⓢ Interest_Rate
1	If	>700	=True	=True	=4.5

SAS Business Rules Manager generates the following rule condition:

(Credit_Score > 700) AND (Homeowner = True)

It generates the following assignments:

```
Approved=True
Interest_Rate=4.5
```

Action expressions are always assignment statements.

How Rules Are Evaluated and Rule-Fired Records

By default, the condition expressions for all rules in a rule set are evaluated sequentially regardless of the results of previous rules. However, you can use the ELSE and OR operators to control whether the condition expression for a rule is evaluated. See [“Controlling Which Conditions Are Evaluated” on page 56](#) for more information.

If a rule’s condition expression evaluates to True, SAS Business Rules Manager executes the rule’s action expression.

If a rule’s condition evaluates to True, the rule is said to have *fired*.

By default, every time a rule fires, it generates a rule-fired record. However, you can control when rule-fired records are generated by using the **Record rule-fired data** check box. See [Step 7 of “Add a New Rule” on page 52](#).

Note: A rule that does not have a condition expression does not generate a rule-fired record.

Create a New Rule Set

To create a new rule set:

1. Select **Business Rules** ⇒ **Rule Sets**.
2. Right-click on the folder where you want to create the new rule set, and select **New Rule Set**. The New Rule Set window appears.
3. Enter a name for the new rule set. Rule set names are limited to 100 characters and must be unique within a folder.
4. (Optional) Enter a description for the new rule set. Descriptions are limited to 256 characters.
5. Select the vocabulary that is associated with the new rule set.


Note: If a rule set has a locked version, you cannot change the vocabulary associated with the latest version of the rule set.

6. Click **Create**. SAS Business Rules Manager opens the new rule set and displays the **Properties** page.

Defining New Rules in the Rule Set

Add a New Rule


To add a new rule:

- 1. Open the rule set where you want to add the new rule.
- 2. Select the **Rules** page. The default view on the **Rules** page is the horizontal view. See “[Selecting the Rule Set Editor View](#)” on page 52 for information about the vertical and list views
- 3. Click .
- 4. Add any additional terms that the new rule requires, and add expressions for the new rule in the table cells in the rule editor. See “[Define Expressions for a Rule](#)” on page 54 for more information.

Note: You can add up to 200 condition terms and 200 action terms to a rule set. A greater number of terms might affect performance.


- 5. (Optional) Change the order of the new rule. The rule order, in addition to the IF, ELSE, or OR keyword (see “[Controlling Which Conditions Are Evaluated](#)” on page 56), controls how rules are evaluated within the rule set.





TIP You can also change the order of the rules later by right-clicking on a rule and selecting either **Reorder** or **Swap**. See “[Change the Order of Rules in a Rule Set](#)” on page 66 for more information.

- 6. (Optional) Modify the name of the new rule on the **Rule Details** tab. Rule names are limited to 100 characters and must be unique within a rule set.
- 7. (Optional) Clear the **Record rule-fired data** check box on the **Rule Details** tab if you do not want a rule-fired record to be written each time this rule fires.
- 8. (Optional) Enter a description for the new rule on the **Rule Details** tab.
- 9. Click .


Selecting the Rule Set Editor View

There are three views available in the rule set editor: horizontal, vertical, and list. The default view is the horizontal view.

In the horizontal view, the terms used by the rules are displayed across the top of the rule set editor, and there is one row for each rule. You can return to the horizontal view from the other views by clicking .

Condition Term					Action Term
#		Ⓜ HAS_LANDLINE	Ⓜ LOAN_SCORE	⚠ REASON	BadLoanFlag
1	If 		>.5		True
2	If 	=1	>.6 AND <=.7	'Homelmp'	True
3	If 	=1	>.7 AND <=.8	'DebtCon'	False
		Click here to add a new rule.			

For example, [Figure 7.1 on page 56](#) shows a rule set with OR operators in the horizontal view. The following figure shows the first IF block of the same rule set in the list view.

	Rule Name	Operator	Term	Value
▼	Default Rule Name 1			
		IF	Order_Quantity	>=50 AND <100
		THEN	Offer_Percent	=10
▼	Default Rule Name 2	ELSE		
		IF	Order_History	>=15 AND <30
		THEN	Offer_Percent	=10
▼	Default Rule Name 3	ELSE		
		IF	Referrals	>=5
		THEN	Offer_Percent	=10
▼	Default Rule Name 4	ELSE		
		IF	Status	= 'Silver'
		THEN	Offer_Percent	=10

Define Expressions for a Rule

To define the expressions for a rule:


1. Add any additional terms to the rule set editor that the rule requires. For example, if your rule is **If balance < 100 then risk = "high"**, then add **balance** as the condition term and **risk** as the action term.

To add terms to the rule set, select the terms in the Vocabularies pane, and then right-click and select either **Use as condition term** or **Use as action term**. You can also drag the terms onto the rule set editor.

- To select a consecutive set of terms, click on the first term, hold down the Shift key, and click on the last term. To select nonconsecutive terms, hold down the Ctrl key, and click on each term that you want to select.
- If the terms that you want to add to the table all belong to the same entity, you can add the entire entity to the table. Note that an entity can contain many terms, and you cannot undo this operation after you have added the terms. In the horizontal and vertical views, you must delete terms one at a time. In the list view, you can select the rows containing the terms, and then right-click and select **Delete**. The expression for the terms is removed, and rows without expressions are hidden in the list.

In the horizontal and vertical views, terms are added to the column and row headings. In the list view, terms are added to the currently selected rule, so you must select the rule where you want to add a term before adding it.

TIP By default, terms are displayed in the rule set editor in the same order in which they appear in the Vocabularies pane. You can reorder the terms by dragging the terms in the column or row headings.


TIP You can add new entities and terms by clicking  in the Vocabularies pane. You can also edit existing entities and terms by right-clicking on the entity or

term and selecting the appropriate option. See [“Create an Entity” on page 37](#) and [“Create a Term” on page 37](#) for more information.









2. (Optional) Select the operator for the rule. The default operator is IF. See [“Controlling Which Conditions Are Evaluated” on page 56](#) for more information.
3. For each term that is used in the new rule, specify the expression that applies to that term in the row or column for the new rule. For example, if the rule is **if balance < 100 then risk = "high"**, the expression for **balance** is **< 100**, and the expression for **risk** is **= "high"**.

Expressions can be up to 1024 characters long. They can contain numeric constants, character strings, vocabulary terms, operators, and SAS DS2 functions.

Condition expressions can contain the LOOKUP function, and action expressions can contain the LOOKUPVALUE function. However, if the expression contains the LOOKUP or LOOKUPVALUE function, then the expression cannot contain anything else.

You can enter expressions directly into the decision table, or you can use the Equation Editor to create and edit expressions. To open the Equation Editor, click in the table cell, and select .

As you enter expressions into each cell, SAS Business Rules Manager displays the rule conditions and actions, including the operators and term names that are added by SAS Business Rules Manager, on the **Rule Details** tab. (See [“Terms and Operators Added by SAS Business Rules Manager” on page 63](#).) For example, suppose you enter the following rule in the editor:


Condition Term			Action Term
#	 Credit_Score	 Down_Payment	 Risk_Category
1	If    720 AND  750	 20	= 'Medium'

SAS Business Rules Manager displays the following expressions on the **Rule Details** tab.

Rule expression:
 Condition: (Credit_Score >= 720 and Credit_Score < 750) AND (Down_Payment >= 20)
 Action: Risk_Category = 'Medium'

For more information about entering expressions, see the following topics:



- [“Tips for Entering Expressions” on page 57](#)
- [“Using the Equation Editor” on page 57](#)
- [“Punctuation for Data Values” on page 59](#)
- [“Operators for Use in Expressions” on page 60](#)
- [“Using the LIKE Operator” on page 61](#)
- [“LOOKUP Function” on page 46](#)
- [“LOOKUPVALUE Function” on page 47](#)
- [“Using Functions in Expressions” on page 62](#)
- [“Working with Missing Values” on page 62](#)
- [“Terms and Operators Added by SAS Business Rules Manager” on page 63](#)
- [“Leading Plus and Minus Operators” on page 63](#)
- [“Examples of Expressions” on page 63](#)

- Click  to save the rule set. SAS Business Rules Manager validates the syntax of the expressions. If it does not detect any problems, it saves the rule set. See [“Validate the Expressions in a Rule Set” on page 66](#) for more information.

Controlling Which Conditions Are Evaluated

You add conditional processing within a rule set by using the IF, ELSE, and OR operators. By default, rules are assigned the keyword IF, which means that the rule’s condition is evaluated regardless of the results of previous rules. You can change this outcome by changing the operator for a rule to ELSE or OR.






If you set a rule’s operator to ELSE, then the rule’s condition is evaluated only if the previous rule’s condition evaluated to false. For example, given the rule set shown the following display, if Order_Quantity is 12, the condition for rules 1 and 2 evaluates to false, and the condition for rule 3 evaluates to true. Therefore, the action for rule 3 is executed. The conditions for rules 4 and 5 are not evaluated.

Condition Term			Action Term
#		 Order_Quantity	 Offer_Percent
1	If	<5	0
2	Else	>5 AND <=10	=5
3	Else	>10 AND <=20	=10
4	Else	>20 AND <=30	=15
5	Else	>30	=20

Use the OR operator to break up very long condition expressions into multiple condition expressions or to execute the same action expression for each of the several conditions. If you assign the OR operator to a rule, then you cannot enter an action expression for the rule. If any of the conditions evaluate to true, SAS Business Rules Manager executes the action of the last rule that was assigned the IF or ELSE operator. When you have several consecutive rules that are all assigned the OR operator, only the action for the first rule whose condition evaluates to true is executed. The conditions for the remaining consecutive OR rules are not evaluated.

For example, in the following rule set, rules 1 through 4 all use the action expression that is defined for rule 1. Rules 5 through 8 all use the action expression that is defined for rule 5.

Figure 7.1 Rule Set That Defines Eight Rules in Two IF Blocks

Condition Term						Action Term
#		 Order_Quantity	 Order_History	 Referrals	 Status	 Offer_Percent
1	If	>=50 AND <100				=10
2	Or		>=15 AND <30			
3	Or			>=5		
4	Or				=‘Silver’	
5	If	>=100				=20
6	Or		>=30			
7	Or			>=5		
8	Or				=‘Platinum’	


An IF block is a series of rules that begins with an IF operator and extends up to but does not include the next IF operator. In the rule set shown in [Figure 7.1 on page 56](#), rules 1 to 4 are an IF block and rules 5 to 8 are a second IF block.

Tips for Entering Expressions

- A rule that does not have a condition expression always executes.
- A rule that does not have a condition expression must be the last rule in an IF block.
- If you assign the IF operator and a condition expression to a rule but that rule does not have an action expression, the condition expression is evaluated, but no action is taken. (See “[Controlling Which Conditions Are Evaluated](#)” on page 56 for information about the IF operator.)


Using the Equation Editor

Open the Equation Editor

To open the Equation Editor, click in a cell in the rule set editor, and click .

Note: The **Lookup** tab is available only for condition terms, and the **Lookup Value** tab is available only for action terms. Buttons for some of the operators might be disabled depending on the data type of the term, and because action expressions can be assignment expressions only.

Figure 7.2 Expression Tab for a Condition Term



Build an Expression in the Equation Editor

As you add elements to an expression, the Equation Editor builds the expression in the top field of the **Expression** tab. Click on the operators, vocabulary terms, and domain

values as needed to add them to the expression. To add date constants to the expression, click **Date**. To add numeric constants or character strings to the expression, enter them directly into the top field. (Remember to use the correct punctuation. See “[Punctuation for Data Values](#)” on page 59..)

To build an expression that uses a DS2 function, click the **Function** tab. Click on a function name to display information about the syntax for that function. Double-click on a function name to add the function to your expression.


To build an expression that uses the LOOKUP or LOOKUPVALUE functions, click the **Lookup** or **LookupValue** tabs. You can enter the LOOKUP function in condition expressions only, and you can enter the LOOKUPVALUE function in action expressions only. See “[Specify the LOOKUP Function in the Equation Editor](#)” on page 58 and “[Specify the LOOKUPVALUE Function in the Equation Editor](#)” on page 58 for more information.

When you are finished building the expression, click **OK**. The Equation Editor validates the syntax of the expression. If the validation is successful, the editor adds the expression to the cell in the table from which you opened the editor. You can click **Validate** at any time to check the syntax of the expression that you are building.

Specify the LOOKUP Function in the Equation Editor

To use the Equation Editor to enter the LOOKUP function, click the **Lookup** tab. Double-click on the lookup table name that you want to specify in the function call and click **OK**.

Figure 7.3 Lookup Tab in the Equation Editor



For more information, see “[LOOKUP Function](#)” on page 46.

Specify the LOOKUPVALUE Function in the Equation Editor


To use the Equation Editor to enter the LOOKUPVALUE function:

1. Click the **LookupValue** tab.

2. Double-click on the lookup table name.
3. Specify the term name or the character string that contains the lookup key value. To specify a term, double-click on the term in the **Vocabulary** column. To specify a character string as the lookup key value, enter the character string in the field at the top of the **LookupValue** tab. Enclose the string in quotation marks.
4. (Optional) Click **Validate** to check the syntax of the expression.
5. Click **OK**.

For more information, see “[LOOKUPVALUE Function](#)” on page 47.

Figure 7.4 LookupValue Tab in the Equation Editor



Punctuation for Data Values

Values for some data types might need to be enclosed in quotation marks, as shown in the following table. Date and Datetime values must be followed with **d** and **dt**, respectively.

Table 7.1 Punctuation Needed for Data Values

Data Type	Punctuation Needed	Example
Character	Enclose character strings in either single or double quotation marks.	='Gold Account' ="Ineligible" ="d'oscail"

Data Type	Punctuation Needed	Example
Date	Enter Date values by using the format DDMMYYYY. Enclose each value in quotation marks followed by d .	= '01AUG2015'd >= '31AUG2015'd
Datetime	Enter Datetime values by using the format DDMMYYYY:HH:MM:SS. Use 24-hour clock notation. Enclose each value in quotation marks followed by dt .	= '01AUG2015:15:00:00'dt <= '31AUG2015:15:00:00'dt
Boolean	Boolean values are not enclosed in quotation marks. Enter only True or False .	=True =False

Operators for Use in Expressions

The following table lists the operators that you can use in an expression. Do not enter a space between the elements of the operators **<=**, **>=**, or **^=**. Some mnemonic equivalents for these operators cannot be used in SAS Business Rules Manager expressions. See “Operators in Expressions” in *SAS DS2 Language Reference* for more information about the operators shown in the table.

Table 7.2 Operators

Operator	Definition	Example
*	Multiply	0.085 * sales
/	Divide	amount / 5
+	Add	num + 3
–	Subtract	sale - discount
=	Equal to	= maxTriesAllowed
+value	Leading plus*	+60
^=	Not equal to	insufficientFunds ^= True
>	Greater than	daysLate > 5
<	Less than	num < 8
>=	Greater than or equal to	balance >= 1000
<=	Less than or equal to	balance <= 250

Operator	Definition	Example
IN (<i>value-list</i>)	Equal to an item in <i>value-list</i>	in ('high','medium','low')
NOT IN (<i>value-list</i>)	Not equal to an item in <i>value-list</i>	not in (10,20,30)
LIKE ' <i>pattern-matching-expression</i> ' LIKE (' <i>pattern-matching-expression</i> ',' <i>pattern-matching-expression</i> ') <i>expression</i> AND <i>expression</i>	If the term's value matches <i>pattern-matching-expression</i> , the result is true.	like 'HS%PP' like ('_976%','_223%') dateExpired >= '01AUG2015'd AND dateExpired <= '31AUG2015'd
<i>expression</i> OR <i>expression</i>	If either expression is true, the result is true.	dateEnrolled >= '01JAN2015' OR member = True

* The application supports the leading plus (+) operator in action expressions only.

Using the LIKE Operator

The LIKE operator determines whether the value of a term matches a pattern-matching expression. The syntax of an expression that uses the LIKE operator is as follows:

LIKE '*pattern-matching-expression*'

LIKE ('*pattern-matching-expression*'<,'*pattern-matching-expression*'>)

If a term's value matches the pattern that is specified by *pattern-matching-expression*, the expression evaluates to true (1). Otherwise, the expression evaluates to false (0).



There are three classes of pattern-matching characters.

Table 7.3 Pattern-Matching Characters

Character	Description
underscore (_)	Matches any single character
percent sign (%)	Matches any sequence of zero or more characters <i>Note:</i> Be aware of the effect of trailing blanks. To match values, you might have to use the TRIM function to remove trailing blanks.
any other character	Matches that character

The LIKE expression is case sensitive. To search for mixed-case strings, use the UPCASE function to create an uppercase version of the term that you want to search. You can use a temporary term to store the results of the UPCASE function. (See [Step 8](#) of “Create a Term” on page 37.) Use the LIKE operator to search the uppercase version of the term.

For example, you can search the term `Part_Number` for mixed-case strings that begin with `HS` and end with `PP` by using the two rules shown in the following display.

		Condition Term	Action Term
#		 tempTerm	 tempTerm
1	If <input type="text" value=""/>		=uppercase(Part_Number)
2	If <input type="text" value=""/>	like('HS%PP')	

The following table shows examples of the matches that result if you search a term that could have these values: `Smith`, `Smooth`, `Smothers`, `Smart`, `Smuggle`.

Table 7.4 Examples of LIKE Expressions

LIKE Expression Example	Matching Results
<code>like 'Sm%'</code>	<code>Smith</code> , <code>Smooth</code> , <code>Smothers</code> , <code>Smart</code> , <code>Smuggle</code>
<code>like '%th'</code>	<code>Smith</code> , <code>Smooth</code>
<code>like 'S__gg%'</code>	<code>Smuggle</code>
<code>like 'S_o'</code>	(no matches)
<code>like 'S_o%'</code>	<code>Smooth</code> , <code>Smothers</code>
<code>like 'S%th'</code>	<code>Smith</code> , <code>Smooth</code>

Using Functions in Expressions

SAS Business Rules Manager supports the following functions in rule expressions:

- `LOOKUP` and `LOOKUPVALUE` functions. See [“LOOKUP Function” on page 46](#) and [“LOOKUPVALUE Function” on page 47](#) for more information.
- SAS DS2 functions. You can click on a function name in the Equation Editor to display information about the syntax for that function. For additional information about DS2 functions, see [SAS DS2 Language Reference](#).

Working with Missing Values

You can use the `MISSING` function to check for missing values. This function returns a 0 (false) or 1 (true). Missing values have a value of **false** when you use them with logical operators such as `AND` or `OR`.

For more information, see [“How DS2 Processes Nulls and SAS Missing Values” in SAS DS2 Language Reference](#).

Terms and Operators Added by SAS Business Rules Manager

As you enter expressions into each cell, SAS Business Rules Manager displays the rule conditions and actions on the **Rule Details** tab. The operators and term names that are added by SAS Business Rules Manager are also displayed. Remember these rules when you are entering expressions:

- If you do not specify an operator at the beginning of an expression, SAS Business Rules Manager adds an equal sign to the beginning of the expression. For example, if you enter **5+x** for an expression, the expression resolves to **=5+x**.
- When an AND or OR operator is followed immediately by another operator in a condition expression, SAS Business Rules Manager inserts the condition term between the AND or OR operator and the operator that follows it. For example, if you enter **>5 and <10** for **myterm**, the expression resolves to **myterm>5 and myterm<10**. SAS Business Rules Manager inserts the term for top-level AND or OR operators in condition expressions only. It does not insert the term with nested AND or OR operators or in action expressions.

Leading Plus and Minus Operators

If you specify the leading plus operator in an action expression, SAS Business Rules Manager adds the term name to the expression. Leading minus operators are not supported.

The condition expression **+1** is invalid. If you enter **+1** as an action expression, the expression resolves to **x=x + 1**. The expression **=+1** is invalid as both a condition and as an action expression.

If you enter **-1** as either a condition or an action expression, the expression is interpreted as a negative number and not as a leading minus operator. The expression resolves to **x=-1**.

Examples of Expressions

The following table shows examples of expressions that you can specify.

Table 7.5 Examples of Expressions

Expression as Entered into the Decision Table for Term X	Resulting Expression	Valid as a Condition Expression	Valid as an Action Expression
5	x=5	Yes	Yes
=5	x=5	Yes	Yes
+10	x=x+10	No See Note 7 .	Yes
-10	x=-10	Yes	Yes See Note 7 .


Expression as Entered into the Decision Table for Term X	Resulting Expression	Valid as a Condition Expression	Valid as an Action Expression
"mystring"	x="mystring"	Yes	Yes
=term1	x=term1	Yes	Yes
5 or >100	x=5 or x>100	Yes	No See Note 1 .
^=5 and x<10	x^=5 and x<10	Yes	No See Note 1 .
^=5 or >=(100/4)	x^=5 or x>=(100/4)	Yes	No See Note 1 .
in (10,20,30)	x IN (10,20,30)	Yes	No See Note 1 .
not in ('med','high')	x NOT IN ('MED','HIGH')	Yes	No See Note 1 .
rate in ('med','high')	x = rate in ('med','high')	Yes	Yes See Note 8 .
like ('M77__LL%', 'MA89_LL %')	x LIKE ('M77__LL%', 'MA89_LL %')	Yes	No See Note 1 .
<'10JUN2012'd	x<'10JUN2015'd	Yes	No See Note 1 .
>'10JUN2012:17:00:00'dt	x>'10JUN2015:17:00:00'dt	Yes	No See Note 1 .
=ABS (-10)	x=ABS (-10)	Yes	Yes
=True	x=True	Yes	Yes
False	x=False	Yes	Yes
&myMacroVar	x=&myMacroVar	Yes See Note 2 .	Yes See Note 2 .
%EVAL (&myMacroVar)	x=%EVAL (&myMacroVar)	Yes See Note 2 .	Yes See Note 2 .
term1=5	x=term1=5	Yes See Note 3 .	Yes See Note 4 .

Expression as Entered into the Decision Table for Term X	Resulting Expression	Valid as a Condition Expression	Valid as an Action Expression
<code>term1=3 or term2=5</code>	<code>x=term1=3 or term2=5</code>	Yes See Note 5 .	Yes See Note 6 .
<code>5 or (x>10 and <20)</code>	This expression is invalid as both a condition expression and as an action expression. SAS Business Rules Manager does not add column names after nested AND or OR operators.		
<code>>"mystring"</code>	This expression is invalid as both a condition expression and as an action expression. SAS Business Rules Manager checks whether literal types are compatible with the specified operators. Character strings are not compatible with numeric operators.		
<code>=4.6927e-101</code>	<code>x=4.6927e-101</code>	Yes See Note 9 .	Yes

Notes:

1. Action expressions must be assignment expressions only.
2. SAS Business Rules Manager validates macro functions and variables based only on whether the syntax is correct. It does not check to determine whether a macro function or variable will be accessible when the rule set is executed. Macro support in expressions is controlled by a configuration property in SAS Management Console. See [“Support macros in rule expressions” in SAS Business Rules Manager: Administrator’s Guide](#) for more information.
3. This expression is valid. However, it should be avoided. As a condition statement, this expression checks to determine whether both **x** and **term1** are equal to 5. The recommended way to enter this expression is `=5 and term1=5`.
4. As an action expression, this expression becomes a Boolean assignment statement. This expression determines whether **term1** is equal to 5, and if so, assigns a value of 1 (true) to **x**. If not, it assigns a value of 0 (false) to **x**.
5. This expression is valid. However, it should be avoided. As a condition statement, this expression checks to determine whether both **x** and **term1** are equal to 3 or whether **term2** is equal to 5. The recommended way to enter this expression is `(=5 or term1=3) or term2=5`.
6. As an action expression, this expression becomes a Boolean assignment statement. This expression determines whether either **term1** is equal to 3 or **term2** is equal to 5, and if so, assigns a value of 1 (true) to **x**. If not, it assigns a value of 0 (false) to **x**.
7. Leading plus (+) operators are valid in action expressions only. Leading minus (–) operators are not supported. See [“Leading Plus and Minus Operators” on page 63](#) for more information.
8. As an action expression, this expression becomes a Boolean assignment statement. The expression determines whether **rate** is equal to **high** or **low**, and if so, assigns a value of 1 (true) to **x**. If not, it assigns a value of 0 (false) to **x**.
9. This expression is valid. However, you should use caution when testing for equality by using scientific notation. Two numbers that appear to be the same might evaluate to different numbers because of the precision involved in scientific notation.

Validate the Expressions in a Rule Set

When you save a rule set, SAS Business Rules Manager checks whether the syntax in the expressions is valid, and if so, saves the rule set. However, you can click  to check the syntax of rule expressions at any time.

SAS Business Rules Manager checks whether the results produced by the expressions are of the correct data type for the terms to which the expressions apply. Also, when domain values are defined for a term, SAS Business Rules Manager does not check whether the values that are assigned to the term are included in the list of domain values.

Change the Order of Rules in a Rule Set

There are two ways to change the order of the rules in a rule set. You can move a single rule to a new position, and SAS Business Rules Manager adjusts the position of the remaining rules in the rule set. Alternatively, you can swap the position of two rules, and SAS Business Rules Manager leaves the remaining rules in their original positions.

Move a Rule to a New Position in a Rule Set

Note: If you move a rule that uses the ELSE or OR operator to position 1 in the rule set, the operator is changed to IF.

To move a rule:

1. Right-click on the order number (in the horizontal and vertical views) or on the rule name (in the list view) of the rule that you want to move, and select **Reorder**. The Reorder the Rule window appears.
2. Select the new position number for the rule.
3. Click **OK**. SAS Business Rules Manager moves the rule to the new position and repositions the remaining rules up or down as needed.

Swap Two Rules

Note: If you move a rule that uses the ELSE or OR operator to position 1, the operator is changed to IF.

To swap the position of two rules:

1. Right-click on the order number (in the horizontal and vertical views) or on the rule name (in the list view) of one of the rules that you want to move, and select **Swap**. The Swap the Rule window appears.
2. Select the position number for the second rule that you want to move.
3. Click **OK**. SAS Business Rules Manager swaps the positions of the two rules and leaves all other rules in their original positions.

Copy Rules and Expressions

You can copy individual rules and expressions only within the same rule set.

Copy an Entire Rule


To copy and paste an entire rule:

1. Right-click on the order number (in the horizontal and vertical views) or on the rule name (in the list view) of the rule that you want to copy and select **Copy**.
2. Right-click in the rule set, and select **Paste**. SAS Business Rules Manager adds the copied rule as the last rule in the rule set. You can then edit or reorder the new rule as needed.

Copy Text within a Rule

To copy and paste an expression or part of an expression:

1. Select the expression that contains the text that you want to copy.
2. Select the text that you want to copy. To select all of the text in a cell, right-click and select **Select All**.
3. Right-click on the text and select **Copy**.



4. Select the expression in which you want to paste the text, and press Ctrl+V.

Delete Terms, Rules, and Expressions

Delete a Term from a Rule Set

You cannot delete a term that is used in a rule flow that has been published.

In the horizontal and vertical views, right-click on the term in the column or row heading, and select **Delete Term**.

Note: In the list view, if you right-click on a row containing an expression and select **Delete**, the expression in that row is deleted from the rule. The term remains in the rule set until you delete all of the expressions that use that term.

Delete a Rule

You can delete only one rule at a time. Right-click on the order number (in the horizontal and vertical views) or on the rule name (in the list view), and select **Delete Rule**.

You cannot delete the last rule in a rule set. You must delete the rule set instead.

Cut and Paste Text within a Rule

To cut and paste an expression or part of an expression:

1. Select the expression that contains the text that you want to cut.
2. Select the text that you want to cut. To select all of the text in a cell, right-click and select **Select All**.
3. Right-click on the text and select **Cut**.
4. Select the expression in which you want to paste the text, and press Ctrl+V.


Edit the Properties of a Rule Set

To edit the properties of a rule set, open the rule set and select the **Properties** page. You can edit the name and description. If the rule set is empty, you can change the vocabulary that is associated with the rule set. If any rules have been defined for the rule set, you cannot change the vocabulary.

The **Rule Set Logic** section of the properties page displays all of the rules in the rule set and includes the operators and term names that have been added by SAS Business Rules Manager.

Edit the Properties of a Rule

To edit the properties of a rule:


1. Open the rule set that contains the rule, and select the **Rules** page.
2. Select the rule.
3. Edit the properties as needed. You can edit the name, edit the description, or select whether rule-fired data is recorded for the rule.
4. Click .

Display Usage Information for a Rule Set

To display usage information for a rule set, select the **Usage** page. Click **List** to display the terms and lookup tables that are referenced in the rule set and rule flows that use the

rule set. Click **Diagram** to display a diagram showing the rules, rule set, and any rule flows that use the rule set.

Note: The diagram displays information from only the current version of a rule flow. If a published version of a rule flow uses a rule set but the current version of the same rule flow does not, then the rule flow does not appear in the diagram.



Managing Rule Set Versions

About Rule Set Versions



The *latest* version of a rule set is the rule set that has the highest version number. It is also the last version that you saved. You can edit only the latest version of a rule set.

Only one version of a rule set can be unlocked at a time. If you create a new version of a rule set, SAS Business Rules Manager locks the existing latest version before it creates a new latest version.

To edit a rule set, it must be unlocked. You cannot unlock a rule set. To make changes to a rule set that has been locked, you must create a new version of the rule set and make changes to the new version.


To publish a rule flow, all of the rule set versions that are referenced in the rule flow must be locked. When you publish a rule flow, SAS Business Rules Manager automatically locks any unlocked rule set versions that are used in the rule flow.

Set the Displayed Version


On the **Versions** page,  indicates the displayed version. The displayed version is the rule set whose information is displayed on the other pages, such as the **Properties** and **Rules** pages. To change the displayed version, select the version that you want to view, and click .

Create a New Version of a Rule Set

Note: When you create a new version of a rule set, SAS Business Rules Manager locks the latest version of the rule set if it is not already locked.

Note: You cannot save changes to a rule set that is locked. If you modify a rule set that is locked and click , SAS Business Rules Manager asks you if you want to save the changes as a new version.

To create a new version of a rule set:


1. Select the **Versions** page.
2. Click . The Create New Version window appears.
3. Select the version type: **Minor** or **Major**. Version numbers follow the format **Major.Minor**. If you select **Major**, the number to the left of the period is incremented. If you select **Minor**, the number to the right of the period is incremented.
4. (Optional) Enter a description.
5. Click **OK**.

Lock a Rule Set Version

Note: You cannot make changes to a rule set after it has been locked. You cannot unlock a rule set version.

To publish a rule flow, all of the rule set versions that are referenced in the rule flow must be locked. When you publish a rule flow, SAS Business Rules Manager automatically locks any unlocked rule set versions that are used in the rule flow.

To manually lock a version of a rule set:


1. Select the **Versions** page.
2. Select the version of the rule set that you want to lock.
3. Click .

Note: You can also lock a version by clicking **Lock** in the [Edit Version](#) window.

Edit a Version Description

To edit a version description:

1. Select the **Versions** page.
2. Select the version of the rule set that you want to edit.


3. Click . The Edit Version window appears.
4. Edit the version description.
5. Click **OK** or **Lock** (if you also want to lock the version).

Add Comments to a Rule Set


You can add new comments or reply to existing comments. To add a new comment:

1. Select the **Comments** page.
2. Enter a topic title and enter the comment. The topic title is required, and the field for comments does not appear until you enter the topic title.



3. (Optional) Click  to add an attachment such as an image or a document.
4. Click **Post**.



To reply to an existing comment, enter your reply in the field immediately below the topic title for the existing comment, and click **Post**.


Click  to see comments that have been posted by others.

To search for text in the comments, enter text in the search field at the top of the **Comments** page.

Add Attachments to a Rule Set

To add an attachment such as a document file or an image file:

1. Select the **Attachments** page.
2. Click , and select the attachment file.
3. Click .

Note: You can delete an attachment by selecting the attachment and clicking .

Duplicate Rule Sets

To duplicate a single rule set:

1. Right-click on the rule set and select **Duplicate**. The Duplicate window appears.
2. Enter the name for the duplicate rule set.

3. (Optional) Enter a description for the rule set.
4. Select the folder where you want save the duplicate rule set.
5. Select the version of the rule set that you want to duplicate.
6. Click **OK**. If you do not enter a new name and the folder in which you save the duplicate rule set already has a rule set with the same name, SAS Business Rules Manager appends an underscore and a number to the name.

To duplicate multiple rule sets:

1. Select the rule sets that you want to duplicate.
2. Right-click and select **Duplicate**. The Choose a Location window appears.
3. Select the location where you want the save the duplicate tables and click **Duplicate**.

SAS Business Rules Manager duplicates the current version of the selected rule sets.

If you do not enter a new name and the folder in which you save the duplicate rule set already has a rule set with the same name, SAS Business Rules Manager appends an underscore and a number to the name.


Move Rule Sets

You cannot move a rule set if it is open. To move rule sets:


1. Select the rule sets that you want to move, and then right-click and select **Move**. The Choose a Location window appears.
2. Select a new location for the rule sets, and click **Move**.

Delete Rule Sets

Note: You cannot delete a rule set if it is used in a rule flow or if it is open.

To delete rule sets, select the rule sets that you want to delete, and click .

Validate and Save a Rule Set

To save changes to a rule set, click . SAS Business Rules Manager validates the syntax of the expressions and displays an error message if it finds any problems. If SAS Business Rules Manager does not detect any problems with any of the expressions, it saves the rule set. See “[Validate the Expressions in a Rule Set](#)” on page 66 for more information.

Chapter 8

Creating and Publishing Rule Flows

Introduction to Rule Flows	74
Simple Rule Flows, Complex Rule Flows, and BY Groups	74
Create a Rule Flow Using the Rule Flow Editor	74
Create a Rule Flow by Using Discovery Techniques	76
About the Discovery Techniques	76
Create a Rule Flow by Using the New Discovery Wizard	77
Open Rule Sets from the Rule Flow Editor	79
Add Attachments to a Rule Flow	79
Add Comments to a Rule Flow	80
Change the Order of the Rule Sets	80
View the Terms Used in a Rule Flow	80
Managing Versions of a Rule Flow	81
About Rule Flow Versions	81
Set the Displayed Version	81
Edit a Version Description	81
Rename a Rule Flow	81
Duplicate Rule Flows	81
Move Rule Flows	82
Remove Rule Sets from a Rule Flow	82
Delete Rule Flows	82
Testing a Rule Flow	83
Input Data for Rule Flow Tests	83
Create and Run a New Rule Flow Test	83
Run a Rule Flow Test	83
Copy a Rule Flow Test	84
Edit a Rule Flow Test	84
Delete a Rule Flow Test	84
Specify Preprocessing Code	84
View Rule Flow Test Results	84
Reducing Overhead in SAS Data Integration Studio	85
When Are Output Records Generated?	85

Publish a Rule Flow	85
Display Publish Information for Rule Flows	86
Deploy a Rule Flow as a Stored Process	86
Dynamically Choose the Latest Rule Flow Version	87
Viewing Lineage Information for a Rule Flow	87
About Lineage Information	87
View Lineage Information for a Rule Flow	88

Introduction to Rule Flows

A business rule flow is a logical collection of multiple rule sets that define multiple conditions and actions. In general, the rule sets in a rule flow are executed in the order in which they are defined in the rule flow. However, with complex rule flows, certain sections of rule sets are usually executed more times than others. See [“Simple Rule Flows, Complex Rule Flows, and BY Groups”](#) on page 74 for more information.

After you publish a rule flow, other applications can deploy the published rule flows. The applications map terms used in the rule flow to table column in input data, evaluate the conditions in the rule flow, and execute the appropriate actions.

Simple Rule Flows, Complex Rule Flows, and BY Groups

There are two general types of rule flows: simple and complex. A simple rule flow has a single group of rule sets. All of the rule sets are run and output is generated for each input record.

A complex rule flow has at least three sections: Initial, Main, and Final. Rule sets in the Initial section are run only when the first input record is processed. Rule sets in the Main section are run for each input record. Rule sets in the Final section are run after the last input record has been processed by the rule sets in the Main section.

For complex rule flows, you can specify *BY-group terms*. If you specify BY-group terms, then SAS Business Rules Manager sorts the input data by those terms.

Also, if you specify BY-group terms, SAS Business Rules Manager adds two new sections to the rule flow, Group Start and Group End. The rules sets in these sections are run with the first and last input record in each BY group.


Note: You are not required to enter rule sets into all of the sections in a rule flow.

See [“When Are Output Records Generated?”](#) on page 85 for more information.

Create a Rule Flow Using the Rule Flow Editor


To create a rule flow:


1. Select the **Business Rules** ⇒ **Rule Flows** category.





2. Right-click on the folder where you want to create the new rule flow, and select **New Rule Flow**. Alternatively, select the folder where you want to add the new rule flow, click , and select **New Rule Flow**. The New Rule Flow window appears.
3. Enter a name for the new rule flow. Rule flow names are limited to 32 characters and can contain any character except forward slash (/), backslash (\), left brace ({), right brace (}), colon (:), and question mark (?).
4. (Optional) Enter a description for the new rule flow. Descriptions are limited to 256 characters.
5. (Optional) Select **Create output only for records that fire rules** to limit the output of the rule flow. By default, all output records are written to the output data set. However, for some types of applications, only the output records for which at least one rule has fired are of interest. Limiting output is useful for applications that detect outliers, such as applications that detect fraud.
6. Click **Create**. SAS Business Rules Manager creates a new rule flow and opens the rule flow editor. By default, the **Properties** page is displayed.
7. Select the **Rule Sets** page.
8. (Optional) Select **Complex Rule Flow** from the menu in the toolbar. SAS Business Rules Manager adds Initial and Final sections to the rule flow table. The rules in these sections are run at the start and end of the rule flow.
9. Add rule sets to the rule flow. Right-click on a rule set in the **Rule Sets** pane, and select the appropriate **Add To Section** option. The options that are available depend on whether you are creating a simple or complex rule flow.

Note: A rule flow can use only rule sets that are defined for the same vocabulary. After the first rule set is added to the rule flow, the vocabulary for the rule flow is established. Only the rule sets that use the same vocabulary are displayed in the Resources pane.

Note: A rule set can be added to the same rule flow only once.

10. (Optional) If you selected **Complex Rule Flow**, you can specify BY-group terms. With BY-group processing, all of the input records that have the same values for the BY-group terms are processed before output is generated. One output record is written for each group.
 - a. Click  and select the BY-group terms. SAS Business Rules Manager adds Group Start and Group End sections to the table. The rules in these groups are run at the start and end of each BY group.
 - b. (Optional) Add the rule sets that you want in the Group Start and Group End sections of the table.
11. (Optional) Select the version of each rule set. If the version is **Use latest**, then the most recently saved version of the rule set is always used when it is run. Specifying **Use latest** for the version is useful during rule flow development and testing. However, if the version of a rule set that is specified in the rule flow is unlocked when the rule flow is published, SAS Business Rules Manager automatically locks the rule set version.



12. (Optional) Reorder the rule sets. To move a rule set, select the rule set, and click  or  to move it to a different row in the table. To move a rule set to a different section (Initial, Main, and so on), you must remove the rule set, and then add it to the other section. To remove a rule set, select the rule set and click .
13. (Optional) Clear the check boxes in the **Run** column for any rules or sections that you do not want to be run the next time the rule flow is run. Selectively running certain rule sets is useful during rule flow development and testing.
14. Click  to save the rule flow.

Create a Rule Flow by Using Discovery Techniques

About the Discovery Techniques

With the New Discovery wizard, you can use discovery techniques to define vocabularies, terms, rule sets, and rule flows. The discovery techniques that you can select from are:

Decision Tree

Decision Tree analysis produces a tree-like structure in which each branch of the tree represents a possible decision or event. The tree structure shows how one choice leads to the next. Each branch represents a mutually exclusive option. Decision trees are often used for data segmentation or prediction modeling. You can create decision trees to classify observations based on the values of nominal, binary, or ordinal targets or to predict outcomes for interval targets.

Note: With the Decision Tree technique, input columns with a SAS datetime format or a date format other than MONTH_{w.} and WEEKDAY_{w.} are excluded from the rule discovery process.

Scorecard

Scorecards provide a quantitative score of the odds that a customer will display a defined behavior such as respond positively to a campaign, make a purchase, default on a loan, and so on. The higher the score, the more likely the defined behavior will occur. The SAS Business Rules Manager Scorecard uses the Weight of Evidence technique to generate scores.

Note: With the Scorecard technique, input columns with a SAS datetime format or a date format other than MONTH_{w.} and WEEKDAY_{w.} are excluded from the rule discovery process.

Recency Frequency Monetary (RFM)

RFM is a technique that is used to identify existing customers who are most likely to respond to a new campaign or product offer. RFM analysis looks at when a customer last placed an order or bought something, how often the customer makes a purchase, and how much money they spend. Customers are assigned scores based on these factors.

Market Baskets


Market Basket analysis is used to predict items that are most likely to be purchased together. Market Basket analysis can be used to predict what items a customer is likely to buy.

Create a Rule Flow by Using the New Discovery Wizard

When you run the New Discovery wizard, it uses the discovery technique that you select to generate a rule flow and as many rule sets as are needed. If you do not select an existing vocabulary, the wizard also generates a vocabulary.

Note: The New Discovery wizard produces temporary data sets during the rule discovery process. Do not delete these temporary data sets before you attempt to import the results of the rule discovery process. If you delete these temporary data sets, you cannot import the generated rule sets.

To create a rule flow using the New Discovery wizard:

1. Select the **Business Rules** ⇒ **Rule Flows** category.
2. Right-click on the folder where you want to create the new rule flow, and select **New Rule Flow**. Alternatively, select the folder where you want to add the new rule flow, click , and select **New Rule Flow**. The New Rule Flow window appears.
3. Enter a name for the new rule flow. Rule flow names are limited to 32 characters and can contain any character except forward slash (/), backslash (\), left brace ({), right brace (}), colon (:), and question mark (?).

Note: The name that you enter is also used for the vocabulary name if you do not select an existing vocabulary. Vocabulary names must be unique within the SAS Decision Manager database. Rule flow names can contain spaces but vocabulary names cannot. If the name you enter contains a space, it is converted to an underscore in the vocabulary name.

4. (Optional) Enter a description for the new rule flow. Descriptions are limited to 256 characters.
5. (Optional) Select **Create output only for records that fire rules** to limit the output of the rule flow. By default, all output records are written to the output data set. However, for some types of applications, only the output records for which at least one rule has fired are of interest. Limiting output is useful for applications that detect outliers, such as applications that detect fraud.
6. Select **Use discovery techniques to generate rules**.
7. Either select an existing vocabulary or select **Create a vocabulary**.

Note: If you select an existing vocabulary, and the discovery process generates a vocabulary that has a term with the same name but a different data type, you cannot import the rules that are generated.


8. Click **Create**. SAS Business Rules Manager opens the New Discovery window.
9. Select the **Discovery technique**. The techniques that are available depend on the products that are licensed at your site. The Recency Frequency Monetary (RFM) technique is available with Base SAS. The Decision Tree and Scorecard techniques require a SAS/STAT license. The Market Baskets technique requires a SAS Enterprise Miner license.
10. Select the **Data source** that you want to use for the discovery analysis.

Note: You cannot use the Market Baskets discovery technique with data sources that contain values for the **Item** term that do not conform to the SAS name rules for the VALIDVARNAME=V7 system option. See *SAS System Options: Reference* for more information.

11. Select the setup options for the discovery technique, and click **Next**. The setup options depend on the technique. See [Table 8.1 on page 78](#).
12. Select the action terms that are required for the discovery technique. See [Table 8.1](#).


Note: If you specified an existing vocabulary in [Step 7](#), and the action terms that you select are excluded from the output data, the rule flow will not run. See “[Create a Term](#)” on [page 37](#) for more information.

For the RFM and Market Baskets techniques, skip to [Step 14](#).

13. For the Decision Tree and Scorecard discovery techniques, select the input variables that you want to be used as condition terms in the rule flow. Select the terms and click  to move them to the **Conditions** list.
14. Click **Run** to run the analysis. SAS Business Rules Manager displays the rule sets that were generated by the analysis. You should check the SAS log before importing the data.
15. Click **Import** to import the data. If the data was imported successfully, SAS Business Rules Manager displays a confirmation message telling you what data was imported and which folder it was added to.
16. (Optional) Click **Rule_generation_log** and **Rule_import_log** to download the log files to your local machine. The log filename is `RuleFlowName_generation.log`, and the import log filename is `RuleFlowName_import.log`. If rules cannot be generated or the import process fails, the log files contain detailed error messages.
17. Click **Close** to close the New Discovery wizard. SAS Business Rules Manager opens the new rule flow in the rule flow editor and displays the **Rule Sets** page.


After using the New Discovery wizard to generate and import a new rule flow, all of the rule set versions in the rule flow will be unlocked, latest versions. When you publish the rule flow, SAS Business Rules Manager automatically locks any unlocked rule sets. See “[Lock a Rule Set Version](#)” on [page 70](#) and [Step 11](#) in “[Create a Rule Flow Using the Rule Flow Editor](#)” on [page 74](#) for more information.

Table 8.1 Setup Options and Terms for Discovery Techniques

Discovery Technique	Setup Variables	Action Terms
Decision Tree	Maximum number of rules: Select the maximum number of rules that you want to be generated from the discovery analysis.	Select the terms whose values you want to predict, and click  to move them to the Actions list.



Discovery Technique	Setup Variables	Action Terms
Scorecard	<p>Minimum points: The scorecard points are scaled with this option as the minimum value. You can specify any nonnegative integer.</p> <p>Maximum points: The scorecard points are scaled with this option as the maximum value. You can specify any positive integer that is greater than the Minimum points value.</p>	<p>Target variable: specifies the variable that you are modeling. The variable must have exactly two discrete values such as 0 and 1 or True and False.</p> <p>Target category: specifies how the values of the target variable are mapped. The scorecard points are scaled to the likelihood of the two target variable values based on the sort order. Select High to indicate that the highest lexical value of the target variable is mapped to the Maximum points value. Select Low to indicate that the lowest lexical value of the target variable is mapped to the Maximum points value.</p>
Recency Frequency Monetary	<p>Select the binning method.</p> <p>Independent: Simple ranks are assigned to recency, frequency, and monetary values. The three ranks are assigned independently.</p> <p>Nested: A simple rank is assigned to recency values. Within each recency rank, customers are then assigned a frequency rank. Within each frequency rank, customer are assigned a monetary rank.</p>	<p>Customer ID: specifies a numeric or character term that uniquely identifies a customer.</p> <p>Transaction date: specifies the transaction date.</p> <p>Transaction amount: specifies the transaction amount.</p>
Market Baskets	<p>Maximum number of rules: Select the maximum number of rules that you want to be generated from the discovery analysis.</p>	<p>ID: specifies the customer ID.</p> <p>Item: specifies the item that was purchased.</p>


Open Rule Sets from the Rule Flow Editor

You can open a rule flow and some or all of its rule sets in the same layout. In the rule flow editor, either double-click on the rule sets that you want to open, or select the rule sets and click .

Add Attachments to a Rule Flow

To add an attachment such as a document file or an image file:


1. Select the **Attachments** page.
2. Click , and select the attachment file.
3. Click .


Note: You can delete an attachment by selecting the attachment and clicking .

Add Comments to a Rule Flow


You can add new comments or reply to existing comments. To add a new comment:

1. Select the **Comments** page.
2. Enter a topic title and enter the comment. The topic title is required, and the field for comments does not appear until you enter the topic title.

A screenshot of a web form for adding comments. It features two text input fields. The first field is labeled 'The Title of My Comment' and contains the text 'The Title of My Comment'. The second field is labeled 'My comment text.' and contains the text 'My comment text.'. Below the second field is a small icon of a document with a plus sign, representing an attachment option. To the right of the attachment icon are two buttons: 'Post' and 'Cancel'.



3. (Optional) Click  to add an attachment such as an image or a document.
4. Click **Post**.

To reply to an existing comment, enter your reply in the field immediately below the topic title for the existing comment, and click **Post**.

Click  to see comments that have been posted by others.


To search for text in the comments, enter text in the search field at the top of the **Comments** page.

Change the Order of the Rule Sets

You can change the order of rule sets within the same section only (Initial, Main, Final, and so on). To reorder the rule sets in a rule flow, select the rule set that you want to move, and click  or .

View the Terms Used in a Rule Flow

To view the input or output terms that are used in all of the rule sets in a rule flow, open the rule flow, and select the **Variables** page.

To view all of the terms that are used in single rule set, open the rule flow, select the rule set, and click .

Note: This icon is unavailable if you have made editing changes to the rule flow. You must save the changes to the rule flow before you click on this icon.

Managing Versions of a Rule Flow



About Rule Flow Versions

The *current* version of a rule flow is the rule flow that has the highest version number. It is also the last version that you saved. You can edit only the latest version of a rule flow.

Only one version of a rule flow can be unlocked at a time.


When you publish the current version of a rule flow, that version is locked and assigned a version number. A new current version is created. You cannot unlock a rule flow.

Set the Displayed Version

On the **Versions** page,  indicates the displayed version. The displayed version is the rule flow whose information is displayed on the other pages, such as the **Properties** and **Rule Sets** pages. To change the displayed version, select the version that you want to view, and click .

Edit a Version Description

To edit a version description:

1. Select the **Versions** page.
2. Select the version of the rule flow that you want to edit.
3. Click . The Edit Version window appears.
4. Edit the version description.
5. Click **OK**.

Rename a Rule Flow

To rename a rule flow:

1. Close the rule flow if it is open. You cannot rename a rule flow if it is open.
2. Right-click on the rule flow and select **Rename**.
3. Change the name and click **OK**.

Duplicate Rule Flows

To duplicate a single rule flow:

1. Right-click on the rule flow, and select **Duplicate**. The Duplicate window appears.

2. Enter the name for the duplicate rule flow.
3. (Optional) Enter a description for the rule flow.
4. Select the folder where you want save the duplicate rule flow.
5. Select the version of the rule flow that you want to duplicate.
6. Click **OK**. If you do not enter a new name and the folder in which you save the duplicate rule flow already has a rule flow with the same name, SAS Business Rules Manager appends an underscore and a number to the name.

To duplicate multiple rule flows:

1. Select the rule flows that you want to duplicate.
2. Right-click and select **Duplicate**. The Choose a Location window appears.
3. Select the location where you want the save the duplicate tables and click **Duplicate**.

SAS Business Rules Manager duplicates the current version of the selected rule flows.

If you do not enter a new name and the folder in which you save the duplicate rule flow already has a rule flow with the same name, SAS Business Rules Manager appends an underscore and a number to the name.

Move Rule Flows

You cannot move a rule flow if it is open. To move rule flows:

1. Select the rule flows that you want to move, and then right-click and select **Move**. The Choose a Location window appears.
2. Select a new location for the rule flows, and click **Move**.


Remove Rule Sets from a Rule Flow

To remove rule sets from a rule flow, open the rule flow, select the rule sets, and click



Delete Rule Flows

Note: You cannot delete a rule flow if it has been published.

To delete rule flows, select the rule flows and click .

Testing a Rule Flow


You can test a rule flow before you publish it. If necessary, you can specify initialization or setup code that you want to run before the rule flow is run. SAS Business Rules Manager reports rule flow results and test data such as rule-fired data. SAS Business Rules Manager saves the test results from the last time a test was run.


Input Data for Rule Flow Tests

SAS Business Rules Manager expects the input data for the rule flow test to already exist and to be defined as a data table. See [Chapter 3, “Managing Data Tables,” on page 23](#) for information about defining data tables. Your user ID must have permission to access the data.

Create and Run a New Rule Flow Test

To test a rule flow:

1. Open the rule flow that you want to test.
2. Select the **Tests** page.
3. Click  to add a new test. The **Add a New Test** window appears.
4. Enter a name for the new test. Test names are limited to 30 characters.
5. (Optional) Enter a description for the test.
6. Select the data source that contains the input data for the test, and click **Next**.
7. Map the terms in the rule flow to columns in the input data set. If you click **Map terms**, the application automatically maps as many terms as possible. You can also map terms by manually selecting an input column for each rule flow input term.
8. Click **Next**.
9. (Optional) Enter any SAS code, such as initialization code or setup code, that you want to run before the rule flow is run. See [“Specify Preprocessing Code” on page 84](#) for more information.
10. Click **Run** to run the test, or click **Save** to save it without running it.


If the test completes successfully, the status on the **Tests** tab changes to . SAS Business Rules Manager displays the **Results** tab on which you can view the output of the rule flow, analyze the rule-fired data, and view the SAS code that was generated and run by SAS Business Rules Manager. See [“View Rule Flow Test Results” on page 84](#) for more information.

Rule flow tests are associated with the rule flow version. After a test completes, the test version is displayed on the **Tests** page.

Run a Rule Flow Test


To run a rule flow test:

1. Open the rule flow that you want to test.

2. Select the **Tests** page.
3. Select the test that you want to run and click .


Copy a Rule Flow Test

To copy a test:

1. Open the rule flow.
2. Select the **Tests** page.
3. Select the test that you want to copy and click .


Edit a Rule Flow Test

To edit a rule flow test:

1. Open the rule flow.
2. Select the **Tests** page.
3. Select the test that you want to edit and click .

Delete a Rule Flow Test

To delete a rule flow test:


1. Open the rule flow.
2. Select the **Tests** page.
3. Select the test that you want to delete and click .

Specify Preprocessing Code

To specify code that you want to run before the rule flow is executed, enter the code on the **Preprocessing** step in the **Add a New Test** window.

You can also use the `&DCM_USE_LATEST_VERSION` macro variable to ensure that when a rule flow is run, the latest compatible version of a rule flow is always used. See [“Dynamically Choose the Latest Rule Flow Version” on page 87](#) for more information.

View Rule Flow Test Results

When you test a rule flow, SAS Business Rules Manager displays the output of the rule flow together with other information on the **Results** tab. You can filter the rows that are displayed on the **Output Table** tab by clicking  above the output table. On the **Rules Fired Analysis** tab, if you select a record in the **Output Records** table, SAS Business Rules Manager displays the rules that fired for that record in the table at the bottom of the page. See also [“When Are Output Records Generated?” on page 85](#).

Note: The `_recordCorrelationKey` column in the output table is a unique key that is added to each output record. This key enables the output records to be correlated

with the records in the rule-fired details table. See [“Columns in the Rule-Fired Details Table” on page 104](#).

Reducing Overhead in SAS Data Integration Studio

If you have previously run a rule flow using the **Location of generated debug code file** option in SAS Data Integration Studio, you can use the `&BRM_USE_EXISTING_CODE` macro variable to reduce overhead when you run the same version of the same rule flow again. On the **Precode and Postcode** tab in SAS Data Integration Studio, set this macro variable to `Y`:

```
%LET BRM_USE_EXISTING_CODE=Y;
```

Setting this variable eliminates variable remapping and other checks, such as determining whether the rule flow can be run in-database.

When Are Output Records Generated?

If an input record does not fire any rules, then an output record might not be created, depending on the rule flow. If an input record fires a rule, then an output record is created. In this case, the point at which output records are generated depends on the structure of the rule flow.

simple rule flow

One output record is generated for each input record.

complex rule flow without BY-group terms

One output record is generated for each input record. If there are rules in the Final section, an output record is also generated after the rules in the Final section run.

complex rule flow with BY-group terms

One output record is generated for each BY-group. This output record is generated after the rules in the Group End section run. An additional output record is generated after the rules in the Final section run.



Publish a Rule Flow

Publishing is the process of writing a business rule flow to the content server. After you publish a rule flow to the content server, other applications can use it.

When you publish the current version of a rule flow, that version of the rule flow is locked and cannot be unlocked. For more information, see [“Managing Versions of a Rule Flow” on page 81](#).

Note: To publish a rule flow, all of the rule set versions that are referenced in the rule flow must be locked. When you publish a rule flow, SAS Business Rules Manager automatically locks any unlocked rule set versions that are used in the rule flow.


To publish a rule flow:

1. Open the rule flow.
2. If the rule flow contains changes that have not been saved, click . You cannot publish a rule flow if it contains changes that have not been saved.
3. Click . The Choose a Location window appears.

Note: If a rule flow has already been published, SAS Business Rules Manager always publishes the rule flow to the same location. It does not prompt for a location the next time the rule flow is published.

4. Select the location where you want to publish the rule flow.

Note: This window lists all of the objects that are defined in the SAS metadata folders. To limit the list to folders only, select the **Show folders only** check box.

Note: In the Choose a Location window, to create a new subfolder, click .

5. Click **OK**.

Display Publish Information for Rule Flows

Publish information for a specific version of a rule flow is available on the **Versions** page. The information available includes the published rule flow name, the folder path to which the rule flow was published, the date on which the version was published, and the display name or user ID of the user that published the rule flow. To display publish information for a rule flow:

1. Open the rule flow.
2. Select the **Versions** page.
3. Click **Details** for the version that you are interested in.


Deploy a Rule Flow as a Stored Process


A stored process is a SAS program that is stored on a server and defined in metadata, and which can be executed as requested by client applications. When you deploy a rule flow as a stored process, the rule flow is made available as a stored process on the SAS Stored Process Server.

Note: To deploy a rule flow, all of the rule set versions that are referenced in the rule flow must be locked. When you deploy a rule flow, SAS Business Rules Manager automatically locks any unlocked rule set versions that are used in the rule flow.

Note: Only simple rule flows can be deployed as stored processes.

To deploy a rule flow as a stored process:

1. Open the rule flow.
2. If the rule flow contains changes that have not been saved, click . You cannot deploy a rule flow if it contains changes that have not been saved.

3. Click . The Choose a Location window appears.
4. Select the location where you want to deploy the rule flow.

TIP This window lists all of the objects that are defined in the SAS metadata folders. To limit the list to only folders, select the **Show folders only** check box.

Note: To create a new subfolder in the Choose a Location window, click .

5. Click **OK**.

For more information about stored processes, see [SAS Stored Processes: Developer's Guide](#).

Dynamically Choose the Latest Rule Flow Version

You can use the `&DCM_USE_LATEST_VERSION` and either the `&DCM_RULEFLOW_NAME` or `&DCM_DEPLOYED_RULEFLOW_NAME` macro variable to ensure that when a rule flow is run, the latest version of the rule flow is always used. If you specify both `&DCM_RULEFLOW_NAME` and `&DCM_DEPLOYED_RULEFLOW_NAME`, then the name specified by `&DCM_DEPLOYED_RULEFLOW_NAME` is used.

For `&DCM_DEPLOYED_RULEFLOW_NAME`, specify the name of the published rule flow and the identification number of the rule flow. You can find the published name and identification number in the **Name** column of the rule flow **History** page. For example:

```
%let DCM_DEPLOYED_RULEFLOW_NAME=published_flow_name(ID_number);
```

Note: If you specify `&DCM_RULEFLOW_NAME` and SAS Business Rules Manager finds multiple rule flows that match the specified name, it writes an error message in the SAS log, and the rule flow is not executed. If you encounter this issue, specify the specific rule flow by using `&DCM_DEPLOYED_RULEFLOW_NAME`.

Define these macro variables in preprocessing code such as the **Preprocessing Code** section of a rule flow test or in the **Precode** section of the **Precode and Postcode** tab in SAS Data Integration Studio. Define these variables before calling the `%BRM_RULE_FLOW` macro. For example:

```
%let DCM_USE_LATEST_VERSION=Y;
%let DCM_RULEFLOW_NAME=rule_flow_name;
```

Note: SAS Data Integration Studio uses the latest version of the rule flow that matches the variable mappings in the Business Rules transformation. SAS Business Rules Manager writes a note in the SAS log that states which version was selected.

Viewing Lineage Information for a Rule Flow

About Lineage Information

The lineage viewer is provided by SAS Lineage. The relationship information that is displayed by SAS Lineage is taken from the Relationship database that is a part of the SAS Web Infrastructure Platform Data Server. SAS Lineage can display most types of


SAS metadata. This data includes models, rule flows, and data objects, including columns, tables, external files, stored processes, and more.

SAS Lineage displays three types of diagrams:

- a network diagram that displays all relationships
- a dependency diagram that displays governance information
- a dependency diagram that displays parent and child relationships


View Lineage Information for a Rule Flow

To view lineage information:

1. Open the rule flow and click . If you are not already signed in to SAS Lineage, you are prompted to sign in.
2. Enter your user ID and password, and click **SIGN IN**. SAS Lineage displays the All Relationships diagram for the rule flow.

For additional information about SAS Lineage, click **Help** or see *SAS Lineage: User's Guide*.

The following image shows the All Relationships diagram for a simple rule flow with one rule set.



Part 3

Using SAS Workflow with SAS Business Rules Manager

<i>Chapter 9</i>	
Starting a Workflow and Working with Tasks	<i>91</i>
<i>Chapter 10</i>	
Managing Workflows	<i>95</i>

Chapter 9

Starting a Workflow and Working with Tasks

Overview of Using Workflows	91
Start a New Workflow	91
Working with Workflow Tasks	92

Overview of Using Workflows


SAS Business Rules Manager uses the Workflows and My Tasks category views to use SAS Workflow. A *workflow* is a copy of a workflow template. A workflow can be used to track the progress of objects, such as rule flows at the version level. An authorized user can use SAS Workflow Studio to define workflow templates and to make them available to SAS Business Rules Manager for use. Workflow templates contain the set of tasks, participants, policies, statuses, and data objects that comprise a business task. The status that you select when completing a task determines the next task in the workflow.

All users can access the My Tasks category view. By default, only users that are in the Decision Manager Common Administrators group can access the Workflows category view.

For more information about user permissions, see [SAS Business Rules Manager: Administrator's Guide](#)

Start a New Workflow

When you start a new workflow, it is associated with the selected version of a rule flow. For a specific version, only one workflow can be in progress at a time. To start another workflow for the same version, you must first complete the in-progress workflow, or terminate the in-progress workflow process. A workflow can be started only for a version of a rule flow that is in the state of Current.

1. Open a rule flow.
2. Click  on the right-side of the object toolbar.

Start a new workflow for "Score_Loan, Current".

Name: *

Description:

Template: * ▼

3. Enter a name for the new workflow.
4. (Optional) Enter a description for the workflow.
5. Select a template from which to create the workflow.
6. Click **Start**.

For more information, see [Chapter 10, “Managing Workflows,”](#) on page 95.

Working with Workflow Tasks

The My Tasks category view displays the tasks for In Progress workflows that you have been assigned to as a potential owner or that have been claimed by you.

My Tasks (2 of 2) Search: (none)

Task: Approve version
 Date started: Jul 5, 2015 07:47 PM Claimed: No
 Workflow: HMEQ-Interval July 5, 2015
 ▶ Details



Task: MD1: Import Models
 Date started: Jul 5, 2015 07:01 PM Claimed: No
 Workflow: HMEQ July 5, 2015
 ▶ Details

From the My Tasks category view, you can perform the following:

- open a task that pertains to the associated object
- claim and open a task that pertains to the associated rule flow
- claim a task
- release a task

- view the task details and workflow diagram

To complete a task:

1. Select a task and click  in order to open the associated rule flow and perform the task.
2. Navigate through the rule flow's pages to perform the steps for the current task.
3. Click .
4. Select an action to take for the selected task. The actions that are available are the status values for the task in the workflow.
5. Click **Done**. The workflow process continues to the next task.

Note: Only a business administrator who has access to the Workflows category can release a task that has been claimed by another participant. For more information, see [“Release a Task” on page 99](#).

Chapter 10

Managing Workflows

Overview of Managing Workflows	95
Viewing Workflows	96
Migrate Workflows	97
Set Mappings	97
Working with Workflow Participants	98
Assign Participants to Tasks	98
Remove Participants from a Task	99
Release a Task	99
Edit Task Properties	100
Terminate a Workflow	100

Overview of Managing Workflows

SAS Business Rules Manager can be used to manage workflows. You can create new workflows, view workflows, and interact with tasks that are associated with a workflow. If a user is assigned to the workflow role of business administrator, they can influence the progress of a task by actions such as assigning a task, or releasing the task that is claimed by another user, as well as specify values for properties to share information with other users. After the workflow templates are made available, an application administrator can set the object mappings using the Workflows category view. Each workflow consists of tasks.

Note: By default, only users that are in the Decision Manager Common Administrators group can access the Workflows category view.

Select **Workflows** to view a list of available workflows.

Workflows (1 of 1) Search: (none) Search: Workflows Save Search				
Open Actions				
Workflow Name	Started By	State	Current Task	Date Started
SimpleApprovalRevise				
SimpleApproval				
Score_Loan July 5, 2015 (Score_Loan : Cur...	sasdemo	🟢	Approve version	Jul 5, 2015 09:16 PM

Score_Loan July 5, 2015 (Score_Loan : Current)

Task Name	Task Status	Claimed By	Action Taken	Date Started
Approve version	🟢			Jul 5, 2015 09:16 PM

Properties

Property	Value
Available statuses	Approve

Participants

Name	Workflow Role
Decision Manager Com...	Business administrator
Decision Manager Users	Potential owner

Decision Manager Users

Active Finished Not started

Viewing Workflows

Only a user who is able to access the Workflows category view can manage workflows. Other users can view the list of tasks from the workflow task drop-down list that is accessible from the rule flow toolbar. If a user is the actual owner of a task, or assigned as a potential owner of a task, they can view the workflow diagram and tasks that in the My Tasks category view. Workflows are associated with a rule flow at the version-level.

From the Workflows category view, you can perform the following actions:

- [set mappings](#)
- [migrate workflows from a previous version](#)
- [terminate a workflow process](#)

To view detailed information for a workflow, double-click a workflow name. The list of tasks, the task status, and who the task is claimed by are displayed. You can then view

the properties and participants that are associated with a task by selecting a task. The workflow diagram is also displayed with the current status of the workflow and its tasks.

For more information, see [“Working with Workflow Participants” on page 98](#).

Migrate Workflows

If you have migrated from a previous version of SAS Business Rules Manager, you must migrate the workflows. All active (in progress) or completed workflows can be migrated. Terminated workflows are not migrated. The workflows must also be associated with a valid UUID for a version of a rule flow. Only workflows that are associated with a rule flow that still exists are migrated. If the rule flow was deleted, the associated workflow is not migrated.

Select **Workflows** ⇒ **Actions** ⇒ **Migrate from Previous Version**. The list of workflows is refreshed after the workflows are migrated.


Set Mappings

There are two different types of workflow templates that can be configured for use with SAS Business Rules Manager. Workflow templates that contain tasks that are configured with an approval status are considered an approval workflow. Workflow templates that do not contain tasks with an approval status are considered a standard workflow. The rule flows object can be associated with only an approval type. After you define your workflow template, save, and activate it using SAS Workflow Studio. You must specify the templates to map to each type of object. This enables you to start a new workflow using one of the templates that are associated with the specific object.

1. Select **Actions** ⇒ **Set Mappings**. The Set Mappings window appears.

Template Name	Selected	Default	Type	Approval Tas...
SimpleApproval	<input type="checkbox"/>	<input checked="" type="radio"/>	Approval ▾	Approve
MM Workflow Mini Demo	<input type="checkbox"/>	<input checked="" type="radio"/>	Standard ▾	
SimpleApprovalRevise	<input type="checkbox"/>	<input checked="" type="radio"/>	Approval ▾	Approve

2. Select an object and then select one or more templates to map to the object.
3. Select a type for each template. The types of templates that are available are **Approval** and **Standard**.
4. Select the default template for the object.



Set Mappings

Specify the templates to map to each type of object, and then select one template to be the default for each object type.

Models: Projects	Template Name	Selected	Default	Type	Approval Tas...
Business Rules: Rule Flows	SimpleApproval	<input checked="" type="checkbox"/>	<input checked="" type="radio"/>	Approval	Approve
	SimpleApprovalRevise	<input checked="" type="checkbox"/>	<input type="radio"/>	Approval	Approve

OK Cancel

5. Click **OK**.

Working with Workflow Participants


From the Workflow details view you can access the properties and participants that are associated with a task by selecting a task. If you are a user that is associated with the workflow role of business administrator, you can assign or remove participants, and release tasks that have been claimed by another user.

Assign Participants to Tasks

Default participants might have been assigned already to tasks when a workflow definition was created.

To assign an additional participant to a task:

1. From the Workflows category view, double-click a workflow. The Workflow details view is displayed.
2. Select a task, and then click **+** in the Participants pane. The Assign a Participant window appears.



Assign a Participant


Specify the values for the participant that you want to assign to this task.

Identity type: User

Name: * Enter a name

Workflow role: Potential owner

OK Cancel

3. Select an identity type.
4. Enter part of the user, group, or role name, and click .

Note: If you do not enter part of the name, all of the names for the selected identity type are displayed.

Name	Display Name	Identity Type
sasadm	SAS Administrator	User
webanon	SAS Anonymous Web User	User
sasdemo	SAS Demo User	User
sasevs	SAS Environment Manager Service Account	User
sasfcmr	SAS Factory Miner User	User
sastrust	SAS Trusted User	User
sassearch	Search Interface to SAS Content User	User

Select a name and click **OK**.

5. Select a workflow role for the participant.

Here are the workflow roles that you can assign to participants for a workflow task:

- **Business administrator:** a participant who can influence the progress of a task by actions such as assigning a task, or releasing the task claimed by another user.
- **Potential owner:** a participant who can claim a task in a workflow process and who becomes the actual owner of a task.

6. Click **OK**. The new participant is added to the list in the Participants pane.

Remove Participants from a Task

To remove a participant from a task:

1. From the Workflows category view, double-click a workflow name.
2. Select a task, and then select a participant from the Participants pane.

Note: You cannot remove a participant who is associated with the workflow roles of business administrator or actual owner.


3. Click . A message is displayed asking if you are sure that you want to remove the participant from the task.
4. Click **Yes**. The user is removed from the list in the Participants pane.

Release a Task

An authorized user with the capability to access the Workflows category view can release a task that has been claimed by a workflow participant. The name of the actual owner is displayed in the Participants pane.

To release a task:


1. In the Workflows category view, double-click a workflow name. The Workflow details view is displayed.


2. Select a task name, and click . The **Claimed By** value for the selected task is cleared.

Edit Task Properties

A task can contain properties. Properties that are editable display a triangular icon in the bottom right corner of the property value in the data grid.

To edit the properties for a task:


1. From the Workflows category view, open a workflow, and select a task. The properties that are associated with the task are displayed to the right in the Properties pane.
2. Click on the property value, and then enter a value or change the existing value.
3. To save the changes to the properties, click .

If you do not want to save the changes to the properties, click .

Terminate a Workflow

When you terminate a workflow process, all tasks that have not yet been completed are changed to a state of Terminated. After you terminate a workflow process, it cannot be restarted. However, you can start a new workflow for the same version.

To terminate a workflow:

1. From the Workflows category view, select a workflow name and click .
2. Click **Yes** to terminate the selected workflow.

Part 4

Appendix

Appendix 1

Rule-Fired and Test Information Tables 103

Appendix 1

Rule-Fired and Test Information Tables

Overview	103
Columns in the Test Information Table	104
Columns in the Rule-Fired Details Table	104
Columns in the Rules-Fired Summary Table	105

Overview

When you run a rule flow by using either the %BRM_RULE_FLOW macro or the Business Rules transformation in SAS Data Integration Studio, three tables are generated. These tables contain rule-fired information and information about the execution of the rule flow.

Table	Contents	Name Generated By SAS Data Integration Studio
Test information	A single record that contains aggregate information about the execution of the rule flow.	DCM_DEPLOYMENT_EXECUTION
Rule-fired details	One row for each time that a rule evaluates to true. There might be multiple entries for the same rule, but each entry has different values for the _recordCorrelationKey and RULE-ACTION_FIRE_ID columns.	DCM_RULE_ACTION_FIRE
Rule-fired summary	A summary of how many times each rule fired.	DCM_RULE_ACTION_FIRE

When the %BRM_RULE_FLOW macro is run outside of SAS Data Integration Studio, the names of the tables are controlled by the mapping file. See “[%BRM_RULE_FLOW](#)” in *SAS Business Rules Manager: Administrator’s Guide* for information about the macro and the mapping file.

Columns in the Test Information Table

DEPLMT_EXECUTION_ID

the identification string of the specific instance of the rule flow that was executed. Each time a rule flow executes, a different universally unique identifier (UUID) is generated for the specific instance of the rule flow. You can use this UUID to associate the records in the test information table with the records in the [rules-fired details table](#).

DEPLMT_SK

an internal surrogate key for the publish information for the rule flow. The publish information includes who published the rule flow, the version number that was published, and the location to which the rule flow was published. This column is also included in the [rules-fired details table](#). You can use this column to join the two tables.

DEPLMT_NM

the name of the metadata object that was executed.

TRANSACTION_MODE_CD

always set to **DIS**.

Note: This column has been deprecated.

RECORDS_PROCESSED_NO

the number of records that were processed by the rule flow.

TEST_FLAG

indicates whether the rule flow was run in the SAS Business Rules Manager test interface.

START_DTTM

the date and time at which the rule flow started executing.

END_DTTM

the date and time at which the rule flow finished executing.

Columns in the Rule-Fired Details Table

RULE_ACTION_FIRE_ID

the UUID that is generated for each rule each time it is executed. Each time a rule executes, a different UUID is generated for the specific instance of the rule.

RULE_SET_SK

the identification number of the rule set.

RULE_SET_NM

the name of the rule set.

RULE_SK

the identification number of the rule.

RULE_NM

the name of the rule.

DEPLMT_SK

an internal surrogate key for the publish information for the rule flow. This column is also included in the [test information table](#). You can use this column to join the two tables.

RULE_FLOW_SK

the identification number of the rule flow.

RULE_FLOW_NM

the name of the rule flow.

RULE_FIRE_DTTM

the date and time that the rule was run.

DEPLMT_EXECUTION_ID

the identification string of the specific instance of the rule flow that was executed. Each time a rule flow executes, a different UUID is generated for the specific instance of the rule flow. You can use this UUID to associate the records in the rules-fired details table with the records in the [test information table on page 104](#).

ENTITY_PRIMARY_KEY

the value of the term that was specified with the &BRMPPrimaryEntityKey macro variable in preprocessing code.

Note: This column has been deprecated. Use the `_recordCorrelationKey` column instead.

TRANSACTION_DTTM

the value of the term that was specified with the &BRMTransactionDTTM macro variable in preprocessing code.

Note: This column has been deprecated. Use the `_recordCorrelationKey` column instead.

_recordCorrelationKey

a UUID that enables you to associate records in the rules-fired details table (DCM_RULE_ACTION_FIRE) with records in the output results table. This column is also added to the output results table, so you can use this key to join the rules-fired details table and the output results table. Joining the tables enables you to enrich the information in the rules-fired details table with transaction times, composite keys, or other information.

Columns in the Rules-Fired Summary Table

RULE_SK

the identification number of the rule.

RULE_NM

the name of the rule.

RULE_SET_SK

the identification number of the rule set.

RULE_SET_NM

the name of the rule set.

RULE_FLOW_SK

the identification number of the rule flow.

RULE_FLOW_NM

the name of the rule flow.

ruleFiredCount

the number of times that the rule specified by the RULE_SK field executes for all of the input records that were processed.

Glossary

business entity

an object in your business domain. An entity has one or more terms, which are attributes of an entity. For example, the business entity could be the customer, and the associated terms could be the name, account number, account type, and so on.

business rule (rule)

a statement of business logic that specifies conditions to be evaluated and actions to be taken if those conditions are satisfied.

business rule flow package

a business rule flow that has been saved to an XML file.

business rule service

a business rule flow that has been implemented as a web service.

data object

an object that holds the business data that is required to execute workflow tasks.

key

See [lookup key](#).

library reference

See [libref](#).

libref (library reference)

a SAS name that is associated with the location of a SAS library. For example, in the name MYLIB.MYFILE, MYLIB is the libref, and MYFILE is a file in the SAS library.

lookup key (key)

a value that uniquely identifies a specific record and its order among other records in a database or table.

lookup table

a table that contains lookup keys and their corresponding values.

lookup value

the value that is associated with a lookup key in a lookup table.

metadata

descriptive data about data that is stored and managed in a database, in order to facilitate access to captured and archived data for further use.

policy

a workflow element that associates event-driven logic with a task or subflow. Policies are usually triggered automatically by an event such as a status change or a timer event.

publish

to register a business rule flow in a SAS metadata repository.

rule

See [business rule](#).

rule flow

a logical collection of multiple rule sets that define multiple conditions and actions. Rule flows can be tested and deployed as SAS programs and services that process input data, which contain conditions, in order to create output data, which contain actions.

rule set

a logical group of business rules.

SAS Content Server

a server that stores digital content (such as documents, reports, and images) that is created and used by SAS client applications. To interact with the server, clients use WebDAV-based protocols for access, versioning, collaboration, security, and searching.

SAS Metadata Repository

a container for metadata that is managed by the SAS Metadata Server. *See also* [SAS Metadata Server](#).

SAS Metadata Server

a multi-user server that enables users to read metadata from or write metadata to one or more SAS Metadata Repositories.

swimlane

a workflow diagram element that enables you to group tasks that are assigned to the same participant.

task

See [workflow task](#).

task status

the outcome of a task in a workflow. The status of a task (for example, Started, Canceled, Approved) is typically used to trigger the next task.

term

an attribute of a business entity. Terms might or might not have a list of valid values. For example, a customer entity might have terms such as account type or age. Valid values for the account type term might include "commercial" or "personal."

vocabulary

the set of business entities that define your business domain.

workflow

a series of tasks, together with the participants and the logic that is required to execute the tasks. A workflow includes policies, status values, and data objects.

workflow definition

a workflow template that has been uploaded to the server and activated. Workflow definitions are used by the SAS Workflow Engine to create new workflow instances.

workflow instance

a workflow that is running in the SAS Workflow Engine. After a workflow template is uploaded to the server and activated, client applications can use the template to create and run a new copy of the workflow definition. Each new copy is a workflow instance.

workflow task (task)

a workflow element that associates executable logic with an event such as a status change or timer event.

workflow template

a model of a workflow that has been saved to an XML file.

Index

Special Characters

&BRMPPrimaryEntityKey macro variable
84, 105
&BRMPPrimaryTransactionDTTM macro
variable 84, 105, 106

A

action expressions 50
alert notifications
 configuring for workflows 6
attachments
 adding to a rule set 71

B

Boolean values
 contrast with Character values 36
 entering 59
business rules
 changing name or description 68
 conditional processing 56
 creating 54
 deleting rules 68
 deleting text in a rule 68
 description of 50
 example 50
 executing 7
 reordering in a rule set 66
 swapping positions of two rules 66
BY groups 74

C

colors, application window preference 5
comments
 adding to a rule set 71
condition expressions 50
conditional processing 56
copying
 rules 67
 text within a rule 67

D

Date values, entering 59
Datetime values, entering 59
domain values 39

E

ELSE operator 56
entities
 creating 37
 deleting 40
 description of 35
 editing 40
Equation Editor 57
excluding terms from input data 37
excluding terms from output data 37
expressions
 action, description of 50
 condition, description of 50
 deleting 68
 entering data values in 59
 examples 63
 missing values in 62
 operators added by SAS Business Rules
 Manager 63
 operators for use in 60
 terms added by SAS Business Rules
 Manager 63
 using functions in 62
 validating 66

F

Final, rule flow section 74
focus indicator, preference 6
folders
 about 31
 creating 32
 creating top-level 31
 deleting 32
 moving 32
functions in expressions 62

G

Group End, rule flow section 74
 Group Start, rule flow section 74

I

IF operator 56
 Init, rule flow section 74

L

locale, preference 5
 lock version
 rule set 70
 LOOKUP function 46
 in the Equation Editor 58
 lookup key 44
 verifying 46
 lookup table
 creating 44
 deleting 45
 description 43
 refreshing 45
 lookup value 44
 retrieving 47
 LOOKUPVALUE function 47
 in the Equation Editor 58

M

macro variables
 &BRMPPrimaryEntityKey 84, 105
 &BRMPPrimaryTransactionDTTM 84,
 105, 106
 Main, rule flow section 74
 manage
 workflows 95
 missing values in expressions 62

O

operators 56
 operators in expressions 60
 OR operator 56
 order of rules, changing 66

P

preferences
 global 5
 SAS Business Rules Manager
 preferences 6
 SAS Preferences Manager 6
 setting 5
 publishing rule flows 85

R

rule flows
 BY groups 74
 changing name or description 81
 complex 74
 creating 74
 deleteing rule sets from 82
 deleting 82
 description of 74
 displaying rule sets used in 79
 duplicating 81
 moving 82
 publishing 85
 reordering rule sets in 80
 sections, in complex rule flows 74
 simple 74
 viewing terms in 80
 rule flows, running a test 83
 rule flows, testing 83
 input data 83
 preprocessing code 84
 viewing test results 84
 rule sets
 changing name or description 68
 changing rule order 66
 creating 51
 deleting 72
 deleting from rule flows 82
 description of 51
 duplicating 71
 moving 72
 opening multiple 79
 reordering in rule flows 80
 saving 72
 usage information 68
 validating 66
 versions 69
 rules
 See [business rules](#)
 rules database, basic steps for creating 7

S

SAS Business Rules Manager
 features 3
 SAS Preferences Manager 6
 string values, entering 59

T

terms
 creating 37
 deleting 40
 description of 36
 domain values 39
 editing 40

- excluding terms from input data 37
- excluding terms from output data 37
- temporary 37
- used in rule flows 80
- theme, preference 5
- tutorial
 - make files available 10
- tutorials
 - define data sources 11
 - sign in 11

U

- usage information, rule sets 68


V

- validating expressions 66
- versions
 - rule flow, description 81
 - rule flow, displayed version 81
 - rule set 69
 - rule set, creating 70
 - rule set, description 70
 - rule set, displayed version 70
 - rule set, latest version 69
 - rule set, locking 70
- vocabularies

- creating 36
- deleting 40
- description of 35
- editing 40
- tips for creating 36

W

- workflow
 - assign participant 98
 - participants 98
 - release task 99
 - remove participant 99
 - start 91
 - tasks 92
 - terminate 100
- Workflow 91
- workflow participant
 - assign 98
 - remove 99
- workflow task
 - edit properties 100
 - release 99
- workflows
 - alert notifications 6
 - manage 95
 - view 96



Gain Greater Insight into Your SAS® Software with SAS Books.

Discover all that you need on your journey to knowledge and empowerment.



SAS and all other SAS Institute Inc. product or service names are registered trademarks or trademarks of SAS Institute Inc. in the USA and other countries. ® indicates USA registration. Other brand and product names are trademarks of their respective companies. © 2013 SAS Institute Inc. All rights reserved. S107969US.0613

