

System Requirements for SAS[®] 9.3 Foundation for HP-UX[®] for the Itanium[®] Processor Family Architecture



Copyright Notice

The correct bibliographic citation for this manual is as follows: SAS Institute Inc., *System Requirements for SAS® 9.3 Foundation for HP-UX® for the Itanium® Processor Family Architecture*, Cary, NC: SAS Institute Inc., 2012.

System Requirements for SAS® 9.3 Foundation for HP-UX® for the Itanium® Processor Family Architecture

Copyright © 2012, SAS Institute Inc., Cary, NC, USA.

Some software included in SAS Foundation may display a release number other than 9.3.

All rights reserved. Printed in the United States of America. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, by any form or by any means, electronic, mechanical, photocopying, or otherwise, without the prior written permission of the publisher, SAS Institute Inc. Limited permission is granted to store the copyrighted material in your system and display it on terminals, print only the number of copies required for use by those persons responsible for installing and supporting the SAS programming and licensed programs for which this material has been provided, and to modify the material to meet specific installation requirements. The SAS Institute copyright notice must appear on all printed versions of this material or extracts thereof and on the display medium when the material is displayed. Permission is not granted to reproduce or distribute the material except as stated above.

U.S. Government Restricted Rights Notice. Use, duplication, or disclosure of the software by the government is subject to restrictions as set forth in FAR 52.227-19 Commercial Computer Software-Restricted Rights (June 1987).

SAS Institute Inc., SAS Campus Drive, Cary, North Carolina 27513.

SAS and all other SAS Institute Inc. product or service names are registered trademarks or trademarks of SAS Institute Inc. in the USA and other countries.

® indicates USA registration.

Other brand and product names are trademarks of their respective companies.

Table of Contents

Overview	1
Software Requirements	1
Operating System	1
Streams.....	1
Direct I/O.....	2
Java Requirements	2
Web Browser	2
Hardware Requirements	4
Machines Supported	4
Distribution Media	4
Memory Requirements	4
Supported Displays	4
Space Requirements	5
Specific Product Requirements	7
Base SAS Software	7
Requirements for SPD Engine on HP-UX for the Itanium Processor Family.....	7
SAS Analytics Accelerator for Teradata Software	7
SAS High-Performance Forecasting 12.1 Software	7
SAS Scoring Accelerator for DB2 Software	7
SAS Scoring Accelerator for Greenplum Software	8
SAS Scoring Accelerator for Netezza Software	8
SAS Scoring Accelerator for Oracle Software	8
SAS Scoring Accelerator for Teradata Software	9
SAS/ACCESS Interface to DB2 Software	9
SAS/ACCESS Interface to Greenplum Software	10
SAS/ACCESS Interface to Hadoop Software	10
Hive Patch Notes.....	10
SAS/ACCESS Interface to HP Neoview Software	10
SAS/ACCESS Interface to Informix Software	10
SAS/ACCESS Interface to Microsoft SQL Server Software	11
SAS/ACCESS Interface to MySQL Software	11
SAS/ACCESS Interface to Netezza Software	11
SAS/ACCESS Interface to ODBC Software	11
SAS/ACCESS Interface to Oracle Software	12
SAS/ACCESS Interface to PC Files Software	12
SAS/ACCESS Interface to Sybase Software	12
SAS/ACCESS Interface to Sybase IQ Software	13
SAS/ACCESS Interface to Teradata Software	13

SAS/AF Software	13
Products Required for Build Mode	13
Products Required for Run Mode	13
Printers.....	13
SAS/EIS Software	14
Products Required for Build Mode	14
Products Required for Run Mode	14
Memory	14
Printers.....	14
SAS/Genetics 12.1 Software	14
SAS/GIS Software	14
Products Required for Build Mode	14
Products Required for Run Mode	14
Printers.....	15
SAS/IntrNet Software	15
CGI Tools and Applications	15
Application Dispatcher	15
htmSQL.....	15
MDDDB Report Viewer Application	15
Xplore Sample Web Application.....	15
Java Tools and Applications	15
SAS/CONNECT Driver for Java.....	15
Tunnel Feature.....	15
SAS/LAB Software	16
SAS/OR 12.1 Software	16
SAS/Warehouse Administrator Software	16
Products Required for Build Mode	16
Products Required for Run Mode	16
Printers.....	16
Graphics Hardware and Software Compatibility	17
Printers	17
Displays	17
Images and Interfaces to Other Software	17
Viewing HTML Pages Created with the ActiveX and Java Device Drivers	18

Overview

This document provides requirements for installing and running SAS 9.3 Foundation for HP-UX for the Itanium Processor Family Architecture. You must update your system to meet the minimum requirements before running SAS 9.3 Foundation. The major requirements listed in the document are:

- Software Requirements
- Hardware Requirements
- Space Requirements
- Specific Product Requirements
- Graphics Hardware and Software Compatibility

Software Requirements

Operating System

SAS 9.3 Foundation is supported on the following operating system:

- HP-UX 11i version 3 (11.31), update 5 and above

The following patch should be applied to your operating system:

- PHNE_41004 11.31 cumulative ARPA Transport patch or later

If you intend to install SAS from DVD media, you should apply the PHCO_41366 patch to your operating system.

In addition, if you are using HP-UX 11.31, the Atomic APIs product B.11.31.0803.01 is required. This software package is available for download from the HP Web site, at <https://h20392.www2.hp.com/portal/swdepot/displayProductInfo.do?productNumber=Atomic>

Note: *The patch level listed was correct at the time this document was printed. However, patches required for HP-UX for the Itanium Processor Family Architecture are subject to unexpected change. To ensure you have the latest patch requirements, go to the Install Center Web page (<http://support.sas.com/installcenter>) to find the most recent updates to this System Requirements document.*

SAS requires the file systems where SAS is installed to have the `setuid` mount option enabled because `sasauth`, `sasperm`, and `elssrv` need it at SAS run time.

In UNIX environments, the SAS BASE (V9) engine requires a POSIX-compliant file system. Consult the vendor for confirmation that the file system you are considering has been certified POSIX-compliant.

Streams

SAS for HP-UX requires that HP Streams be installed and enabled. The Streams product is generally installed by default. This can be quickly verified by performing the following command:

```
/usr/sbin/swlist -l product | grep Streams
```

If the Streams product is not found, it must first be installed before continuing. The software may be found on the HP-UX installation media that accompanied the system. The Systems Administrator would typically perform this installation.

Once installed, Streams must also be enabled in the HP-UX kernel. Streams status can be checked by performing the following command:

```
/usr/sbin/kctune -v streampipes
```

If "Current Value" is "1", Streams is enabled and you can skip the remaining steps which describe how to enable Streams.

If "Current Value" is "0", first the streampipes kernel variable must be changed and then the system must be rebooted to enable streams. These actions are privileged and are generally performed by the Systems Administrator.

To change the streampipes kernel variable, issue the following command:

```
/usr/sbin/kctune streampipes=1
```

Upon success, you will see a message showing that the "Value at Next Boot" is "1." You may now reboot the system or wait for a more convenient time.

Direct I/O

If you wish to use Direct I/O to improve system I/O throughput (see the UNIX Host Companion for more information), SAS requires that the "Online features of the VxFS File System" be installed. This product is not usually installed by default. This can quickly be verified by performing the following command:

```
/usr/sbin/swlist -l product | grep Online
```

If the product is not found, it must be installed in order to enable Direct I/O. The software may be found on the HP-UX installation media that accompanied the system. The Systems Administrator would typically perform this installation.

Java Requirements


For information about Java Runtime Environment (JRE) requirements, refer to the SAS 9.3 Support for Java Runtime Environments Web page, located at

<http://support.sas.com/resources/thirdpartysupport/v93/jres.html>.

Web Browser

SAS 9.3 Foundation uses remote browsing to display Web-based information. Instead of running a browser on the UNIX workstation, SAS 9.3 Foundation sends the URL to your desktop computer for display in a Web browser. This removes the browser overhead from the UNIX server. A small software agent named the Remote Browser Server is installed on your desktop computer to enable SAS to communicate with your browser. The process is illustrated below.

SAS creates a URL that references the information to be displayed (usually program help or ODS output), then sends the URL to the SAS Remote Browser Server on your desktop computer (step 1). The Remote Browser Server then sends a request to the browser to display a page (step 2). The browser then reconnects to SAS to retrieve the information to be displayed and displays it in the browser (step 3).



To use remote browsing, your desktop computer must be one of the following platforms, and have installed one of the supported browsers.

Platform	Supported Browser
Windows XP/Vista/7 32-bit and 64-bit	Firefox 3.6
	Internet Explorer 7 or Internet Explorer 8
Linux 32-bit and 64-bit	Firefox 3.6

The Remote Browser Server must be installed and running for SAS to display web information. The installer for the Remote Browser Server can be found at <http://www.sas.com/apps/demosdownloads/setupintro.jsp>, or directly downloaded from a SAS session.

For SAS to be able to use your Web browser, the browser must be configured to allow pop-up windows.

Hardware Requirements

Machines Supported

- HP machines conforming to IA64

Distribution Media

- Electronic Software Delivery
- DVD

Memory Requirements

For general SAS activities (for example, query and reporting, simple statistics, data manipulation), we recommend 96 MB per user.

More memory is needed for memory-intensive tasks such as OLAP, data mining, heavy statistical analysis, multivariate analysis, formats, and any GUI-based applications. Please see the “Specific Products Requirements” section for more details on memory requirements for specific products.

Supported Displays

- Any X11-based display server. Monitors must support a minimum of 256 colors (PseudoColor).

Space Requirements

The following list contains space requirements in MB for all of the products available with this release of SAS 9.3 Foundation for HP-UX for the Itanium Processor Family Architecture. Use this information to help you determine how much free disk space you must have available before you can install SAS 9.3. In addition, SAS 9.3 Foundation requires approximately 30 MB of disk space on the /tmp partition to complete the installation.

Software Product	Required Disk Space (MB)
Base SAS software	898
Base SAS Versioned JAR Repository	189
ODS Templates software	183
Report Fonts for Server software	369
SAS Data Quality Server software	54
SAS High-Performance Forecasting software	41
SAS Installation and Qualification Verification software	1
SAS Integration Technologies software	18
SAS Integration Technologies Versioned JAR Repository	96
SAS OLAP Server software	7
SAS/ACCESS Interface to DB2 software	1
SAS/ACCESS Interface to Greenplum software	31
SAS/ACCESS Interface to HP Neoview software	1
SAS/ACCESS Interface to Informix software	1
SAS/ACCESS Interface to Microsoft SQL Server	25
SAS/ACCESS Interface to MySQL software	1
SAS/ACCESS Interface to Netezza software	1
SAS/ACCESS Interface to ODBC software	2
SAS/ACCESS Interface to Oracle software	2
SAS/ACCESS Interface to PC Files software	8
SAS/ACCESS Interface to R/3 software	6
SAS/ACCESS Interface to Sybase software	2
SAS/ACCESS Interface to Sybase IQ software	1
SAS/ACCESS Interface to Teradata software	3
SAS/AF software	12
SAS/ASSIST software	22
SAS/CONNECT software	6
SAS/EIS software	31
SAS/ETS software	155
SAS/FSP software	3
SAS/Genetics software	24
SAS/GIS software	56
SAS/GRAPH software	445*
SAS/IML software	38
SAS/INSIGHT software	34
SAS/IntrNet software	3
SAS/LAB software	23
SAS/OR software	92
SAS/QC software	85
SAS/SECURE 168-bit software	5
SAS/SECURE SSL software	5
SAS/SHARE software	1

Software Product	Required Disk Space (MB)
SAS/STAT software	344
SAS/TOOLKIT software	3
SAS/Warehouse Administrator software	46

*Beginning with the first maintenance release of SAS 9.3 in December 2011, SAS/GRAPH also includes new map data sets from GfKGeoMarketing. SAS/GRAPH now requires 1.3 GB of disk space in addition to the total listed above.

Specific Product Requirements

Base SAS Software

Requirements for SPD Engine on HP-UX for the Itanium Processor Family

- An SMP (symmetric multiprocessing) computer with at least two CPUs; four are preferred
- At least one I/O channel per two CPUs
- Enough disk drives to have at least one mount point per CPU isolated on its own disk; two mount points per CPU are better

SAS Analytics Accelerator for Teradata Software

The SAS Analytics Accelerator for Teradata requires Base SAS, SAS/ACCESS Interface to Teradata, and at least one of the following products:

- SAS/ETS
- SAS/STAT
- SAS Enterprise Miner

In-Database DBMS Products Required

All SAS Analytics Accelerator 2.1 for Teradata in-database functions require Teradata 13.00.00.15 or higher. SAS Analytics Accelerator for Teradata requires Teradata Tools and Utilities (TTU) 13 with patch 1.9 or later.

SAS High-Performance Forecasting 12.1 Software

Base SAS is required for the installation of SAS High-Performance Forecasting software.

SAS Scoring Accelerator for DB2 Software

The SAS Scoring Accelerator for DB2 requires Base SAS, SAS/STAT, SAS/ACCESS Interface to DB2 and SAS Enterprise Miner.

In-Database DBMS Products Required (Function-based Architecture)

- IBM DB2 9.5 FixPack 3: AIX 5.3 or IBM DB2 9.5 FixPack 3: Linux for x64: Red Hat Enterprise Linux 4
- Client utilities for IBM DB2 9.5

You will need to have a current version of the IBM XLC compiler installed on the DB2 server where you will be publishing scores. Contact your IBM/DB2 representative to secure the appropriate compiler for your DB2 installation.

In-Database DBMS Products Required (SAS Embedded Process-based architecture)

- IBM DB2 9.7 FixPack 5 or higher
- Client utilities for IBM DB2 9.7 or higher

The following are the operating system version requirements for the database.

AIX:

- AIX 5.3 + TL09
- AIX 6.1 + TL02 or higher
- AIX 7.1 GA + SP3

Linux:

- SUSE Linux Enterprise Server 10 + SP2
- SUSE Linux Enterprise Server 11

SAS Scoring Accelerator for Greenplum Software

The SAS Scoring Accelerator for Greenplum requires Base SAS, SAS/STAT, SAS/ACCESS Interface to Greenplum, and SAS Enterprise Miner.

The following are the minimum Greenplum database requirements:

- GPDB 4.2.2.0
- GPPC 1.1.0.0

The following are the minimum Linux operating system version requirements for the database:

- Red Hat Enterprise Linux 64-bit 5.5, 5.6, 5.7, 6.1, and 6.2
- SUSE Linux Enterprise Server 64-bit 10 SP4, and 11 SP1

SAS Scoring Accelerator for Netezza Software

The SAS Scoring Accelerator for Netezza requires Base SAS, SAS/STAT, and SAS/ACCESS Interface to Netezza. It also requires SAS Enterprise Miner.

In-Database DBMS Products Required

- Netezza Performance Data Server 5.0
- Client utilities for Netezza 5.0

SAS Scoring Accelerator for Oracle Software

The SAS Scoring Accelerator for Oracle requires Base SAS, SAS/STAT, SAS/ACCESS Interface to Oracle, and SAS Enterprise Miner.

In-Database DBMS Products Required (SAS Embedded Process-based Architecture)

- The minimum required Oracle Server version is 11gr2.
- The minimum required Oracle Client release is Oracle, Release 10g (64-bit libraries).

The following are the minimum Linux operating system version requirements for the database:

- Red Hat Enterprise Linux 5.5
- Oracle Enterprise Linux 5.5

In addition, the server must have patches for the following Oracle bugs installed:

- Bug 11678127 - OCIDESCRIBEANY RETURNS ORA:24323 FOR AN OBJECT TYPE USE CASE
- Bug 12536287 - ODCITABLECLOSE NOT INVOKED FOR PARALLEL ENABLED TABLE FUNCTIONS –
- Bug 13533487 - ODCITABLECLOSE NOT INVOKED WHEN CTRL-C IS INVOKED BY QC IN TABLE FUNCTIONS
- Bug 12974145 - UNSET LENGTH OFFSET FIELD IN PEFMARG CAUSES CRASH IN SPEFM_FIXUP_LIST
- Bug 11772740 - CALLING OCIRESET() TO ABORT A PIECEWISE CYCLE SEVERES THE ORACLE CON

When this document was published, patches for the following Oracle bugs were not available:

- Bug 12658656 - DUPLICATE SYMBOLS in EXTPROC/AGENT
- Bug 12904682 - CORE DUMP IN MUTEX ACQUIRE WHEN DIAG INITIALIZATION FAILS
- Bug 12904657 - ADR INITIALIZATION FAILS IN SOME EXTPROC THREADS

Until patches can be applied for *all* three of these bugs, you *must* add the following line to \$ORACLE_HOME/network/admin/sqlnet.ora. No restart is required.

```
DIAG_ADR_ENABLED=OFF
```

SAS Scoring Accelerator for Teradata Software

The SAS Scoring Accelerator for Teradata requires Base SAS, SAS/STAT, SAS/ACCESS Interface to Teradata, and SAS Enterprise Miner. To publish the model to the database, it also requires a SAS code interface or SAS Model Manager.

In-Database DBMS Products Required (Function-based architecture)

- Teradata 12.0 or higher
- Client utilities for Teradata (12 or higher)

In-Database DBMS Products Required (SAS Embedded Process-based architecture)

- Teradata 13.10.02.01 or higher
- Client utilities for Teradata (13 or higher)

SAS/ACCESS Interface to DB2 Software

Base SAS is required for the installation of SAS/ACCESS Interface to DB2 software.

Products Included:

- SAS/ACCESS Interface to DB2 software
- SAS Accelerator Publishing Agent software

DBMS Product Required: DB2 Universal Database, Version 8.1 FixPak 18 or higher (64-bit libraries)

SAS/ACCESS Interface to DB2 can be installed on a DB2 server or on a DB2 client node with an installation of the DB2 Run-Time Client, DB2 Application Development Client, or DB2

Administration Client. In addition, DB2 Connect must be installed to connect to DB2 databases that reside on AS/400, VSE, VM, MVS, and z/OS systems.

SAS/ACCESS Interface to Greenplum Software

Base SAS is required for the installation of SAS/ACCESS Interface to Greenplum software.

SAS/ACCESS Interface to Greenplum requires the DataDirect Driver Manager and Driver for Greenplum. You must install these components before using SAS/ACCESS Interface to Greenplum. During installation, the SAS Deployment Wizard will ask for the location of these components.

SAS/ACCESS Interface to Hadoop Software

Base SAS is required for the installation of SAS/ACCESS Interface to Hadoop software.

Hadoop Components Required

- Hadoop 0.20.204 or later, for Cloudera CDH3u2 and later
- Hive 0.7.1 or later, including patch HIVE-2315
- Hive JDBC Driver 0.7.1 or later, including patches HIVE-1815 and HIVE-2315

Hadoop Components Recommended: JDBC driver patch HIVE-2137

Hive Patch Notes

1. If you run Cloudera Hadoop, Cloudera CDH3u2 and later already contain required patches HIVE-1815 and HIVE-2315. Recommended patch HIVE-2137 is not included in CDH3u2.
2. HIVE-2315 is both a server and client-side patch. It must be installed on your Hadoop server and on your SAS machine or machines.
3. HIVE-1815 and HIVE-2137 are client-side patches and should be installed only on your SAS machine or machines.

SAS/ACCESS Interface to HP Neoview Software

Products Required:

- Base SAS software
- SAS/ACCESS Interface to HP Neoview software
- Neoview ODBC driver, release 2.2 or later

SAS/ACCESS Interface to HP Neoview requires an ODBC driver from HP. To get the driver, go to <http://software.hp.com> and click "HP Neoview Platform" under "Our top featured products."

In addition, you may choose to use the Neoview Transporter facility with SAS/ACCESS Interface to HP Neoview. This facility is used when you specify either BULKLOAD=YES or BULKEXTRACT=YES data set options. The Neoview Transporter client is a separate download from the HP software site.

SAS/ACCESS Interface to Informix Software

Base SAS is required for the installation of SAS/ACCESS Interface to Informix software.

DBMS Product Required: Informix Client SDK 2.90FC1 (64-bit libraries)

SAS/ACCESS Interface to Informix uses an ODBC connection. The ODBC driver included with Informix Connect must be installed and configured prior to using the SAS/ACCESS to Informix software.

SAS/ACCESS Interface to Informix software also requires the use of communication protocols such as TCP/IP to function properly.

SAS/ACCESS Interface to Microsoft SQL Server Software

Base SAS is required for the installation of SAS/ACCESS Interface to Microsoft SQL Server software.

DBMS Product Required

Microsoft SQL Server Version 7.0 or later

SAS/ACCESS Interface to MySQL Software

Base SAS is required for the installation of SAS/ACCESS Interface to MySQL software.

DBMS Products Required

- MySQL Client 5.1
- MySQL Server 5.0 or later

For more information about SAS/ACCESS Interface to MySQL software, see the MySQL chapter in *SAS/ACCESS Software for Relational Databases: Reference*.

SAS/ACCESS Interface to Netezza Software

Base SAS is required for the installation of SAS/ACCESS Interface to Netezza software.

Products Included:

- SAS/ACCESS Interface to Netezza software
- SAS Accelerator Publishing Agent software

SAS/ACCESS Interface to Netezza requires an ODBC driver from Netezza. To get the Netezza ODBC driver, release 3.1.4 or above, please contact Netezza technical support at (877) 810-4441 or visit the Netezza customer support Web site, <http://www.netezza.com/support/login.cfm>.

SAS/ACCESS Interface to ODBC Software

Base SAS is required for the installation of SAS/ACCESS Interface to ODBC software.

DBMS Product Required: A compliant ODBC driver manager and ODBC driver (64-bit libraries)

ODBC drivers are often available from DBMS vendors and other third party ODBC driver developers. The ODBC driver you choose may require additional DBMS software in order to access the data.

You may have to edit the `odbc.ini` file in your home directory with a text editor to configure data sources. Some ODBC driver vendors may allow a system administrator to maintain a centralized copy by setting an environment variable.

The ODBC drivers are ODBC API-compliant dynamic link libraries, referred to in UNIX as shared objects. You must include the full path to the dynamic link libraries in the OS load library environment variable, i.e. LD_LIBRARY_PATH, LIBPATH, or SHLIB_PATH so that the ODBC drivers can be loaded dynamically at run time.

For more information, please consult your ODBC driver vendor.

SAS/ACCESS Interface to Oracle Software

Base SAS is required for the installation of SAS/ACCESS Interface to Oracle software.

DBMS Products Required

SAS/ACCESS Interface to Oracle software can be installed on either a full Oracle RDBMS server node or on an Oracle client node.

The minimum required Oracle Client release is Oracle, Release 10g (64-bit libraries).

Note: In order to use the Bulk Load feature of this SAS product, you must have Oracle's SQL*Loader data-loading utility installed. This utility can be obtained by running the Oracle installer and selecting the Oracle Utilities product. Please refer to your Oracle documentation for information on SQL*Loader.

SAS/ACCESS Interface to PC Files Software

Base SAS is required for the installation of SAS/ACCESS Interface to PC Files software.

Product Required on Windows: SAS PC Files Server, running in either 32-bit or 64-bit to match the ACE driver on that machine.

DBMS Product Required on Windows: Microsoft Office 2007 or above System Driver: Data Connectivity Components (ACE)

SAS/ACCESS Interface to PC Files software supports access to delimited files (csv, tab), dBase files (.dbf), JMP files (.jmp), SPSS files (.sav), Stata files (.dta), Excel files (.xls), Microsoft Access database files (.mdb or .accdb) and virtually any data source through ODBC support on Windows.

However, to access Microsoft Access database files (.mdb or .accdb), Microsoft Excel workbook files (.xls, .xlsb, .xlsm or .xlsx) or any ODBC supported data sources, SAS/ACCESS Interface to PC Files software requires the PC Files Server (pcfserver.exe or pcfservice.exe) running on Windows.

SAS/ACCESS Interface to Sybase Software

Base SAS is required for the installation of SAS/ACCESS Interface to Sybase software.

DBMS Products Required: Sybase Open Client SDK (Software Developers Kit) Software, Release 12.5.2 or later (64-bit libraries)

Note: SAS/ACCESS Interface to Sybase software no longer supports access to Microsoft SQL Server data. SAS/ACCESS Interface to Sybase software uses the CTLIB API calls to access the Sybase DBMS product. These CTLIB API calls are not supported by Microsoft SQL Server; therefore, you will have to use SAS/ACCESS Interface to Microsoft SQL Server software with an appropriate ODBC driver to obtain access to Microsoft SQL Server data.

Note: Sybase IQ is not supported; SAS/ACCESS Interface to Sybase IQ software must be used instead.

SAS/ACCESS Interface to Sybase IQ Software

Base SAS is required for the installation of SAS/ACCESS Interface to Sybase IQ software.

SAS/ACCESS Interface to Sybase IQ requires an ODBC driver (64-bit version) from Sybase. The Sybase IQ ODBC driver is included in the Sybase IQ Network Client. To obtain the Sybase IQ Network Client, release 15.1 ESD#3 and above, please contact your database administrator or Sybase technical support at 1-800-8-SYBASE.

SAS/ACCESS Interface to Teradata Software

Base SAS is required for the installation of SAS/ACCESS Interface to Teradata software.

DBMS Products Required

The following Teradata Client software is required:

- Teradata Database 12 or higher (Teradata Database 13.10 or higher if Temporal features are required)
- Teradata CLIV2 client libraries, TTU 12 or later for HP-UX Itanium (64-bit libraries)

The following are recommended:

- Teradata FastExport utility, TTU 12 or later for HP-UX Itanium.
- Teradata MultiLoad utility, TTU 12 or later for HP-UX Itanium.
- Teradata Parallel Transporter API, TTU 12 or later for HP-UX Itanium.

SAS/AF Software

Products Required for Build Mode

- Base SAS software
- SAS/AF software
- SAS/GRAPH software (to create and display some graphics objects)

Other products may be required depending on the application.

Products Required for Run Mode

- Base SAS software
- SAS/GRAPH software (to display some graphics objects)

Other products may be required depending on the application.

Printers

- A color or gray-scale printer is required for printing graphics-based objects.
- Certain non-graphic objects may require SAS/GRAPH software to print depending on the object.

SAS/EIS Software

Products Required for Build Mode

- Base SAS software
- SAS/AF software
- SAS/EIS software
- SAS/FSP software
- SAS/GRAPH software

Other products may be required depending on the application.

Products Required for Run Mode

- Base SAS software
- SAS/GRAPH software
- SAS/EIS software

Other products may be required depending on the application.

Memory

- 96 MB required per concurrent user
- 128 MB recommended per concurrent user

Printers

For printing graphics-based objects, a color or gray scale printer is required.

SAS/Genetics 12.1 Software

Base SAS and SAS/GRAPH are required for the installation of SAS/Genetics software.

SAS/GIS Software

Products Required for Build Mode

- Base SAS software
- SAS/AF software
- SAS/GIS software
- SAS/GRAPH software

Other products may be required depending on the application.

Products Required for Run Mode

- Base SAS software
- SAS/FSP software
- SAS/GIS software
- SAS/GRAPH software

Other products may be required depending on the application.

Printers

A color or gray scale printer is required. The list of possible printers can be found in the “Graphics Hardware and Software Compatibility” section.

SAS/IntrNet Software

SAS/IntrNet software consists of several components that may be installed independently. SAS/IntrNet Server software is installed on an existing SAS system and is included on SAS 9.3 media.

CGI Tools and Applications

Application Dispatcher

Requires Base SAS software and SAS/IntrNet Server software. The Application Broker component of the Application Dispatcher must be installed on a Web server.

htmSQL

Requires Base SAS software, SAS/SHARE software, and a SAS/IntrNet software license (SETINIT). The htmSQL component must be installed on a Web server.

MDDB Report Viewer Application

Requires Base SAS software, SAS/GRAPH software, SAS/IntrNet software, and SAS/EIS software or SAS OLAP Server software. The Application Dispatcher component must be installed and configured.

Xplore Sample Web Application

Requires Base SAS software and SAS/IntrNet Server software. The Application Dispatcher component must be installed and configured.

Java Tools and Applications

SAS/CONNECT Driver for Java

Requires Base SAS software, SAS/CONNECT software, and SAS/IntrNet Server software. SAS/SHARE software must also be installed if data services are used. The Java Tools package must be installed on a Web server or client system.

Tunnel Feature

Must be installed on a Web server running on a UNIX or Windows system.

SAS/LAB Software

The following products are required for the installation of SAS/LAB software:

- Base SAS
- SAS/FSP (for interactive data entry)
- SAS/GRAPH

SAS/OR 12.1 Software

The use of graphics in SAS/OR software requires a SAS/GRAPH license. Invoking the OPTLP, OPTMILP, OPTQP, and OPTMODEL procedures in distributed computing mode requires a SAS High-Performance Analytics license.

SAS/Warehouse Administrator Software

Products Required for Build Mode

- Base SAS software
- SAS/AF software (required only for API usage)

Products Required for Run Mode

- Base SAS software
- Other products depending on application (e.g., SAS/ACCESS software for access to DBMS tables, SAS/CONNECT software for access to remote data, or SAS/AF software to access warehouse via method calls)

Printers

- For printing graphics-based objects, a color or gray scale printer is required.
- Certain non-graphic objects may require SAS/GRAPH software to print depending on the object.

Graphics Hardware and Software Compatibility

Printers

SAS/Graph software supports PostScript, HP-GL, HP-GL/2, PCL, and other printer languages on printers from manufacturers such as Brother, Canon, Hewlett-Packard, IBM, Konica Minolta, Lanier, Lexmark, Okidata, QMS, Ricoh, Sharp, Xante, and Xerox.

Displays

Display of graphs requires an Xwindows-capable display, terminal, or emulation software.

Images and Interfaces to Other Software

Included with SAS/GRAPH software are drivers that can produce Computer Graphics Metafiles (CGM) in binary, character, and clear-text formatted output for use by devices or software that support CGM, such as Word for Windows, WordPerfect for Windows, Harvard Graphics, and Lotus Freelance.

SAS/GRAPH software can generate encapsulated PostScript vector files, which can be exported to word processing packages such as Microsoft Word and WordPerfect. SAS/GRAPH software can also generate Windows metafiles that can be exported to numerous packages including Microsoft Office, Lotus Smart Suite, and Perfect Office. Contact SAS Technical Support for details.

SAS/GRAPH software's HPGL or HPGL2 driver can be used to produce files that can be transferred to most vector-based drawing programs such as CorelDraw and Micrografx Designer.

SAS/GRAPH software also has drivers for PDF and SVG along with image file formats of BMP, DIB, EMF, EPSI, PBM, PPM, GIF, JPEG, EMF, WMF, PNG, TIFF, and PaintBrush image formats. In addition, SAS/GRAPH software can import graphics in the following formats:

- BMP - Microsoft Windows Bitmap
- DIB - Device Independent Bitmap
- EMF - Microsoft NT Enhanced Metafile
- EPSI - Encapsulated PostScript Interchange
- GIF - Graphics Interchange Format
- JPG - JPEG Files
- PBM - Portable Bitmap
- PCD - PHOTO CD
- PCX - PC PaintBrush
- PNG - Portable Network Graphics
- TGA - TARGA Format
- TIF - Tagged Image File Format
- WMF - Microsoft Windows Metafile Format
- XBM - X Window Bitmaps
- XWD - X Window Dump

Viewing SVG output requires a browser capable of displaying SVG content, such as Mozilla 1.8+ based browsers (for example, Firefox 1.5+), a plug-in such as Adobe's SVG plug-in, or an application such as Batik's SVG viewer.

Viewing PDF output requires Adobe Reader.

Viewing HTML Pages Created with the ActiveX and Java Device Drivers

The ActiveX and Java device drivers allow you to create HTML pages from within SAS 9.3 Foundation.

Refer to the "Web Browser" section in this document for an overview of Remote Browsing. This is used to view HTML pages.

To view the Java applets, the Java plug-in must be installed on your desktop computer where the Remote Browser Server is running. On Windows systems, the user can install the plug-in when prompted if it is not already installed.



THE
POWER
TO KNOW.

support.sas.com

SAS is the world leader in providing software and services that enable customers to transform data from all areas of their business into intelligence. SAS solutions help organizations make better, more informed decisions and maximize customer, supplier, and organizational relationships. For more than 30 years, SAS has been giving customers around the world The Power to Know®. Visit us at **www.sas.com**.