

Required Hot Fixes for SAS[®] Clinical Data Integration 2.1

This document contains information about hot fixes for required and dependent products of SAS Clinical Data Integration. These hot fixes should be installed after SAS Clinical Data Integration is installed. To determine which hot fixes have already been installed on an existing server, see <http://support.sas.com/kb/35/968.html>.

SAS Clinical Data Integration 2.1

See <http://ftp.sas.com/techsup/download/hotfix/HF2/A72.html> , and install any hot fixes required for SAS Clinical Data Integration 2.1.

SAS[®] Clinical Standards Toolkit 1.2

SAS Clinical Standards Toolkit 1.2 is installed during a SAS Clinical Data Integration 2.1 installation.

See <http://ftp.sas.com/techsup/download/hotfix/HF2/A72.html> , and install any hot fixes required for SAS Clinical Standards Toolkit to each SAS Workspace Server.

SAS[®] Data Integration Studio 4.21

SAS Data Integration Studio 4.21 is required with SAS Clinical Data Integration 2.1.

SAS Clinical Data Integration has been tested and validated with the following SAS Data Integration Studio hot fix. This hot fix was installed on top of SAS Data Integration Studio 4.21_M2:B51002 located at

<http://ftp.sas.com/techsup/download/hotfix/HF2/B51.html#B51002>

Although this hot fix is not required, it is highly recommended, and should be installed following the associated installation instructions.

SAS Data Integration Studio Server Data 9.2

Currently, there are no SAS Data Integration Studio Server Data hot fixes that need to be installed.