



THE
POWER
TO KNOW.

SAS[®] Enterprise Case Management 6.1 User's Guide

The correct bibliographic citation for this manual is as follows: SAS Institute Inc. 2013. *SAS® Enterprise Case Management 6.1: User's Guide*. Cary, NC: SAS Institute Inc.

SAS® Enterprise Case Management 6.1: User's Guide

Copyright © 2013, SAS Institute Inc., Cary, NC, USA

All rights reserved. Produced in the United States of America.

For a hardcopy book: No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without the prior written permission of the publisher, SAS Institute Inc.

For a Web download or e-book: Your use of this publication shall be governed by the terms established by the vendor at the time you acquire this publication.

The scanning, uploading, and distribution of this book via the Internet or any other means without the permission of the publisher is illegal and punishable by law. Please purchase only authorized electronic editions and do not participate in or encourage electronic piracy of copyrighted materials. Your support of others' rights is appreciated.

U.S. Government Restricted Rights Notice: Use, duplication, or disclosure of this software and related documentation by the U.S. government is subject to the Agreement with SAS Institute and the restrictions set forth in FAR 52.227–19 Commercial Computer Software-Restricted Rights (June 1987).

SAS Institute Inc., SAS Campus Drive, Cary, North Carolina 27513.

Electronic book 1, October 2013

SAS® Publishing provides a complete selection of books and electronic products to help customers use SAS software to its fullest potential. For more information about our e-books, e-learning products, CDs, and hard-copy books, visit the SAS Publishing Web site at support.sas.com/publishing or call 1-800-727-3228.

SAS® and all other SAS Institute Inc. product or service names are registered trademarks or trademarks of SAS Institute Inc. in the USA and other countries. ® indicates USA registration.

Other brand and product names are registered trademarks or trademarks of their respective companies.

Contents

<i>About this Book</i>	<i>v</i>
<i>What's New in SAS Enterprise Case Management 6.1</i>	<i>vii</i>
Chapter 1 • Introduction	1
What is SAS Enterprise Case Management?	1
Accessibility Features of SAS Enterprise Case Management 6.1	2
Terminology	3
Documentation on the Web	3
Chapter 2 • Working with Cases	5
Creating New Cases	5
Searching Cases	7
Viewing Cases	8
Editing Cases	10
Case Reports	14
Chapter 3 • Working with Incidents	17
Creating New Incidents	17
Finding Items Related to Unassigned Incidents	18
Editing Incidents	19
Chapter 4 • Working with Subjects	23
New Subjects	23
Editing Subjects	25
Case Network Analysis	27
Chapter 5 • Working with Reports	31
Creating New Reports	31
Editing Reports	32
Chapter 6 • Working with E-Files	35
Creating New E-Files	35
Editing E-Files	36
Chapter 7 • Attachments	39
Adding Attachments	39
Index	41

About this Book

Audience

This book is intended for case investigators, auditors, and those responsible for financial reporting and fraud prevention.

About the Displays in this Book

Because SAS Enterprise Case Management is a highly configurable case management system, the displays shown in this book might differ from those in the application at your site. For example, selection lists (drop-down lists, radio buttons, and check boxes) within the application are configured through user-defined reference tables. Therefore, the displays shown in this user's guide are for demonstration purposes only. For more information about configuring and customizing SAS Enterprise Case Management, see the *SAS Enterprise Case Management: Administrator's Guide*.

What's New in SAS Enterprise Case Management 6.1

Overview

SAS Enterprise Case Management has new features related to an updated platform and commenting capabilities.

New Features

SAS Enterprise Case Management has the following new features:

- migration to the SAS 9.4 platform
- a new comments component that is integrated into all editors

Chapter 1

Introduction

What is SAS Enterprise Case Management?	1
Accessibility Features of SAS Enterprise Case Management 6.1	2
About the Accessibility Features	2
Accessibility Features of the Supported Browser	2
Known Accessibility Issues	2
Using SAS Enterprise Case Management 6.1 with JAWS	2
Terminology	3
Documentation on the Web	3

What is SAS Enterprise Case Management?

SAS Enterprise Case Management enables you to investigate incidents, attach documentation, and record exposure and losses for any type of financial crime that might pose a risk to your organization. You can use it to provide information for financial reporting, such as fraud losses, and as the primary resource for filing regulatory reports to government agencies. With the SAS Enterprise Case Management web application, you can perform the following tasks:

- search, create, and view subjects, incidents, cases, reports, and e-files
- create and manage case-specific task lists with reminders
- receive a notification when updates are made to specific cases, incidents, subjects, reports, or e-files
- view the audit trail of any object
- manage regulatory reporting to government agencies (e-filing)
- perform sophisticated case network analysis on a subject

Accessibility Features of SAS Enterprise Case Management 6.1

About the Accessibility Features

SAS Enterprise Case Management 6.1 includes accessibility and compatibility features that improve product usability for users with disabilities, with exceptions noted here. These features are related to accessibility standards for electronic information technology that were adopted by the U.S. Government under Section 508 of the U.S. Rehabilitation Act of 1973, as amended, and recommended by the Worldwide Web Consortium (W3C) Web Accessibility Initiative (WAI).

Accessibility Features of the Supported Browser

The supported web browser for SAS Enterprise Case Management is Microsoft Internet Explorer. For more information about the accessibility features of Internet Explorer, use the Index in the Internet Explorer Help to locate topics about accessibility.

Known Accessibility Issues

SAS Enterprise Case Management 6.1 contains the following additional known accessibility issues:

- Visual focus is maintained except in the following instances:
 - Keyboard navigation is supported within the application except that it is possible to change highlight focus of the main tabs without actually navigating to the tabs.
 - Keyboard navigation is not supported when changing preference options in the Preferences window. A mouse is required to accomplish this.
 - The expand and collapse icons do not show visual focus in some areas.
 - There is no visual focus when selecting a file to upload.
 - There is no visual focus when closing certain messages.
 - There is no visual focus on check boxes or radio buttons.
 - Items that are not available (dimmed) are able to receive focus.
- Column sorting is not possible using the keyboard.
- Spell check cannot be initiated through the keyboard.
- High-contrast themes must be manually created.
- The software requires that style sheets are enabled.

Using SAS Enterprise Case Management 6.1 with JAWS

When using JAWS with SAS Enterprise Case Management 6.1, the following issues are known:

- The expand and collapse arrows for panels, as well as the close button on notifications, are labeled incorrectly and are read as “Unlabeled zero button” by JAWS.
- The expand and collapse arrows do not identify what is being expanded or collapsed on entity windows.
- The Actions menu for entities is read as “Unlabeled zero button” or “Black down pointing triangle.”
- Calendar edit fields are not sufficiently read, which does not allow screen readers to provide information on what is being edited.
- Table navigation links are read as “Table go to page link.”
- List boxes in table headings do not provide the title of the heading in the description.

Terminology

SAS Enterprise Case Management is customizable, which allows it to fit the business needs of a wide range of industries. Because of this level of customization, the terminology you use may be different from what is used in the SAS Enterprise Case Management documentation. The following table provides a list of some of the more commonly used terms found throughout the documentation, along with possible alternatives.

Term in Documentation	Alternative Terms
Case	Work Item, Project
Incident	Claim, Alert
Subject	Party, Participant, Household, Account, Drug

Documentation on the Web

Documentation for SAS Enterprise Case Management is available at <http://support.sas.com/documentation/solutions/ecm/>.

User ID: **sas**

Password: **ECMuser123**

Chapter 2

Working with Cases

Creating New Cases	5
Searching Cases	7
Search Cases	7
Results	7
Viewing Cases	8
Viewing Case Information	8
Adding Attachments to a Case	9
Editing Cases	10
Editing the Case Task Transition	10
Editing Case Information	10
Adding a Task to the Task List	13
Managing Subscriptions	13
Adding Attachments to a Case	14
Searching the Web for Related Information	14
Saving the Edited Case	14


Creating New Cases

You can create new cases by selecting **New Case** from the **Cases** drop-down menu or when you edit an incident.

To create a new case:

1. Select the **New Case** button. The New Case dialog box appears.

2. Select the necessary information for the case and click **OK** to create the case.




The 'New Case' dialog box is shown with the following fields:

- Case ID: 2013-16420
- Type: Generic (dropdown menu)
- Category: (none selected) (dropdown menu)
- Subcategory: (none selected) (dropdown menu)

At the bottom right, there are 'OK' and 'Cancel' buttons.

The case is then opened for editing. You can continue to add information about this case.



The 'Case Information' panel shows the following details:

- Case status:
- * Case ID: 2013-16422
- * Description:
- Primary owner:
- Locked by:
- Source system: SAS Enterprise Case Management
- Type: Generic
- Category:
- Subcategory:
- Priority: (none selected) (dropdown menu)
- Final disposition: (none selected) (dropdown menu)
- Created by:
- Date created:

The 'Task List' panel shows a table with the following columns: Task Name, Reminder Date, Goal Date, Task Owner, Completed. The table is currently empty, displaying '0 - 0 of 0 results'.

3. When you are finished, select  to create and save the case. The new case is then displayed in the list of available cases on the **Results** panel of the Search Cases window.
4. Click  to leave the window.

Note: If you did not save the case before selecting , the Save Changes dialog box appears. Click **Yes** to save the case. Click **No** to not save the case and return to the previous window, or click **Cancel** to continue entering information about the case.

Searching Cases

Search Cases

The **Search Cases** panel enables you to search for and quickly filter existing cases in SAS Enterprise Case Management. The search results are then shown in the **Results** panel.

Note: This search functionality can also be applied to incidents, subjects, reports, and e-files from their respective screens.

Select **Search** from the **Cases** drop-down menu, to access the search functionality. The **Search Cases** panel is closed by default. You can access and open the **Search Cases** panel by clicking it.

After you have opened the **Search Cases** panel, you can then enter information about the case that you are searching for. To search for a case:

1. Enter information in the text fields and select available case information from the drop-down boxes. For example, you can select **Case Status**, which is the current status based on where the case is in the workflow, or the case **Type**.

Note: By default, **My Subscriptions** is unselected. Select it to include only cases that you are subscribed to receive notifications on in your search results.
2. Click **Search**. Any available cases that meet the search criteria that you entered are displayed in the **Results** panel.
3. You can also reset the search fields by clicking **Reset** prior to clicking **Search**. This sets the search fields to the values that were last used.
4. Click **Clear** to clear all search fields and results.
5. After you have searched for the cases that you need, you can click on **Search Cases** to reduce the panel.

Results

The **Results** panel displays a list of cases for investigation. By default, the **Results** panel shows the cases that are available to you. You can use the search functionality to modify the list of available cases that are displayed here. You can also filter the list of cases by selecting criteria from the available drop-down boxes on the **Results** panel. For example, you can select a variable from the **Case Status** (the current status based on where the case is in the workflow) or the case **Type** drop-down boxes. You can also sort on a column in the **Results** panel by selecting the heading label for a column.

Note: This results functionality can also be applied to incidents, subjects, reports, and e-files from their respective screens.

If you have permission to edit cases, you can open a case by selecting it from the **Results** panel. You can then edit information about the case. In addition to selecting a case to open, you can perform tasks for a case by selecting Actions (▼). This opens the Actions menu, which contains the following options for a case.

View

enables you to view the selected case. The case is opened and you can view the **Action Items** and **Case Information** for the case.

Edit

enables you to edit the selected case. The case is opened and you can edit items in the **Action Items** and **Case Information** panels for the case.

Lock and Unlock

enable you to control editing access to the case. When you select **Lock**, your name then appears in the Locked By column in the **Results** panel, and you have exclusive editing access to the case. Selecting **Unlock** enables others to have editing access to the case.

Note: A case is locked every time it is edited, to prevent the case from being worked on concurrently by another user. To unlock a case from the case edit page, click

**Set Primary Owner**

if available for selection, enables you to reassign the selected case to another user.

Manage Subscriptions

enables you to sign up to receive notifications when events occur matching the subscription options that you select.

Attachments

enables you to add attachments to the selected case.

Preview Case Report

displays the entire case, including related incidents and subjects, comments, and a list of attachments, in a printable format. For more information, see [“Case Reports” on page 14](#).

Generate Case Report

generates a case report to view or print later and sends you a message when the



report is complete. Click , select **Preferences**, and access the **General** panel to edit your notification preferences. To view or print the generated report, click **Generated Reports**. For more information, see [“Case Reports” on page 14](#).

Viewing Cases

Viewing Case Information

In SAS Enterprise Case Management, you can review cases in display-only mode by selecting **View** from the Actions menu () on the **Results** panel for cases. When you select **View**, the selected case opens in display-only mode. You cannot make changes to the case while you are viewing the case. The case and the current status for the case are displayed. On this page, you can view the related action items and case information for the case. The **Action Items** panel displays the activity status information for the case. The **Case Information** panel might display the following information for a case:

Case Details

displays the details for a case.

Incidents

displays the incidents related to the case.

Subjects

displays the subjects related to the case.

Comments

displays the comments related to the case.

Associated Cases

displays a list of any other cases that are related to this case.

Financial Summary

displays the list of financial items associated with this case and a summary of the financial amounts.

Regulatory Reports

displays a list of regulatory reports associated with this case.

Case History

displays the activity history for the case. The Type column includes the actions that were taken on the case. **Save** indicates that the case was saved after an action.

The Description column provides details about the action. **Version N** refers to the version number that is assigned after a save. When a case is created, it is Version 1. Click **Version 1** to see the original fields entered for the case.

▼ Case Information

Case Details	Incidents	Subjects	Comments	Associated Cases	Financial summary	Regulatory Reports	Workflow	Case History	
Type	Description	Created By	Date Created	+					
Lock	Financial Crimes Admin	Financial Crimes Admin	June 12, 2013 01:32:49 PM						
Unlock	Financial Crimes Admin	Financial Crimes Admin	June 11, 2013 08:26:07 PM						
Assign Owner	Financial Crimes Admin	Financial Crimes Admin	June 4, 2013 01:32:45 PM						
Lock	Financial Crimes Admin	Financial Crimes Admin	June 4, 2013 01:32:45 PM						
Workflow Activity Change	New > Open	Financial Crimes Admin	June 4, 2013 01:32:45 PM						
New Status	Investigate	null	June 4, 2013 01:32:44 PM						
New Status	New	null	May 30, 2013 05:21:58 PM						
Activate Case Workflow	Workflow name = "CaseManagementFinancialFraud"	Financial Crimes Admin	May 30, 2013 05:21:57 PM						
Add Report	Source System = "SASTST" and ID = "2013-10005"	Financial Crimes Admin	May 30, 2013 05:21:56 PM						
Load	Version: 1 Loaded via web service	Financial Crimes Admin	May 30, 2013 05:21:56 PM						
1 - 10 of 10 results				« ‹ 1 1 › »					

Click **Version N** to open the Case Version Comparison dialog box. All subsequent changes are compared to the previous version. For example, Version 4 is compared to Version 3. Blank fields indicate no changes. Click the arrows in the top right corner of the dialog box to scroll to older or newer versions. Close the view by clicking the **X**.

Custom fields appear as standard fields in the version history, with the field in a one-to-one relationship between the current and previous version. However, custom tables display the full table view from version to version. Any changes from Version 3 to Version 4 show the Version 3 table above the Version 4 table.

Note: When a case's history is viewed, only the subjects of comments are displayed.

Adding Attachments to a Case

Although you cannot make changes to the case while you are viewing it, you can add attachments to the case. To add an attachment, click . This opens the Attachments dialog box, enabling you to add and view attachments. For more information, see [“Adding Attachments” on page 39](#).

Editing Cases

Editing the Case Task Transition

In SAS Enterprise Case Management, you can edit a case by selecting **Edit** from the Actions menu (▼) on the **Results** panel for cases. When you select **Edit**, the selected case opens. You can then make any needed changes to the case. The case and the case status for the case are displayed. On this page, you can update the case status on the **Action Items** panel. The **Action Items** panel displays the task transition information for the case. To update the status for a task, select a transition option from the **Task Transition** drop-down box.

From the **Action Items** panel, you can also select the following actions:



terminates the workflow of a case.



reactivates a case's workflow when an available workflow option is selected.

Editing Case Information

You can update information for a case on the **Case Information** panel. The **Case Information** panel contains various items that you can modify. Click  to find and correct spelling errors in a field. You can check spelling anywhere the spell check icon appears. The following information can be edited for a case:

Case Details

enables you to edit the details for a case.

Incidents

displays the incidents related to the case. You can also add an existing incident to the case by clicking . This opens the Add incident to case dialog box. Enter the search criteria, and then click **Search**. Select an incident from the **Available incidents** section, and then click **Add**. There are options that automatically link all the subjects or financial items from the incident that you have selected to the case. If you clear

the boxes, you can link subjects or financial items to the case individually.

Add incident to case [X]

Find incidents

Incident ID

Source system

Type

Unassigned incidents ☒

Primary owner

[Search] [Clear] [Reset]

Available incidents

Type Source system

Incident ID	Source System	Case ID	Type	Description	Incident Start Date	Date Created	Locked	Rv	+
0 - 0 of 0 results									

☒ Automatically link subjects from selected incidents to case

☒ Automatically add financial items from selected incidents to case

[Add] [Cancel]

Subjects

displays the subjects related to the case. You can also add an existing subject to the case by clicking . This opens the Add subject to case dialog box. Enter the search criteria, and then click **Search**. Select a subject from the **Available subjects** section, and then click **Add**.

Add existing subject to case [X]

Find subjects

Subject ID

Subject name

Type

Category

[Search] [Clear] [Reset]

Available subjects

Type Source system

Subject ID	Source System	Taxpayer ID Number	Name	Type	Person/Org	Date Created	Locked	Rv	+
0 - 0 of 0 results									

[Add] [Cancel]

Define the subject's relationship to the case.

To add a new subject and information associated with it, click . This opens the New Subject dialog box. The subject that you add is automatically associated with this case.

Comments

displays the comments related to the case. You can also add comments by typing in the comment box and clicking **Post**. This will automatically save the comment.


You can also add an attachment to the comment by clicking **Attach File**.

Note: This is different from adding a general attachment, as this attachment is linked directly to the comment it is associated with.

Note: When using Internet Explorer 9, only one file can be attached at a time.

Associated Cases

displays a list of other cases that are related to the case. You can also associate another case by clicking . This opens the Add Associated Cases dialog box, where you can select a case, and then click **Add**.



The dialog box titled "Add Associated Cases" contains a "Find cases" section with input fields for Case ID, Case status (set to "Closed"), Type (set to "Financial Fraud"), and Category (set to "(none selected)"). Below these fields are "Search", "Clear", and "Reset" buttons. The "Available cases" section includes filters for Case status, Type, and Category, all set to "(none selected)". Below the filters is a table with the following columns: Case ID, Type, Category, Description, Date Created, Primary Owner, Case Status, Priority, and Locked By. The table currently shows "0 - 0 of 0 results". At the bottom right are "Add" and "Cancel" buttons.

Financial Summary

displays the list of financial items associated with the case and a summary of the financial amounts. When financial items are added, edited, or deleted from the Financial Items table, the summary information is automatically recomputed.

To add a financial item, click . Identify the type of financial item, the amount and any other required information. Indicate whether this financial item should be included in the financial summary. The item is now listed in the financial summary.

Delete financial items by clicking .

Note: Financial items that are added or edited at the incident level after the incident is added to a case are not displayed or summarized at the case level. If an incident is removed from a case, the financial items that were added to the case from that incident will remain.

Regulatory Reports

displays the reports related to the case. You can also add a report to the case by clicking . For more information on adding a report to a case, see [“Creating New Reports” on page 31](#).

Case History

displays the activity history for the case.

Adding a Task to the Task List

You can create a list of tasks for a case. To create a task, click  and fill in **Task Name**, **Due date**, and **Reminder date/time** (optional), where you can specify the date and time that you would like to receive a reminder notification. The person who is logged in is the task owner and receives a system-generated notification on the reminder date.

Click  to delete completed tasks.

Note: Each time you click on a URL in an e-mail alert notification, a new tab is opened in a browser window. Make sure that you close the tabs after you log off from SAS Enterprise Case Management.

To set your preferences for notifications, click  at the top right corner of the application window, and select **Preferences**. Options on the **General** panel enable you to set how you want notifications sent and how you want your e-mails formatted.

Managing Subscriptions

You can sign up to receive notifications when specific events occur to this case by selecting **Manage Subscriptions** from the Actions menu (). If you are already in a case, click  at the top of the window.

From the Event Subscriptions dialog box, you can add events that you would like to receive notifications on by selecting the event categories from the list of available events and clicking **Add** () , or click **Add All** () to subscribe to all notifications. To remove events, select the events from your list of subscribed events and click **Remove** () , or click **Remove All** () to unsubscribe to all of your current subscriptions.

Note: If you want to use the subscription feature, you must have that capability as part of your user or group privileges.

The following are the options for event subscriptions:

Attachments

specifies a notification when attachments are added or deleted.

Comments

specifies a notification when a comment is added, edited, or deleted.

Link

specifies a notification when a case, incident, subject, report, or financial item is added to or removed from a case.

Save

specifies a notification when the entity is saved, regardless of the action performed.

Primary Owner

specifies a notification when a primary owner of a case is set or changed.

Unlock

specifies a notification when a case is unlocked.

Workflow

specifies a notification when a case workflow is activated or terminated, and the status of a workflow has changed.

Adding Attachments to a Case

In addition to editing the case, you can add attachments to the case by clicking . This opens the Attachments dialog box, enabling you to add and view attachments. For more information, see “[Adding Attachments](#)” on page 39.

Searching the Web for Related Information

When you are editing a case, you can access your web browser by clicking . This opens your web browser, where you can search for information that is related to the case.

Saving the Edited Case

When you are finished editing the case, click  to save the changes that you have made (excluding the items in the **Action Items** panel). The case is updated with the message **Case saved successfully**. To save the items in the **Action Items** panel, click **Save Entity and Action Items**.

Click  to go back to the list of available cases.

Case Reports

Preview Case Reports

You can preview a case report before you print it. In the **Results** panel, select **Preview Case Report** from the Actions menu () next to a case. To preview a case report from an opened case, click  and then select **Preview Case Report**.

A case report includes these items, in order:

1. general case information, including **Action Items**, **Case Information** (split out by tab), and **Task List** panels.
2. case financial items.
3. case comments.
4. case list of attachments.
5. each case incident, including incident details (split out by tab), financial items, comments, and list of attachments.
6. each related subject, including subjects that are linked through an incident. Printed information includes subject details (split out by tab), comments, and list of attachments.

Print Case Reports

If you have already previewed a report, print it by clicking **File** ⇒ **Print** from inside the report. Use your browser’s print features to complete the print process.

If you used **Generate Case Report** to print the report, see the following section.

Generated Case Reports

Generated reports are case reports that you can view or print later. You are sent a message when the report is complete. To generate a report, select **Generate Case Report** from the Actions menu () next to a case. To generate a case report from an opened case, click  and then select **Generate Case Report**.

To access the case reports, click **Generated Reports** from the **Cases** drop-down menu. You can perform the following actions:

- sort the columns in the report table by clicking the column headings.
- view a report by selecting a Report Name.
- print a generated report by clicking **File** ⇒ **Print** while viewing the report. Use your browser's print features to complete the print process.
- delete a report by clicking the  next to the report.

To edit your notification preferences, click , and select **Preferences**. In the **General** panel, change your notification preferences.

Chapter 3

Working with Incidents

Creating New Incidents	17
Editing Incidents	19
Editing Incident Information	19
Finding Items Related to Unrelated Unassigned Incidents	20
Creating a New Case	21
Managing Subscriptions	21
Adding Attachments to an Incident	21
Searching for Web Related Information	21
Saving the Edited Incident	22

Creating New Incidents

You can create new incidents by selecting **New Incident** from the **Incident** drop-down menu.

To create a new incident:

1. Click the **New Incident** button. The New Incident dialog box appears.

The screenshot shows a 'New Incident' dialog box. The title bar is dark blue with the text 'New Incident' and a close button (X). The main area is white and contains the following fields:

- Incident ID: 2013-10128
- * Type: Incident Report (dropdown menu)
- Category: Internal (dropdown menu)
- Subcategory: (none selected) (dropdown menu)

At the bottom right of the dialog, there are two buttons: 'OK' and 'Cancel'.

2. Select the necessary information for the incident.

3. Click **OK** to create the incident. The incident is then opened for you to edit. You can continue to add information about this incident.

The screenshot shows the 'Incident Details' tab of a form. The form contains the following fields and controls:

- Incident ID:** 2013-10128
- Source system:** SAS Enterprise Case Management
- Case ID:** (empty text box)
- Description:** (empty text box)
- Type:** Incident Report
- Category:** Internal (dropdown menu)
- Date created:** (empty text box)
- Date last modified:** (empty text box)
- Incident start date:** (calendar icon)
- Incident end date:** (calendar icon)
- Date submitted:** (calendar icon)
- Completed by:** (empty text box)
- Job title:** (empty text box)
- Phone number:** (empty text box)
- * Type of Incident:** (empty text box)
- * Location of Incident:** (empty text box)
- Video surveillance available:** Radio buttons for Yes and No.
- Amount of suspicious activity (\$):** (empty text box)
- Actual loss (prior to recovery) (\$):** (empty text box)
- Potential loss amount (\$):** (empty text box)
- Amount of recovery (\$):** (empty text box)
- Incident summary:** (empty text box)
- Primary owner:** (empty text box)

4. When you are finished, select  to create and save the incident. The new incident is then displayed in the list of available incidents on the **Results** panel of the Search Incidents window.
5. Click  to leave the window without saving the incident.

Note: If you did not save the incident before selecting , the Save Changes dialog box appears. Click **Yes** to save the incident. Click **No** to not save the incident and return to the previous window, or click **Cancel** to continue entering information about the incident.

Finding Items Related to Unassigned Incidents

You can find cases and other incidents that are related to unassigned incidents. The cases and incidents might be related to the unassigned incident by a subject's national ID number or other criteria that were established at your site. You can then link the unassigned incident to an existing case. If there are no related cases that you want to link to, you can open a new case and link related incidents to it. To link an unassigned incident to an existing case, click **Search** from the **Incidents** drop-down menu:

1. Select **Related Items** from the Actions menu () on the **Results** panel. You can also select  while viewing an individual incident. The Related Items dialog box appears.
2. View related cases by clicking **Case IDs**. Sort information for related cases by clicking on the respective column names.
3. Link the unassigned incident to a case by selecting a case and clicking **OK**.

Note: The options **Automatically link subjects from incident to selected case** and **Automatically add financial items from selected incident to case** are selected

by default. Clear the boxes if you want to link the subjects and financial items from the unassigned incident individually.

To view related incidents, open a new case in the Related Items dialog box and link related incidents to it:

1. View related incidents by clicking **Incident IDs**. Sort information for related incidents in the dialog box by clicking on the respective column names. Record the incident IDs of the related incidents that you want to link to a new case.
2. Click  in the Related Items dialog box and create a case. Save the case.
3. Return to the list of unassigned incidents on the **Results** panel. Select an incident that you recorded earlier in the Related Items dialog box.
4. Follow the previous instructions for linking an unassigned incident to a case. The case that you entered earlier now appears as a selection in the Related Items dialog box.
5. Repeat the process until you have linked all of the unassigned incidents that you recorded earlier in the Related Items dialog box.

Editing Incidents

Editing Incident Information

Click  to find and correct spelling errors in a field. You can check spelling anywhere the spell check icon appears.

The following information can be edited for an incident:

Note: An incident is locked every time it is edited, to prevent the incident from being worked on concurrently by another user. To unlock an incident from the incident edit window, click .

Incident Details

enables you to edit the details for an incident.

Subjects

displays the subjects related to the incident. You can also add an existing subject to the incident by clicking . This opens the Add subject to incident dialog box.

To add a new subject and information associated with it, click . This opens the New Subject dialog box. The subject that you add is automatically associated with this incident.

Account Information

enables you to enter account details and transaction information for the incident. On the **Account Details** panel, enter account information. The **Transactions** panel displays all existing transactions for the incident. Click  to open the Add Transaction dialog box and create a new transaction. On the **Transactions** panel, the Actions menu () enables you to view, edit, or delete a transaction.

Financial Summary

displays the list of financial items associated with this incident and a summary of the financial amounts. When financial items are added, edited, or deleted from the Financial Items table, the summary information is automatically recomputed.

To add a financial item to an incident, Click . Identify the type of financial item, the amount, and any other required information. Indicate whether this financial item should be included in the financial summary. When you assign the incident to a case, you have the option to include its financial items.

Delete financial items by clicking .

Regulatory Reports

displays the reports related to the incident. You can also add a report to the incident by clicking . For more information on adding a report to an incident, see [“Creating New Reports” on page 31](#).

Comments

displays the comments related to the incident. You can also add comments by typing in the comment box and clicking **Post**. This will automatically save the comment.

You can also add an attachment to the comment by clicking **Attach File**.

Note: This is different from adding a general attachment, as this attachment is linked directly to the comment it is associated with.

Note: When using Internet Explorer 9, only one file can be attached at a time.

Incident History

displays the activity history for the incident. The Type column includes the actions that were taken on the incident. **Save** indicates that the incident was saved after an action.

The Description column provides details about the action. **Version N** refers to the version number that is assigned after a save. When an incident is created, it is Version 1. Click **Version 1** to see the original fields entered for the incident.

Click **Version N** to open the Incident Version Comparison dialog box. All subsequent changes are compared to the previous version. For example, Version 4 is compared to Version 3. Blank fields indicate no changes. Click the arrows in the top right corner of the dialog box to scroll to older or newer versions. Close the view by clicking the **X**.

Custom fields appear as standard fields in the version history, with the field in a one-to-one relationship between the current and previous version. However, custom tables display the full table view from version to version. Any changes from Version 3 to Version 4 show the Version 3 table above the Version 4 table.

Note: When an incident’s history is viewed, only the subjects of comments are displayed.

Finding Items Related to Unrelated Unassigned Incidents

You can find cases and other incidents that are related to unassigned incidents by clicking . For more information, see [“Finding Items Related to Unassigned Incidents” on page 18](#).

Creating a New Case

Create a new case by clicking . For more information, see [“Creating New Cases” on page 5](#).

Managing Subscriptions

You can sign up to receive notifications when specific events occur to this case by selecting **Manage Subscriptions** from the Actions menu (). If you are already in a case, click  at the top of the window.

From the Event Subscriptions dialog box, you can add events you would like to receive notifications on by selecting the event categories from the list of available events and clicking **Add** () or click **Add All** () to subscribe to all notifications. To remove events, select the events from your list of subscribed events and click **Remove** () or click **Remove All** () to unsubscribe to all of your current subscriptions.

Note: If you want to use the subscription feature, you must have that capability as part of your user or group privileges.

The following are the options for event subscriptions:

Attachments

specifies a notification when attachments are added or deleted.

Comments

specifies a notification when a comment is added, edited, or deleted.

Link

specifies a notification when a case, incident, subject, report, or financial item is added to or removed from an incident.

Save

specifies a notification when the entity is saved, regardless of the action performed.

Unlock

specifies a notification when an incident is unlocked.

Adding Attachments to an Incident

In addition to editing the incident, you can add attachments to the incident by clicking . This opens the Attachments dialog box, enabling you to add and view attachments. For more information, see [“Adding Attachments” on page 39](#).

Searching for Web Related Information

When you are editing an incident, you can access your web browser by clicking . This opens your web browser, where you can search for information that is related to the incident.

Saving the Edited Incident

When you are finished editing the incident, click  to save the changes that you have made. The incident is updated with the message **Incident saved successfully**. Click  before you save to close the dialog box without saving the incident.

Chapter 4

Working with Subjects

New Subjects	23
Creating New Subjects	23
Linking Identical Subjects	24
Linking Related Subjects	24
Case Network Analysis	27
Accessing Case Network Analysis	27
Exploring the Network	27
Using the Toolbar	28


New Subjects

Creating New Subjects

You can create new subjects by selecting **New Subject** from the **Subject** drop-down menu.

To create a new subject:

1. Click the **New Subject** button. The New Subject dialog box appears.



New Subject

Subject ID: 2013-28916

* Type: Generic

Category: (none selected)

Subcategory: (none selected)

OK Cancel

2. Select the necessary information for the subject.

3. Click **OK** to create the subject. The subject is then opened for you to edit. You can continue to add information about this subject.

Subject Details | Incidents | Cases | Identical Subjects | Subject History

* Subject ID: 2013-28916

Source system: SAS Enterprise Case Management

National ID:

National ID type: (none selected)

Person/organization: ☐ Person ☒ Organization

Subject name:

4. When you are finished, click  to create and save the subject.
5. Click  to leave the window without saving the subject.

Note: If you did not save the subject before clicking , the Save Changes dialog box appears. Click **Yes** to save the subject. Click **No** to not save the subject and return to the previous window, or click **Cancel** to continue entering information about the subject.

Linking Identical Subjects

When you enter a subject, you can link other subjects to it, indicating that they identify the same person. For example, if you are entering subject Mary Jane Moyers and you know she is already in the system as M. J. Moyers, you can enter M. J. Moyers as an identical subject.

1. In the Subject window, select the **Identical Subjects** tab. Click . The Add identical subject dialog box appears.
2. Search for subjects in the top portion of the dialog box. The results appear at the bottom of the dialog box.
3. Select the desired subjects and click **Add** to add them as identical subjects. You are returned to the Subject window.
4. Save your changes. The identical subjects are added to this subject's history files.

Linking Related Subjects

When you enter a subject, you can link other subjects that are related to it. For example, if you are entering subject Thomas Dooley and you want to capture that his financial advisor, Brenda Vu, is also in the system, you can link Brenda Vu to Thomas Dooley with the Financial Advisor relationship.

To add a related subject, select the **Related Subjects** tab on the Subject window and then follow the same process as when adding an identical subject.

Editing Subjects

Editing Subject Information

Click  to find and correct spelling errors in a field. You can check spelling anywhere the spell check icon appears.

The following information can be edited for a subject:

Note: A subject is locked every time it is edited, to prevent the subject from being worked on concurrently by another user. To unlock a subject from the subject edit window, click .

Subject Details

enables you to edit the details for a subject.

Incidents

displays the incidents related to the subject.

Cases

displays the cases related to the subject.

Comments

displays the comments related to the subject. You can also add comments by typing in the comment box and clicking **Post**. This will automatically save the comment.

You can also add an attachment to the comment by clicking **Attach File**.

Note: This is different from adding a general attachment, as this attachment is linked directly to the comment it is associated with.

Note: When using Internet Explorer 9, only one file can be attached at a time.

Identical Subjects

enables you to link other subjects to this one, indicating that they identify the same person. For example, if you are entering subject Mary Jane Moyers and you know she is already in the system as M. J. Moyers, you can enter M. J. Moyers as an identical subject. For more information, see [“Linking Identical Subjects” on page 24](#).

Subject History

displays the activity history for the subject. The Type column includes the actions that were taken on the subject. **Save** indicates that the subject was saved after an action.

The Description column provides details about the action. **Version N** refers to the version number that is assigned after a save. When a subject is created, it is Version 1. Click **Version 1** to see the original fields entered for the subject.

Click **Version N** to open the Subject Version Comparison dialog box. All subsequent changes are compared to the previous version. For example, Version 4 is compared to Version 3. Blank fields indicate no changes. Click the arrows in the top right corner of the dialog box to scroll to older or newer versions. Close the view by clicking the **X**.

Custom fields appear as standard fields in the version history, with the field in a one-to-one relationship between the current and previous version. However, custom tables display the full table view from version to version. Any changes from Version 3 to Version 4 show the Version 3 table above the Version 4 table.

Note: When a subject's history is viewed, only the subjects of comments are displayed.

Managing Subscriptions

You can sign up to receive notifications when specific events occur to this case by selecting **Manage Subscriptions** from the Actions menu (). If you are already in a case, click  at the top of the window.

From the Event Subscriptions dialog box, you can add events you would like to receive notifications on by selecting the event categories from the list of available events and clicking **Add** () , or click **Add All** () to subscribe to all notifications. To remove events, select the events from your list of subscribed events and click **Remove** () , or click **Remove All** () to unsubscribe to all of your current subscriptions.

Note: If you want to use the subscription feature, you must have that capability as part of your user or group privileges.

The following are the options for event subscriptions:

Attachments

specifies a notification when attachments are added or deleted.

Comments

specifies a notification when a comment is added, edited, or deleted.

Link

specifies a notification when a subject is added to or removed from a case, incident, or another subject.

Save

specifies a notification when the entity is saved, regardless of the action performed.

Unlock

specifies a notification when a subject is unlocked.

Adding Attachments to a Subject

In addition to editing the subject, you can add attachments to the subject by clicking . This opens the Attachments dialog box, enabling you to add and view attachments. For more information, see [“Adding Attachments” on page 39](#).

Performing Case Network Analysis

You can investigate a subject by viewing a network of cases, subjects, and incidents that are related to that subject by clicking . For more information, see [“Case Network Analysis” on page 27](#).

Searching for Web Related Information

When you are editing a subject, you can access your web browser by clicking . This opens your web browser, where you can search for information that is related to the subject.

Saving the Edited Subject

When you are finished editing the subject, click  to save the changes that you have made. The subject is updated with the message **Subject saved successfully**. Click  to go back to the list of available subjects.

Case Network Analysis

Accessing Case Network Analysis

You can investigate a subject by viewing a network of cases, subjects, incidents, and reports that are related to that subject. The subjects can be associated by national ID number or other criteria that were established at your site. To perform case network

analysis on a subject, select **Case Network Analysis** () from the Actions menu () on the **Results** pane, or from the Subject window. The Enterprise Case Management – Case Network Analysis window appears and the network loads. The subject that you are analyzing is the Graph Origin node and appears in red. The network first draws connectors from the root node to related entities. Connections are then made from that related entity to all of the entities associated with it, to widen the network. If the subject has no related entities, only the Graph Origin node appears.

Exploring the Network

Use the following techniques to navigate within the Case Network Analysis display:

- **Expand** — To expand a node or group of nodes, click the plus sign under the node (). That node becomes the new reference point for relationships and can retrieve other items from the system. You can expand only subject nodes.
- **Zoom** — To zoom in and out on the network itself, move the mouse wheel forward and backward.
- **Move network** — To move the entire network within the display, left-click in the white space around a network and then drag the network to a new location.
- **Rearrange nodes** — Select a node (single or grouped) to drag the node to a new location. Links are automatically rearranged when nodes are moved. You can drag nodes to see relationships more clearly.
- **Hide/unhide and close tabs** — Double-click in the white space around the network to hide any tabs that appear on the bottom of the Case Network Analysis display. This also maximizes the display area. Double-click again to make the tabs appear. Click the **X** on a tab to close it.
- **Move tabs** — Move a tab by selecting, dragging, and dropping it into a new position within the grouping of existing tabs.
- **Resize sections** — Adjust the area at the bottom of the display that is devoted to tabs by clicking the separator bar and dragging it up or down.
- **Node description** — To see a description of a node, position your mouse pointer over a node. To see how nodes are related, position your mouse pointer over a link.

- **View details** — To view node details, double-click the node. The **Properties** pane is expanded. Click **Show Details** in the **Properties** pane. The **Show Details** pane is expanded at the bottom of the window, as configured by your administrator.

After the **Show Details** pane is expanded, clicking a new node repopulates the pane with information pertaining to the newly selected node.

You can sort any column in the **Show Details** pane alphabetically by clicking the column name. Collapse the **Show Details** pane by clicking the **X**.

Group details are not available, and clicking a group or selecting more than one node hides the **Show Details** pane.

- **Annotate** — To view or make annotations about a node, do one of the following:

- Double-click the node to reveal the **Properties** pane. The **Properties** pane contains an unlabeled **Annotation** text box.
- Click the node and then click **Edit Entity**  from the toolbar. The Graph

Entities Wizard is displayed, showing the **Annotation** text box. The **Annotation** text box enables you to add an annotation or to view or edit an existing annotation.

Note: If you do not want to see the HTML tags along with the annotations, do not include any HTML tags with the incoming string value.

- **Open a new SAS Enterprise Case Management window** — Click a URL in a detail tab to view additional information in a new SAS Enterprise Case Management window. You can have multiple windows open at the same time. Note that you can only see the details for cases, incidents, or subjects linked to the origin subject based on your permission.
- **Add nodes** — To add a node, select a node to which you want to link the new node. Then, from the main menu, select **Add Node** . The Graph Entities Wizard is displayed. This enables you to specify the node properties as well as the link properties. Specify the parameters for the node and for the link that joins the nodes.

After all the parameters have been specified, click **OK**. The new node and associated link are dropped onto the diagram and are linked to the originally selected node.

Note: You must save the diagram to save the changes that you made to the node or link.

To save your updates, click **Save**.

- **Hide nodes** — To hide a node, click **Collapse Expanded Nodes** from the toolbar

Note: A node cannot be hidden if the action leaves a node unlinked from other nodes in the network. In these instances, the Hide option does not perform any action.

- **Reveal hidden nodes** — To reveal hidden nodes, click the plus sign () at the bottom of the node. Hidden nodes and associated links appear in the social network analysis diagram.

Note: You must save the diagram to save the changes that you made to the node or link.

To save your updates, click **Save**.

Using the Toolbar

The toolbar buttons enable you to change the views of the network.

Group Nodes ()

enables you to organize nodes by grouping them together. Click **Group**. Hold down the Ctrl key and click the left mouse button to define a rectangle around the nodes that you want to group, and then release the mouse button. The selected nodes and their links are highlighted in black. Click **Group** again to collapse the nodes into a single icon. To expand, click .

Add Link ()

enables you to establish a link between nodes. Hold down the Ctrl key and select two nodes, and then click . A line appears that connects the nodes.

Run Layout()

enables you to choose from two layout options: Tree and Springy.

Re-Group Nodes ()

enables you to regroup sets of nodes that you previously grouped and then expanded. Clicking it additional times regroups node sets in reverse sequential order.

Collapse Expanded Nodes ()

collapses any subject nodes that have been expanded.

Home ()

centers the network in the display area. Click the arrow () to see options for moving or rotating the network.

Zoom ()

enables you to get a closer look at portions of the network.

Zoom Out ()

enables you to zoom out from the diagram.

Print ()

enables you to print the current view of the network.

Edit Entity ()

enables you to update the current entity information and specifications.

Delete ()

enables you to delete the entity from the network view.

Chapter 5

Working with Reports

Creating New Reports	31
Editing Reports	32
Editing the Report Activity Status	32
Editing Report Information	32
Managing Subscriptions	33
Adding Attachments to a Report	34
Saving the Edited Report	34
Preview Reports	34
Print Reports	34


Creating New Reports

You can create new reports by selecting  from the list of reports associated with a case or incident.

Note:  is available depending on your workflow configuration as well as case or incident type.

To create a new report:

1. Click . The New Report dialog box appears.



The dialog box titled "New Report" contains the following fields:

- Report ID: 2013-10146
- * Type: United States
- Category: Financial Crimes Enforcement Network
- Subcategory: (none selected)

At the bottom right are "OK" and "Cancel" buttons.

2. Select the necessary information for the report. Click **OK** to create the report. The report is opened for editing. You can continue to add information regarding this report.
3. When you are finished, click  or  to create and save the report. The new report is then displayed in the list of available reports on the case or incident and also on the **Results** panel of the Search Reports window.

Note: Clicking  requires you to enter all of the required information before the report is saved and you are allowed to leave the screen. Clicking  allows you to save the report and leave the screen. However, you receive warnings for information that you need to provide before the report can be moved to the next step in the process.

4. Click  to leave the window without saving the report.

Note: If you did not save the report before clicking , the Save Changes dialog box appears. Click **Yes** to save the report. Click **No** to not save the report and return to the previous window, or click **Cancel** to continue entering information about the report.

Editing Reports

Editing the Report Activity Status

In SAS Enterprise Case Management, you can edit a report by selecting **Edit** from the Actions menu () on the **Results** panel for reports. When you select **Edit**, the selected report opens. You can then make any needed changes to the report. The report and the report status for the report are displayed. On this page, you can update the report status on the **Action Items** panel. The **Action Items** panel displays the task transition information for the report. To update the status for a task, select a transition option from the **Task Transition** drop-down box.

From the **Action Items** panel, you can also select the following actions:



terminates the workflow of a case.



reactivates a case's workflow when an available workflow option is selected.

Note: A report is locked every time it is edited, to prevent the report from being worked on concurrently by another user. To unlock a report from the report edit window, click .

Editing Report Information

You can update information for a report on the **Report Information** panel. The **Report Information** panel contains various items that you can modify. Click  to find and correct spelling errors in a field. You can check spelling anywhere the spell check icon appears. The following information can be edited for a report:

Report Details

enables you to edit the details for a report. This is where you specify any .csv attachment you want to add to the e-file generated from this report.

Comments

displays the comments related to the report. You can also add comments by typing in the comment box and clicking **Post**. This will automatically save the comment.

You can also add an attachment to the comment by clicking **Attach File**.

Note: This is different from adding a general attachment, as this attachment is linked directly to the comment it is associated with.

Note: When using Internet Explorer 9, only one file can be attached at a time.

Report History

displays the activity history for the report. The Type column includes the actions that were taken on the report. **Save** indicates that the report was saved after an action.

The Description column provides details about the action. **Version N** refers to the version number that is assigned after a save. When a report is created, it is Version 1. Click **Version 1** to see the original fields entered for the report.

Click **Version N** to open the Report Version Comparison dialog box. All subsequent changes are compared to the previous version. For example, Version 4 is compared to Version 3. Blank fields indicate no changes. Click the arrows in the top right corner of the dialog box to scroll to older or newer versions. Close the view by clicking the **X**.

Note: When a report's history is viewed, only the subjects of comments are displayed.

Managing Subscriptions

You can sign up to receive notifications when specific events occur to this report by selecting **Manage Subscriptions** from the Actions menu (▼). If you are already in a report, click  at the top of the window.

From the Event Subscriptions dialog box, you can add events that you would like to receive notifications on by selecting the event categories from the list of available events and clicking **Add** () or click **Add All** () to subscribe to all notifications. To remove events, select the events from your list of subscribed events and click **Remove** () or click **Remove All** () to unsubscribe to all of your current subscriptions.

Note: If you want to use the subscription feature, you must have that capability as part of your user or group privileges.

The following are the options for event subscriptions:

Attachments

specifies a notification when attachments are added or deleted.

Comments

specifies a notification when a comment is added, edited, or deleted.

Link

specifies a notification when a report is added to or removed from an e-file.

Save

specifies a notification when the entity is saved, regardless of the action performed.

Unlock

specifies a notification when a report is unlocked.

Workflow

specifies a notification when a report workflow is activated or terminated, and the status of a workflow has changed.

Adding Attachments to a Report

In addition to editing the report, you can add attachments to the report by clicking . This opens the Attachments dialog box, enabling you to add and view attachments. For more information, see [“Adding Attachments” on page 39](#).

Saving the Edited Report

When you are finished editing the report, click  to save the changes that you have made (excluding the items in the **Actions Items** panel). The report is updated with the message **Report saved successfully**. To save the items in the **Action Items** panel, click **Save Report and Action Items**.

Preview Reports

You can preview a report before you print it. In the **Results** panel, select **Preview Report** from the menu. This displays the report in a style that has been associated with the report type. This can be in PDF, HTML, or RTF format, for example.

Print Reports

If you have already previewed a report, you can print the report by using the embedded print functionality of the technology being used to view the report (for example, printing from Adobe Reader).

Chapter 6

Working with E-Files

Creating New E-Files	35
Editing E-Files	36
Editing E-File Information	36
Adding Reports to an E-File	37
Managing Subscriptions	37
Adding Attachments to a E-File	38
Saving the Edited E-File	38

Creating New E-Files

You can create new e-files by selecting **New E-File** from the **New E-File** drop-down menu.

To create a new e-file:

1. Select **New E-File**. The New E-File dialog box appears.

2. Select the necessary information for the e-file and click **OK** to create the e-file.

The e-file is then opened for editing. You can continue to add information about this e-file.

3. When you are finished, click  to create and save the e-file. The new e-file is then displayed in the list of available e-files on the **Results** panel of the Search E-Files window.

4. Select  to leave the window without saving the e-file.

Note: If you did not save the e-file before clicking , the Save Changes dialog box appears. Click **Yes** to save the e-file. Click **No** to not save the e-file and return to the previous window, or click **Cancel** to continue entering information about the e-file.

Editing E-Files

Editing E-File Information

You can update information for an e-file on the **E-File Details** panel. The **E-File Details** panel contains various items that you can modify. Click  to find and correct spelling errors in a field. You can check spelling anywhere the spell check icon appears. The following information can be edited for an e-file:

Note: An e-file is locked every time it is edited, to prevent the e-file from being worked on concurrently by another user. To unlock an e-file from the e-file edit window, click .

E-File

enables you to edit the details for an e-file.

Comments

displays the comments related to the e-file. You can also add comments by typing in the comment box and clicking **Post**. This automatically saves the comment.

You can also add an attachment to the comment by clicking **Attach File**.

Note: This is different from adding a general attachment, as this attachment is linked directly to the comment it is associated with.

Note: When using Internet Explorer 9, only one file can be attached at a time.

E-File History

displays the activity history for the e-file. The Type column includes the actions that were taken on the e-file. **Save** indicates that the e-file was saved after an action.

The Description column provides details about the action. **Version N** refers to the version number that is assigned after a save. When an e-file is created, it is Version 1. Click **Version 1** to see the original fields entered for the e-file.

Click **Version N** to open the E-File Version Comparison dialog box. All subsequent changes are compared to the previous version. For example, Version 4 is compared to Version 3. Blank fields indicate no changes. Click the arrows in the top right corner of the dialog box to scroll to older or newer versions. Close the view by clicking the **X**.

Note: When an e-file's history is viewed, only the subjects of comments are displayed.

E-File Reports

enables you to update and link reports to an e-file.

Click  to open the Add Report to E-File dialog box. This dialog box enables you to link reports to an e-file that is ready to be generated. You can choose multiple reports from this dialog box. See “[Adding Reports to an E-File](#)” on page 37 for more information.

To change the status of many reports at the same time, select the check boxes to update some or all of the reports and click .

Generate E-File

click this to generate an e-file for all the reports that are linked to this e-file.

Post-filing Details

provides information on the generated e-file. You can enter the confirmation ID that comes back from the regulatory agency.

After **Generate E-File** has been clicked, the following fields are populated:

Coverage Start Date

is the earliest activity date from all the reports that are e-filed.

Output Filename

is the name of the DAT file that is sent to the government and that is produced by the generation process.

Output Path Name

is the name of the directory where the output file is stored.

Output Report Count

is the count of all the reports that are generated in this e-file.

Output Line Count

is the number of lines in the file from the **Output Filename** field.

Output File Size (Bytes)

is the size of the output file.

Output Creation Date

is the date that the file in the **Output Filename** field was generated.

Coverage End Date

is the latest activity date from all the reports that are e-filed.

Note: When you have received the confirmation information after submitting the e-file to the financial center government site, you can paste the information into the **Transmission Date** and **Output Creation Date** fields.

Adding Reports to an E-File

Reports can be added to an e-file only before the e-file's submission file is generated. After you click **Generate E-File**, the status of the e-file changes and information about the generated submission file is populated to the e-file. When you save the e-file at this point, the  and **Generate E-File** options are hidden or disabled. If the e-file needs to be generated again, you must change the e-file status back to **Ready to Generate** and save the e-file. This makes the  and **Generate E-File** options available again.

Note: To add a report to an e-file, the report type, category, and subcategory must match that of the e-file.

After an e-file is marked as **Accepted**, it is no longer editable.

Managing Subscriptions

You can sign up to receive notifications when specific events occur to this e-file by selecting **Manage Subscriptions** from the Actions menu (). If you are already in an e-file, click  at the top of the window.

From the Event Subscriptions dialog box, you can add events that you would like to receive notifications on by selecting the event categories from the list of available events and clicking **Add** () or click **Add All** () to subscribe to all notifications. To remove events, select the events from your list of subscribed events and click **Remove** () or click **Remove All** () to unsubscribe to all of your current subscriptions.

Note: If you want to use the subscription feature, you must have that capability as part of your user or group privileges.

The following are the options for event subscriptions:

Attachments

specifies a notification when attachments are added or deleted.

Comments

specifies a notification when a comment is added, edited, or deleted.

Link

specifies a notification when a report is added to or removed from an e-file.

Save

specifies a notification when the entity is saved, regardless of the action performed.

Unlock

specifies a notification when an e-file is unlocked.

Adding Attachments to a E-File

In addition to editing the e-file, you can add attachments to the e-file by clicking . This opens the Attachments dialog box, enabling you to add and view attachments. For more information, see “[Adding Attachments](#)” on page 39.

Saving the Edited E-File

When you have finished editing the e-file, click  to save the changes that you have made. The e-file will be updated with the message **E-File saved successfully**.

Chapter 7

Attachments

Adding Attachments	39
---------------------------------	-----------

Adding Attachments

When you are working in SAS Enterprise Case Management, it might be necessary to add supporting documents to an entity (case, incident, subject, report, or e-file). You can add file attachments by clicking  when you are editing an entity. You can also select **Attachments** from the Actions menu () on the **Results** panel for an entity. Follow these steps to add an attachment:

1. Select **Attachments**. The Attachments dialog box appears.
2. On the **Add Attachments** panel, enter the location and name of the file that you are attaching. You can also select the **Select file to upload** button to locate the file.
3. If needed, enter a text description of the file that you are attaching in the **Description** box.
4. Click the **Add Attachments** button. This saves the attachment to the selected item. The following message then appears:


```
File "xxx" was successfully uploaded
```

 The attachment is then listed in the **Attachments** panel.
5. The **Attachments** panel lists all attachments that are added to the item. If you select an attachment from the **Attachments** panel, the attachment opens in a new dialog box. If needed, you can delete an attachment by clicking  that appears beside the attachment.
6. When you are finished adding or deleting attachments, select **Close** to exit the Attachments dialog box.

Index

A

- accessibility [2](#)
- attachments [39](#)
 - adding to cases [9, 14](#)
 - adding to e-files [38](#)
 - adding to incidents [21](#)
 - adding to reports [34](#)
 - adding to subjects [26](#)

C

- case network analysis
 - accessing [27](#)
 - navigating the display [27](#)
 - performing for subjects [26](#)
 - toolbar [28](#)
- cases
 - adding attachments [9, 14](#)
 - adding comments [9, 11](#)
 - creating new [5](#)
 - editing information [10](#)
 - editing task transition (status) [10](#)
 - generating reports [15](#)
 - history [9](#)
 - locking editing access [8](#)
 - managing subscriptions [13](#)
 - previewing reports [14](#)
 - printing reports [14](#)
 - searching [7](#)
 - searching the web for information [14](#)
 - tasks list for [13](#)
 - viewing [8](#)
- comments
 - adding to cases [9, 11](#)
 - adding to e-files [36](#)
 - adding to incidents [20](#)
 - adding to reports [33](#)
 - adding to subjects [25](#)

D

- documentation on the web [3](#)

E

- e-files
 - adding attachments [38](#)
 - adding comments [36](#)
 - adding reports [37](#)
 - creating new [35](#)
 - editing information [36](#)
 - history [36](#)
 - managing subscriptions [37](#)
- editing
 - case information [10](#)
 - case task transition (status) [10](#)
 - e-file information [36](#)
 - incident information [19](#)
 - report activity status [32](#)
 - report information [32](#)
 - subject information [25](#)

H

- history
 - viewing for cases [9](#)
 - viewing for e-files [36](#)
 - viewing for incidents [20](#)
 - viewing for reports [33](#)
 - viewing for subjects [25](#)

I

- identical subjects, linking [24](#)
- incidents
 - adding attachments [21](#)
 - adding comments [20](#)
 - creating new [17](#)
 - editing information [19](#)
 - finding related items [18](#)
 - history [20](#)

- managing subscriptions 21
- searching the web for information 21

L

- linking
 - identical subjects 24
 - related subjects 24
- locking editing access for cases 8

N

- navigation
 - case network analysis display 27

P

- previewing reports 34
- printing
 - reports 34

R

- related items
 - finding for incidents 18
- related subjects, linking 24
- reports
 - adding attachments 34
 - adding comments 33
 - adding to e-files 37
 - creating new 31
 - editing activity status 32
 - editing information 32
 - generating for cases 15
 - history 33
 - managing subscriptions 33
 - previewing 34
 - previewing for cases 14
 - printing 34
 - printing for cases 14
- Results panel 7

S

- SAS Enterprise Case Management

- accessibility 2
- documentation on the web 3
- overview 1
- terminology 3

- Search Cases panel 7

- searching
 - cases 7
 - on web for case information 14
 - on web for incident information 21
 - on web for subject information 26

- subjects

- adding attachments 26
- adding comments 25
- creating new 23
- editing information 25
- history 25
- linking identical 24
- linking related 24
- managing subscriptions 26
- searching the web for information 26

- subscriptions

- managing for cases 13
- managing for e-files 37
- managing for incidents 21
- managing for reports 33
- managing for subjects 26

T

- task list for cases 13
- task transition
 - editing for cases 10
- terminology 3
- toolbar for case network analysis 28

V

- viewing cases 8

W

- web browser supported 2