# Creating a Report in the SAS® Information Delivery Portal using SAS® Information Maps

Jenine Milum, Wells Fargo, Charlotte, NC

### ABSTRACT

The purpose of this task is to guide a SAS<sup>®</sup> BI developer through the steps necessary to combine SAS datasets using *Information Maps* and create a report which becomes available in the *Information Delivery Portal*. The result is a professional report viewable by the Business User within their browser. The ability to use the tools listed below to create a report available in the *Information Delivery Portal* frees Business Users from concerning themselves with data construction, security, information updates, and collection requirements. The Business User can focus on Analysis and other tasks without needing to be a SAS Developer.

- Management Console
- Information Map Studio
- Web Report Studio
- Information Delivery Portal

#### INTRODUCTION

This task begins using SAS datasets (*class, classfit*) located in the *SASHELP* library provided with all installations. These datasets in *SASHELP* were copied to a working directory that will represent our external data source. We are assuming that no library or previous tasks have been accomplished prior to this task.

Within your operating system, create a directory in which your data will reside. (A UNIX environment is used here.) The directory should be located on a tier predetermined to house SAS datasets such as an ETL, Compute, or SPDS tier. Permissions for this new directory should minimally be set open to *Read* at least by the developer.

This library will have to adhere to the SAS libname naming conventions regardless of the operating system being used. The libname requires it begin with a character or underscore and contains only letters, numbers and underscores with a maximum length of 8 characters.

#### 1.1

Create a library definition in SAS MANAGEMENT CONSOLE This task is often performed by the system administrator. If Management Console is not installed along with your other SAS Business Intelligence software or you do not have access to it, contact your SAS administrator. If the files you will be using have already registered and available for use, continue with Information Map Studio, section 1.2.

Start *Management Console* based on an existing metadata profile and your user information profile as described in the introduction.



NOTE The role and/or permissions as a platform administrator are necessary for this task.

Once connected, select the tab *Plug-ins* to create a new library. This is done by expanding the *Data Library Manager* and right clicking on the *Libraries* folder and selecting *New Library*.

🔄 SAS Management Console - Dev Server
File Edit View Actions Help
Plug-ins Folders
Repository: Foundation
🔄 SAS Management Console
🖶 🧰 Environment Management
🕀 🛅 Authorization Manager
🔁 🛅 Data Library Manager
🗄 🔤 Libraries
🗀 Monitor 🛛 🕥 Refresh
Mainter 🎦 Mew Library
Application management

Navigate to the SAS Base Library by expanding the Libraries folder and then the SAS Data folder.



**NOTE** The exact folder and library names may vary slightly but should exist in all environments. If this library structure does not exist, ask the SAS Administrator or other person who installed the software for the proper location to assign libraries.

Using the New Library Wizard that will pop-up, provide a business name for the library and a description if desired.

**TIP** Use a name that is descriptive and unique. There is no need to use abbreviations. You want to clearly identify what this folder is used for and what it contains. Use the description box if more clarity is needed.

Continuing with the wizard, assign a libref name. It must be a valid SAS libname which adheres to the same rules. If the proper location of the library is not correct, select *Browse* and choose the proper directory location.

Repository: Foundation	CDW INFORMIX	/Shared Data
	jintest BASE Jenine Milum Testing	/Shared Data/MktgInsightSha
SAS Management Console	MaerketingOLAP BASE	/Shared Data
E- Convironment Management	🚺 🎯 MarketingComput BASE	/Shared Data
Authorization Manager	👔 MarketingComput BASE	/Products/SAS BI Report Servi
🖻 🚮 Data Library Manager	MarketingComput BASE	/Products/SAS BI Report Servi
😟 🖬 Libraries	New Library Wizard	×
User Manager Monitoring Maintenance Application Management	New Library Wizard Specify the name, description, and location for the new SAS BASE Library.	ar at nc
See 1703 esto	Name: [chap2_1	
	Description: Chapter 2.1	
	Location: //Shared Data/MiktgInsightSharedData/Project: SAS 9.2 Testing/Data	Browse
	< Back Next >	Finish Cancel Help

**NOTE** It will be easiest for continuity to assign it the exact name that was used in defining the folder within your operating system folder structure.

Once a library is defined, specific tables within the directory need to be selected and registered to be identifiable. For this project, we will be using and registering the tables *CLASS* and *CLASSFIT*. Either *click* on each of the files or *Select All Tables* to highlight the required tables. The location directory path should be the same as was selected in the previous step. If not, use *Browse* to navigate to the proper location.

CLASS CLASSFIT					
CLASS CLASSFIT					
					Select All Tables
					Select None
cation: //Shared Data/MktgIn	sightSharedData/Pr	oiect SAS Testi	ing/Data/Chap2	1	Browse
cation. ponarca oacaynikagin	sign con a cabacay n	oject SHS Test	ng/odda/chapz_	•	
	< Back	Next >	Finish	Cano	el I Help

Choosing *Next* provides the last screen of this process and acknowledges the directory and tables were assigned properly. Once *Finish* is selected the information is stored as metadata and the tables are registered.

🛐 Register	Tables	×
ODE	The following metadata will be created:	_
N	The following tables will be created in folder /Shared Data/MktgInsightSharedData/Project SAS Testing/Data/Chap2_1:	
	CLASS, CLASSFIT	
14		
	< Back Next > Finish Cancel Help	

You will now see the new library listed in the right-hand pane. You can check the libname and directory are correct by right clicking on the newly created library icon, selecting the *Display LIBNAME Statement to* show the libname statement associated with the directory. This is often helpful to identify a library structure for additional uses.



Useful information and additional tasks are available by right-clicking on the library icon and selecting Properties.

General   Assig	n   Options   Notes   Extended Attributes   Authorization	
Name:	chap2_1	
ID:	A512T15Z.B800000U	
Description	Creating a report listing from SAS datasets in the BI Portal	
Location:	/Shared Data/MktgInsightSharedData/Project SAS Testing/Data/Chap2_1	Browse
		OK Cancel Help

A critical task within this selection screen is to assign permissions. This is done by selecting the *Authorization* tab. Based on the role assignments at your location, the proper authorizations may be applied at this point. Below are the defaults for the role as a Developer.

ieneral Assign Options Notes Extended Attributes Authorization	1		
Isers and Groups:			
🌺 PUBLIC			
🎽 SAS System Services			Add
SAS Administrators			Remove
ASUSERS			1
Access Control Templates Properties			
Access Control Templaces			
ffective Permissions:			
Januaria a fina a	Current	Denv	
remissions	Granc	Dony	
ReadMetadata	Granc		
ReadMetadata WriteMetadata			
remissions teadMetadata VriteMetadata :heckInMetadata			
Permissions ReadMetadata WriteMetadata CheckInMetadata Read			
Permissions ReadMetadata VriteMetadata IheckInMetadata Read Write			
ReadMetadata WriteMetadata CheckInMetadata Read Write Create			
Permissions ReadMetadata WriteMetadata EheckInMetadata Read Write Dreate Delete			
Permissions ReadMetadata WriteMetadata Read Write Create Delete Administer			
Permissions ReadMetadata CheckInMetadata Read Write Create Selete Administer			
ReadMetadata WriteMetadata CheckInMetadata Read Write Create Delete Administer			
ReadMetadata WriteMetadata TheckInMetadata Read Write Create Selete Administer			

NOTE Users and Groups, Effective Permissions and roles are reviewed in the SAS BI Overview, Section III.

#### 1.2

**Create an Information Map using SAS INFORMATION MAP STUDIO (IMS).** An Information Map provides the ability to select and combine tables using key variables, apply filters and formats, create new variables, set permissions and perform other tasks. The end result is stored in metadata which will contain the tasks and information performed within IMS. A new data set itself is not physically created; rather the results are generated ondemand when the map is used, along the same lines as the way a data set view is used.

urces - Application Servers 🥢	Design   Entationments		Properties	
	Selected Resources	Information Map Contents		Details
ow Tables		Show alitens	Property	Value
VariatingCorputablev     VariatingCorputablev     CASSPIT     CASSPIT     CASSPIT     CASSPIT     VariatingCorputablev - Variate     Variat			Lide or y hans oceans Secongrison Lideof Program	Interact, J. Universitation DelayMetghengetStreetExet Citating a report lating/new SAS de Pare 2 (2006)
B ∰ terlpup B ∰ Xoad - SECS - Dav B WatehingCLAPCev B ∰ WatehingCLAPCev - SASDATA B ∰ Xoad - SECS - Dav				
a Structure			Property Description	

The different tiers and libraries stored on each server are shown in the top left pane under the server icon tab. You should see the library created in Section 1.1 by *Management Console*.

**NOTE** If the library does not appear in the expected server list of libraries, return to Management Console and determine the exact location created. If the step was not completed properly it will need to be redone. Another possible cause is the permissions profile described in the introduction for the library were not properly assigned and the IMS user does not have proper access to create an *Information Map*. Contact your SAS Administrator if creating maps is not applicable to your role.

By clicking on the expand icon 庄 next to the library, the contents of the library are displayed.

**NOTE** If all the tables required are not viewable with the expansion of the library, return to Management Console to verify the location of the files and the appropriate permissions are set. This may require the involvement of your SAS Administrator.

For this example, we will map the two tables already registered in Management Console, CLASS and CLASSFIT.

	Name	Sex	Age	Height	Weight	Predicted Value of Weight	Lower Bo 95% C Mea	ound of .l. for an	Upper B 95% 0 Me	ound of l. for an	Lower E 9! C.I.(In Pr	Bound of 5% dividual ed)	Uppe 95% C	er Bound of II.(Individual Pred)
1	Joyce	F	11	51.3	50.5	56.99333435	43.80	436346	70.1	3230523	29.8	8349844	8	4.103170259
2	Louise	F	12	56.3	77	76.48848569	67.96	005024	85.0	1692115	51.3	31452174	1	01.66244965
3	Alice	F	13	56.5	84	77.26829175	68.90	655333	85.6	3003016	52.1	5031175	1	02.38627175
4	James	М	12	57.3	83	80.38751596	72.66	708855	88.1	0794338	55.4	7568645	1	05.29934547
5	Thomas	М	11	57.5	85	81.16732202		004334	88.7	3460069	56	3025285	1	06.03211553
6	John	М	12	59	99.5	87.0158674		Nar	ne Se	x A	\ge	Heig	jht	Weight
7	Jane	F	12	59.8	84.5	90.1350916	1	Alfred	м		14		69	112.5
8	Janet	F	15	62.5	112.5	100.662473	2	Alice	F		13		56.5	84
9	Jeffrey	М	13	62.5	84	100.662473	3	Barbar	a F		13		65.3	98
10	Carol	F	14	62.8	102.5	101.832182	4	Carol	F		14		62.8	102.5
11	Henry	М	14	63.5	102.5	104.561503	5	Henry	м		14		63.5	102.5
12	Judy	F	14	64.3	90	107.680727	6	James	м		12		57.3	83
13	Robert	М	12	64.8	128	109.63024	7	Jane	F		12		59.8	84.5
14	Barbara	F	13	65.3	98	111.579758	8	Janet	F		15		62.5	112.5
15	Mary	F	15	66.5	112	116.258594	9	Jeffrey	м		13		62.5	84
16	William	М	15	66.5	112	116.258594	10	John	м		12		59	99.5
17	Ronald	М	15	67	133	118.208105	11	Joyce	F		11		51.3	50.5
18	Alfred	М	14	69	112.5	126.006170	12	Judy	F		14		64.3	90
19	Philip	М	16	72	150	137.703260	13	Louise	F		12		56.3	77
							14	Mary	F		15		66.5	112
						I	15	Philip	м		16		72	150
						I	16	Robert	м		12		64.8	128
						I	17	Ronald	M		15		67	133
						I	18	Thoma	s M		11		57.5	85
							19	William	M		15		66.5	112

To get started mapping the two tables, drag each table into the *Design tab* under *Selected Resources* and expand them to view their individual data items.



Selected Resources	Information Map Contents
MarketingComputeDev Chap2_1 CLASS Height Height Height Height CLASSFIT CLASSFI	Show all items

Select the variables from the two tables that are needed in the mapping by highlighting each and clicking on the move arrow

to drop them into the Information Map Contents pane.

Switch to the *Relationships* tab. There we see each of the tables with the variables selected in the previous step.

Design Relationships	
<u>8</u> 3 100%	
CLASS	CLASSFIT
1 Age	🔞 Age 🔺
😥 Height	😥 Height
💧 💧 Name	😥 lower
💧 Sex	😥 lowermean
😡 Weight	💧 🔌 Name
	😥 predict
1	💧 💩 Sex
	😡 upper
	😡 uppermean
	😡 Weight 🗾



For our purpose, the variable *Name* is the key linking the two tables. Click on *Name* in the box *CLASS* and click on the same variable *Name* in *CLASSFIT*. A join connector is automatically produced to match our desired initial matching criteria.

Key variables are not required to have the same name but do need to be defined identically as either both character or numeric data types. If they are not compatible you will receive the message below. This was assigned in *Management Console* when the tables were registered. If these attributes are not the same at this point, return to *Management Console* to assign the same formatting to each variable and re-register the tables. This may require the involvement of the SAS system administrator. Return to *IMS* and begin mapping the tables by refreshing the tables in the *Resource – Application Servers, Server* pane and remap the tables.

🔁 SAS 🛛	Information Map Studio	1
	You can insert a relationship only if the columns that you select have the same data type.	
	OK	

Design Bulationships       Image: Control of the second seco	<ul> <li>Double click on the join connector in the <i>Relationships</i> tab and the <i>Relationship Properties</i> window appears. This may also be opened by clicking on the circon.</li> <li>We see a one to many Cardinality is initially assigned. Options to alter the Cardinality and apply an <i>Outer join</i> or <i>Inner Join</i> are available.</li> </ul>
Centraling       Dis 3008,21         Table 1:       Centrality         Table 2:       Centrality         Table 3:       One to many         Cycler join       Output         Queries will return:       - Only those QLASS rows with corresponding QLASS FIT rows.         - Only those QLASS rows with corresponding QLASS row.	<ul> <li>(Advanced criteria for the join are available by selecting the <i>Advanced Edit button</i>.)</li> <li>Select <i>OK</i> to save the matching criteria or <i>Cancel</i> if you are not making any changes.</li> </ul>
Join Jacon (for bable 1):     Operator:     Join Jacon (for table 2):       Image: App	ō.
Adgenced Edit	

**Note** These tables may be combined using a different set of logic, additional tables, and alternate parameters for other purposes by simply saving it as an additional Information Map.

Test the mapping's validity by clicking on the *Run A Test Query* icon clocated on the tool bar. This test uses the information we stored earlier stored in Metadata. Select all the variables from the map by clicking on the *Insert All* icon click *Run Test*.

Available items Select	ed Revs.	
Show all items	Item Role Properties	
Anne Anne Anne Anne Anne Anne Anne Anne	Test the Information Mto       None of Information Mto       Data adactors for test       Available Rome:       Show of Rome       Show of Rome	N.
Decision appropriate in total (procepting) (account)     Templay a global action of all values (no equipment)     [7] Limit the gumber of values (nove) that are retrained:     [100]	End Yen description No description for QLASS Culput options TO Display appropried values (proup by cotegory) TO Tasky appropried values (proup) by cotegory) To Tasky approach of values (prove) that are relativened: 100	of the g

The test will return a Results window and an opportunity to view the SQL code that generated the results.

pources	- Applica	tion Servers		SC Dar	itt   Beletometike	Properties	Dates				
9 1	1			54	lected Resources Information Map Contents	10	Deca				
how: Te	bles .		2	8	PlachatingComputeDay Show all Kenis	Property Information Income	Value Value Value				
8-11 N	larketingC	onputeDev			Chap2_1 Map	Location	JShared Data/Mitglr				
œ 6	0 81_Ces	10		est the John	nation Map	×	3(629,20098,550				
81	Chap2,	1					Denine Miuni				
	a	LSS	1	lane of informa	toninapi Chape_1 Map		Jun 29, 2009 9:31:2				
-	a Le	ROPE1 -		Data selection	for fast	ters .	2010/01/01				
	3h2			Available ker	Ven Deev X	65	100.5				
œ-6	Market	hoConputeDev - 1	549	Show all iter		50. 100 C					
	Reads				options Locale=en_US;		×				
-	0.74	Harrist Marrie	5.00	undo	The second of the second	d Mahar Of Mandel Ser	Literat Bound Of 95%, C I				
1	14	69 Mined	M	112.5	Proc SQL: Greate Table %DATA% as	126.00617011 M	opper count of Paris Cit				
12	14	62.8 Carol	1	102.5	SELECT	101.83216244 P					
3	14	63.5 Henry	N	102.5	SUM(table) Height) AS DIR_3 LABEL=Height',	104.56150363/N					
4	15	62.5 Janet	*	112.5	table0. Name AS DIR_+LABEL="Name", table0.csv.as.DIR_STABEL="Sev"	100.66247336/P	1				
5	14	64.3 Judy	F	90	SUNITableD (Weight) AS DIR_6LABEL=Weight,	107.68072784 F					
5	15	66.5 Mary	r	112	SURV.able1. Age) AS CIR_7 LABEL='Age', SURV.able1. Height) AS CIR_9 LABEL='Height',	116.258594437					
.7	16	72 Philip	M	150	SUM/table1 lower) 45 DIR_91.48EL="Lower Bound Of 95% C J (individual Pred/)	137.70326091 M					
8	15	67 Ronald	N	133	table1. Name AS DIP_11LABE.=Name',	118.20610957W					
9	15	66.5 William	N	112	SUNItableLpredict) AS DER_12 LABEL=Predicted Value OF Weight',	116.25859443W	8 8				
	4				SUN(table1, upper) AS DIR_14 LABEL=Upper Bound OF 96% C1 (individual Pred),		•				
100					SUM/tablet appentiesh) AS DIP_151ABB.=Toper Bound Of 95% C1. For Near', SUM/shet Weight AS DIP_161ABB.=Toper Bound Of 95% C1. For Near',	Mary Brit	1				
					FROM	Tenn orde	7000				
			1851		trapic_1 xLASS table0 Inner join chapc_1.0_ASSFIT table1 on (table0 Mane = table1.Nane 4MD table0.Sex = table1.Sex)						
				4.1/8/19/1	GROUP BY						
				F Lint th							
					10, 12						
					HAVING						
			_		0F_2>= 14	Field					
wha Strue	cture			11111	ox	scription	·				
					line and the second sec						
					Qose						

**NOTE** Common errors are mismatching variable length and formatting. Verify you are trying to match the intended variables and that the attributes are correct. To correct attributes, use Management Console to set variables to the same value type and/or length.

Once the mapping is complete and validated save the map for future use. Select the icon from the menu bar and the following pop-up will appear. Choose an appropriate descriptive name.

🔁 Save	an Information Map			×
Save in	: information Maps		<b>V</b>	
 <u>N</u> ame:	chap2_1		Save	e
<u>T</u> ype:	Information map	<b>*</b>	] Cano	el

**NOTE** Although it is not necessary, it is best to save *Information Maps* in the Information Maps folder. Subdirectories may be created for specific projects.

#### 1.3

**Creating a Report in Web Report Studio.** Web Report Studio (WRS) is a web based application that does not require SAS to be installed on the desktop/laptop. The URL for launching this tool will be provided by the SAS Administrator. The location can be stored in the My Favorites location of your web browser so it can be easily accessed. Launching Web Report Studio opens the Log On and Getting Started screens seen below. We're going to select New Report.



**NOTE** The Open widget will reveal reports and Information Maps previously saved or viewed. If selecting one of these generates an error it may be due to the map or report having been removed or the permissions were altered. Contact your SAS Administrator if you receive this error.

A new report begins with the following screen. WRS provides a section on the left to control data, a vertical tool bar in the middle to design and modify the report layout, and a horizontal tool bar to select reporting options.

SAS Web Report Studio	Untitle	d Report	Log Off Janine Milum	Preferences Help*
Eile Edin Vie <u>w</u> lasert Data 🚹	<b>3</b> 8	Edit View		Πn
	× (	] 🗌 🖬 🗠 🕅 🖉 🗞 🌒 🗇 📰 🏽 🖉		
Section1	×	Header +		
(No group breaks are defined.)	04 90 <b>1</b>	☐Drag and drop a report object hore		
	고아지			
A Section Data Options -	म			1
	4	Foolur +		
	1			

For this task we will begin by opening the Information Map created in the previous section. Select *File > Open* from the top tool bar then navigating to the location of the Information map.

🗿 545 web Report Studio i Edit Rep	ort - Microsoft Bib	and Equine				
File East Very Parcentee Tools	1144				1 At	
🌀 Back 🔻 🐑 🕫 🛃 💋 🐔	Search y	(*evantus: 🚱 🍰 🛬 🗷 + 🗾 🏭 🍰				
Address 🔕 http://nessisesd002201.de	v wachovia neti 8080	SASWebReportStudio/open/R8New.do			• Linka	
SAS Web Report Studio	Untitled Rep	ort		Log Off Jenine Mi	um   Preferences   Help* SSAS	
Eile Edit View Igsert Data 😭	2 G	Edin View			Π.Π.	
	* DD	Open - Microsoft Internet Biplorer		LDIX		
* Table of Contents Options *	×	N. C		-		
Section	Hea	Search for thes				
(No group breaks are defined.)		Location:				
	2.2	Chap2_1	📃 📧 🗀 😚 🗖 Shaw description	n		
	99	SAS Folders	Kerwands			
	1	Sheed Data	7900			
	The second	MughrightSharedData	2009			
	1	information Maps				
	8	Chap2_1				
A Faction Data - Onlines a			The second strength Transact Contra		830	- Inla
A section back obtains a	44					1000
	Feel		Search for files			
			Landian			
			In the second			4.32
			Chipz_1		in the interval	eccription
			Names	Actions Author	Date Keywo	ords
			Chap2_1 Map	E	6/29/2009	
	÷.				Open Clo	ise <u>H</u> elp
				1		1000000000
			Come Come	Hales		
			when conse	TRANS OF		
		L				
	No.					
	4				2	
		1.00			COLUMN TRY AND STIN	

関 Stade 🖉 😳 🗃 🛃 🛊 E Indiannea ... 😌 Skrifer Marrin, 🛛 💱 Stade Stade ... - 📽 Skill 📄 Stade ... 👔 Marrindon - ... 谢 Okapiter 3 i nu... 👹 Skill Marringon, 🗌 Skill Enternoom, Laks 🖉 🕷 👹 🖞 9.00 Art

Opening the Information Map produces the following window in the *View* tab.

	-			-												9,50	
ne view Data 🔛 😁 🔛 🖴 🖾	Edit		Viet	w												11	
*	Appl	ied filters	None	•													
R Table of Contents																	
Section1					Name	3						A	fred				
(No group breaks are defined.)						Age	Age (2)	Beight	Weight	Age (CLASSRIT)	illeight (CLASSRT)	Lower Bound Of 95% C.L (individual Pred)	Lower Bound Or 96% C.A. For Mean	Predicted Value Of Weight	Upper Bound Of 95% C.L (Individual Pred)	Upper Bound Of 95% C.A. For Mean	
	Sea	Hanne (2)	Sек (2)	Name (CLASSEIT)	Sex (CLASSEIT)							10					
		Alice	r	Allce							4				1		
		Barbara	5	Bathara	1												
		Jane	-	Lane	6												
		Janet	÷.	Janet													
	0.0	Joyce	F	Jayce	F												
Section Data Options +		Judy	F	Justy	1												
		Louise	F	Louise	F									·			
Chep2 1 Wap		Mary	Mary	5.	Mary		1.2		1-12								
-		Aniell	M	Afred		14	14	69	112.5	14	69	100.64556242	116.94168423	126.00612011	161.36675279	135.0/06568	
Nane -		henry		Inner													
🔁 Sex		Juffrent	M	leffrer	M									-			
🛷 hate	100	John	M	John	M												
🧳 Age (2)	M	Philo	M	Philip	M		1 1										
🧳 Height		Robert	M	Robert	M												
Name (2)		Bornalid.	M	Ronald	м												
Sev [7]		Thomas	M	Themas	M												
A Watches	1.1	William	M	William	м			i						8			
Age (CLASSFIT) Age (CLASSFIT) Height (CLASSFIT) Cover Bound Of 95% C.1. (Individual Pred)																	

Elle View	Dyn 🔡 📸 🕻	J 🕹 🛯		ļ	Edin	
	Refresh Data	α	Applie	d filter s	I None	1
🖉 Table i	Select Data		Hame	Affred	Alter	Bart
Section		-	1000	Age	Age	A.
100000000			Sex			
IN 0 Buont	breaks are define	d)	r		13	
120000336		0.0	M	14	1.00	i

The data source needs to be chosen and associated with the Information Map. Click on *Data > Select Data* from the tool bar and navigate to the folder location of the table.

**NOTE** If the data source is not found it most likely because the table has not been registered or you do not have proper permissions to read the data. Return to Management Console to verify the name, location, and the permissions. Contact the SAS Administrator if necessary.

Having identified the data source, we now select the items we wish to have represented in the report. Expand each table by clicking on the 🖃 next to it, enabling us to view all variables available. Highlight each variable that needs to be included in the report and then click on the 💽 icon to move the variables to the other pane. Select OK when all the variables have been copied to the Select Data Items pane.



**NOTE** In version 9.2 you can also select variables by dragging and dropping them from the left-hand pane to the right-hand pane.





The finished report will appear under the *View* tab. As you can see in the screenshot below, the report and data are as we requested, although it is not in a format or layout we prefer to publish.

SAS Web Rep	ort Studio - Chap2	2_1 Ma	P										Log O	If Janine Mill	m	Preferences	Sas
Elle View Dyta	19 29 2 2 W		Edit	v	iew												ΠA
A Table of Conte	exts	Аррб	od filte	erst None													
Section!	are defined.)	Hame	Age	Lower Bound Of 95% C.L.Per	Afred Predicted Value Of	Upper Bound Of 95% CL For	Ape	Lower Bound Of 55% CJ. For	Alice Predicted Value Of	Upper Bound Of 55% C.J. For	Age	Lower Bound Of 95% CL Per	Barbara Prediated Value Of	Upper Bound Of 95% CL For	Ape	Lower Bound Of 55% C.J. Por	Carol Predict Value (
	61	Sex F M	14	Mean 116.94169423	126.00617011	Mean 135.07065599	12	Mean 68.906553333	17 288291747	Mean 85.530030161	13	Mean 105 20025322	111.57975011	Mean 117.89925301	14	Mean 96 375045159	101.83218
🙊 Section Data	Optiom +																
Chap2_1.Map																	
<ul> <li>Name</li> <li>Sex</li> <li>Age</li> <li>Lower Bour</li> <li>Predicted V</li> <li>Upper Bour</li> </ul>	d Of 95% C.I. For Mean Nue Of Weight d Of 95% C.I. For Mean																

Return to the *Edit* tab to redesign our output. Right click on *Table 1* to bring up the design drop down menu. There are multiple design choices available. Select *Assign Data*. Use the Move Items drop down to manipulate the order

🚰 SAS web Report Studio : Edit Report - Microsoft Internet Explo . DIX 唐 File Edit View Payorites Tools 🌀 Back + 🔘 - 🖹 📓 🐔 🔎 Search 🤺 Pavorites 🧐 🍙 😓 🗷 + 📴 🙇 🚳 Address 🔊 http://tessisasd002201.dev.wachovia.net/8080/S43WebReportStudio/openFI9Current.do + Links Log Off Jenine Milum SAS Web Report Studio + Chap2\_1 Map §.sas Eille Edijt Vie<u>w</u> lysert Dyta 🔛 🚅 🔛 E a Edit View R Table of Contents Options -× Header -Section1 . (No group breaks are defined.) 🔊 Assign Data ... I Total ... B Assign Date - Microsoft Int - D × Percent of Total ... \$ 🍸 Filter and Bank .. Foster -4 Data item: Move I tems \* Conditional Highlighting म A Section Data Options + Movie to Calumn Report Linking .... a) Columns Chap2\_1.Map Move to Rows Name <u>al</u> × Remove Table #1 Move to Hidden None Name
 Name
 Age
 Age
 Lower Bound Of 90% C.I. For Mean
 Predicted Value Of Weight
 Upper Bound Of 90% C.I. For Mean A 400 Data Source Details Lower Bound Of 95% C.1 For Move Up Properties A Predicted Value Of Weight Move Down Pupper Bound Of 95% C.1. For Mean Rows Sex. 私 Hidden S lootlooal OK Cancel Help 4 1 Ne Local Intranet zone 0 🐮 Start 😹 🧐 🕃 🎽 🦲 3 Internet Expl., + 🥮 Jenire Miun - Inbo... 🔯 8 Microsoft Office... + 🥳 545 Book. 🛛 🦉 wrst8.bnp - Paint 🛛 📑 SAG Management ... 🛛 Links « 🔿 🔕 1:28 PM

and grouping of the variables in the report. When you have the report variables aligned as desired, select

**NOTE** In Version 9.2 items can be moved by dragging and dropping

	Edit		View		
Appl	ien an	ters) None			Select the View tab to see the resulting repor
	Age	Lower Bound Of 96% C.A.For Mean	Predicted Value Of Weight	Upper Bound Of 95% CA For Mean	
Sex					
F	119	772.59537761	838,89693961	905.20250161	
М	134	987.28110314	1051 5010504	1135 5210176	

To enhance the report by adding column totals, return to the *Edit* tab. Again, right click on the report to open the design drop down menu and this time select Total. The Total window appears and has several options. Choose

*Column Totals* and click on OK. This returns us to the View tab which now shows the report which includes Column totals.

Edit IIIN M	View M M N	0 H () T A A			
Header +		1			
Age,Lower Bo	and Ot 95	Assign Data Total Percent of Total Filter and Rank	) Total - Nicrosoft Internet Explorer		
Total T		Conditional Highlighting Report Linking	Row totals	Row subtotals	
	×	Remove Table Data Source Details Properties	- Course COCAS	OK Cancel	Help

Ī	<u>E</u> dit	V	View							
Applied filters: None										
	Lo Bou 95% M		Predicted Value Of Weight	Upper Bound Of 95% C.i. For Mean						
Sex										
F	119	772.59537761	838.89893961	905.20250161						
м	134	987.28110314	1061.6010604	1135.9210176						
Total	253	1759.8764808	1900.5	2041.1235192						

Let's add a graph to this report for a more visual representation of the data. To do this simply drag and drop one of the graphical reporting widgets on the Edit tab tool bar to an available grid square.

	YRM 2010 20 20 20 10 10 10	Γ
llevier -		
sh e'		
t instance fits	14 DF 25	
- i isy f		 
	~	
Survive, Low	er Blund	
: Foater +		

**NOTE** Although it is not necessary, you can eliminate unwanted cells blocks by highlighting them and clicking on the delete icon located on the vertical toolbar.

Return to the graph generic picture and right click on it. This opens the design drop down list. Select *Assign Data* to open the window that allows you to control the graph's components.

As described earlier, Use the *Move Items* drop down list to adjust the variables to their desired components of the graph.



Select or return to the *Edit* tab and select *View* tab to see the resulting report and graph. These are the reports that will be viewed from the *Information Delivery Portal*.



Hane: 🛛	netre : recru				
Tapa: : :	ata ca 1 te monua	tri of osires			
1-1 P-y-1			🗐 % 🖽 👀 🗆	🗆 5 væd., . i p.i.n	
tan•.		-inter	Dire.	becarers.	
		F.			
Description: CI	u.t.r.2 Gostin	a Secondaria și de Bl	-u-12.	_	
Description: C	ustar 2 Granting	;a≅ouotuuniaji te∄l	<sup>-</sup> 9-ta.		
Description: Cl	u.t.r.2 Gr.stm	(aferonti∎i tv Bl	°ota		
Description: [[] Keywards: [ - wrat- p.w = interration	ialai 2: Granting Thir Instance: or To rapidea 17 Tain	(a Second court a pint of B name it not the worked thready exclusion	"orta. 0 ote rea, o ta		

To complete our work in Web Report Studio and save our reports select *Files > Save As* from the menu tool bar.

**NOTE** It is a best practice to give the report a descriptive name and state that it's a Report such as "Chapter 2.1 Report". This provides easier identification.

#### 1.4

**Surfacing a Web Report Studio Report in the SAS Information Delivery Portal (IDP).** The *Information Delivery Portal*, also known as the *IDP*, is the tool that allows users access to a wide variety of information. While It has many purposes and capabilities, for our purposes, we will surface and view the report created in section 1.3.

As with *Web Report Studio, IDP* is a web based application. The URL to access the *Information Delivery Portal* should be provided by your SAS Administrator. Logon on to the *IDP* and to deliver a page similar to the one below.

🖥 SSS Lagan Meneger - Mirrosoft Toke net Ceptorer			
the second second took the			10 M
🕲 Ba = 💮 = 🖹 😫 🐔 🔎 Strat 👷 Parantas 🧑 🍰 - 😓 🗷 + 🦕	il 8		
Address 👔 minimum section) des versions constituines many sources provinsiones de la p	+7- ·++4.7%		· alle
SAS <sup>®</sup> Log On			₽+ <b>⊒</b> IS
Lee neme			
8AS <sup>5</sup> Portal	Rooting of the	October Decret	.oz OF Janite Vium -ep SSSS
Home Home Page Dashboard test Bilberro All har			
			Seales (for fully) fermious Rep
My Collection	🔄 🐉 🗶 💶 Dookmarks		≱иж .
Hall establish an a star 19402_1 Viputs → 19402_1 Viputs Vitation Start and a start an	» II.	i su nave no soskima ka.	
ing 2.1 Apporten 16 tri Bernard and a state for the form			
			-

0:1	lonam Cearch Log	OF Jonite Vium — Hepr
	dit Paga Colliant dit Paga Protectias	sas.
<u> </u>	Ald - aga	
×	Som vo Pago	aha gan Sabat Secondari Dingada
- 12	Change Page Order Mett Page History Create Page Template	å ×  <sup>−</sup>
-»	ns	

Start with a fresh page by selecting *Options* from the top right tool bar and select *Add Page*.

The next screen will provide you an opportunity give a name to your new page (also viewed as a tab). Provide a description and select the groups desired to view the page. Groups are created and determined by the SAS administrator. Select *Add* to receive *Page Successfully Added*. Click on *Done* to view our newly created Page.

Add Pages t	o Profile	
Create Search		and the second se
•Farre:	Urade 2.1	
Eescoptor	Surfacing a WRB Rep	of in the Porta
Focepres -		
Page rank	IU fagez er	o ordered pointer who mile=est to regreat
Liata (Sin	N I stated	-
	_	
	A. d.	U Prgo =re successition acada.
En e		

Returning to the Portal main page, again select *Options* from the top right navigation bar. This time select Edit Page Content.

Address 👌 mitter av 1777 til det værne krastfill ("Øreta) var de	14. T
SAS <sup>®</sup> Portal	Options* Legen and dir Page Parlam and dir Page Parlam is
Home Hage Dashboard test BIDemo All hands Chopter Z.1	A disaya Kamiya Paga Trango Pago Oktor Vero Paga History Create Paga Tempate IIIS IIIS IIIS IIIS IIIS

This will lead to a new page allowing control of the content of the new page. With IDP, all information is surfaced in individual *Portlets* contained within *Portal Pages*. We are going to create a *Portlet* within the newly created *Portal Page* to house a link to the report generated from *Web Report Studio*.

: וו <u>ר</u> ר	$\ll p_{1,\rm colu}$	m- 🗇 B.	जाः
amhai 1 na s	æ	C 2	C 3
a arra w dila	Y y		
Portion Jayout			
: Lm 1			
	Ť		
	4		
	22		
	$\times$		
end Parlle sea			

Naviate to the *Edit Page Content* page. Select *Add Portlets*... You can manipulate the number of portlets and the layout of these portlets within this page.

There are 2 ways to add the WRS Report to a Portlet. Select to describe the portlet returning to the Portal Page. Next, edit Content or Search for the report while creating the portlet. For this task we will create the portlet and edit its contents.

Parts type	Ан·-
Harre:	Unable 2.1 WR2 Report
Eess-pto-	[
Foc-ords	ſ
i natio () in	(: Nitstard
	A (I)

Provide a descriptive name to the new portlet and click on the Add button to receive the message Perfect was successfully relater. Select to return to the Edit Page Contents screen.

You can see that our portlet has been included in the page content. Select  $\bigcirc K$  to return to the Portal page.

Edit Page Content + Chapter 2.1
Legals δiβy colume ⊂iβy gate tambés à lan si Ci ⊂i ⊂i ⊂i ⊂i ⊂i sanama walite <b>Y</b> si
Portiest ayout Climinat
Practer 1122P≭ P-prit ↓ ↓
ord (Partle sec.)
DB Dan -I

	dimitation data	Optionary	Log Off Jonine Miure	-0.0*
SAS <sup>3)</sup> Portai			9	()sas
Home Home Page Dashboard test BIDemo All hands Chapter 2.1				
Chapter 2.1 WIS Report			12	P × -
Distriction of a star				

Select on the *Edit Content* icon from the portlet menu.

Edit Portlet Content • Chap 2.1  Show description Sort packages in a channel by their creation date: Use preferences setting Ascending Descending Items: Add Items	The following screen will appear allowing control of the <i>Edit Portlet Content</i> . Select <i>Add Items…</i>
Add Items OK Cancel	

	Add Items to Portlet - Chap 2.1 Create Search
The <i>Create</i> tab of the <i>Add Items to Portlet</i> screen appears. For this task, select the Search tab.	Application O Link O Syndication channel      Name:      Description:      URL:      Keywords:      Location (group): Not shared      Add
	Done

Keywords:	
Search	
Content Types	Using the * as a wild card, check SAS report to search repor
Application	available for the IDP
🗖 Data exploration	
🗖 File	
🗖 Link	
🗖 Package	
🗖 Publication channel	
SAS Information Map	
☑ SAS report	
SAS Stored Process	
Syndication channel	

The following Add menu appears. A complete list of reports is listed allowing the user to select reports based on their names and descriptions. Check the Chap2\_1 Report and click on Add button.

Add Items to Portlet - Chap 2.1							
Keywords:	A	dd					
*	E		Туре	Name 🔺	Description	Location	Creat
Search	Г			Chap2_1 Map.srx	Chapter 2 - Creating a Report Listing in the BI Portal	Shared Data/MktgInsightSharedData/Project SAS Testing/Reports	6/29/
Content Types     Application     Data exploration	Б	7		Chap2_1 Report.srx	Chapter 2 - Creating a Report Listing in the BI Portal	Shared Data/MktgInsightSharedData/Project SAS Testing/Reports	7/6/0
	Г	1		Executive.srx		Shared Data/ Metadata From 9.1.3	5/21/
L File	E	1		Executive3.srx		Shared Data/Metadata From 9.1.3	5/22/
Link	Г	1		MDSS - Retail Banking by Region Report.srx		Shared Data/MktgInsightSharedData/MDSS	7/7/0
Package     Publication channel	r	1		MDSS - Retail Banking Counts for 2009 Report.srx		Shared Data/MktgInsightSharedData/MDSS Combined	7/7/0
SAS Information Man	Г		1	Mortgage.srx		Shared Data/ MktgInsightSharedData/Reports	7/7/0
		1		NLR by Region.srx		Shared Data/Metadata From 9.1.3	5/21/
I♥ SAS report	Г		1	NLR Trend.srx		Shared Data/Metadata From 9.1.3	5/21/
SAS Stored Process      Syndication channel	r	1		Publish [SAS Report - MDSS For Summary Statistics].srx	Published by Jenine Milum	Shared Data/ MktgInsightSharedData/ MDSS Combined	7/8/0
- Synalcation channet	Г	1		Publish [SAS Report - Stored ProcessDev_shoes_via_EG].srx	Published by X666614	Shared Data/SAS Admin Demo/Reports	5/21/
Search Results	Г	1		SHOE SALES BY REGION.srx		Shared Data/SAS Admin Demo/Reports	5/21/
Poculto por pago 20	Г	1		SHOE SALES BY REGION using INFOMAP.srx		Shared Data/SAS Admin Demo/Reports	5/21/
Results per page. [20	L L	1	E.	Shoe Test with PUBLIC.srx		Shared Data/SAS Admin Demo/Reports	5/21/
	Г	1		Total Sales by Subsidiary Within Region - WRS Test.srx		Shared Data/SAS Admin Demo/Reports	5/22/
	-	τ τ 	Resu	lts 1 - 15 of 15 🛛 🕀 💆			
	4	dd					

**NOTE** The type of item listed in the Add menu is identified by its Icon and the file name extension. In this case Chap2\_1 Report is identified as a report by the .srx file extension and the i icon.

The <sup>1 item</sup>	n(s) added. is returned to the screen.	n. Select Done from the bottom left corner of the screer	n.
-----------------------	--	--	----

	Edit Portlet Content • Chap 2.1
This returns us to the <i>Edit Portlet Content</i> screen for Chap 2.1. The Report select will be visible in the <i>Items</i> menu. Select or return to the main Portlet window.	<ul> <li>✓ Show description</li> <li>✓ Show location</li> <li>Sort packages in a channel by their creation date:         <ul> <li>Obscending</li> <li>Chap2_1 Report.srx</li> <li>Add Items</li> </ul> </li> <li>OK Cancel</li> </ul>

Within the main portlet page, the individual portlet will appear as below. The report is now available any time the Portlet is accessed.



To view the report, click on the report name Chap2\_1 Report.srx. This will open to Web Report Studio and the report created in section 1.4.





The report is now available as created. Accessing the WRS report from IDP allows the user to not only access the report as designed; it allows the user to interact with the report to make alterations and new reports without changing the originally saved report.

There is a **Portal** link located in the top left-hand of the screen returning the user to the IDP.

#### ACKNOWLEDGMENTS

Thanks to SAS Publishing for encouraging me to write and submit this sample chapter for publishing consideration. Special thanks to John Bentley for his considerable editing skills and valuable input.

#### **CONTACT INFORMATION**

Your comments and questions are valued and encouraged. Contact the author at:

Name: Jenine Milum Phone: (404) 312-2142 Company: Wells Fargo E-mail: Jenine.milum@wellsfargo.com E-mail: jeninemi@yahoo.com

SAS and all other SAS Institute Inc. product or service names are registered trademarks or trademarks of SAS Institute Inc. in the USA and other countries. ® indicates USA registration. Other brand and product names are trademarks of their respective companies.