

Hash Object – Methods

declare hash obj();

**declare hash obj(dataset: 'dataset_name',
duplicate: 'replace' | 'error', hashexp: n,
ordered: 'a' | 'd' | 'no', suminc: 'count_var');**

Creates a hash object with the properties:

dataset: loads the hash object from a data set.

duplicate: controls how duplicate keys are handled when loading from a data set.*

hashexp: n declares 2ⁿ slots for the hash object.

ordered: specifies a key sort order when using a hash iterator or the **output** method.

suminc: *count_var* contains the increment value for a key summary that is retrieved by the **sum** method.*

rc = obj.defineKey('key_var1', ..., 'key_varN');

rc = obj.defineKey(all: 'yes');

Defines a set of hash object keys given by *key_var1...key_varN*.

rc = obj.defineData('data_var1', ..., 'data_varN');

rc = obj.defineData(all: 'yes');

Defines data, given by *data_var1...data_varN*, to be stored in the hash object.

rc = obj.defineDone();

Indicates that key and data definitions are complete.

rc = obj.add();

**rc = obj.add(key: key_val1, ..., key: key_valN,
data: data_val1, ..., data: data_valN);**

Adds the specified data associated with the given key to the hash object.

rc = obj.find();

rc = obj.find(key: key_val1, ..., key: key_valN);

Determines whether the given key has been stored in the hash object. If it has, the data variables are updated and the return code is set to zero. If the key is not found, the return code is non-zero.

All methods return zero for success

Hash Object – Methods

rc = obj.replace();

**rc = obj.replace(key: key_val1, ..., key: key_valN,
data: data_val1, ..., data: data_valN);**

Replaces the data associated with the given key with new data as specified in *data_val1...data_valN*.

rc = obj.check();

rc = obj.check(key: key_val1, ..., key: key_valN);

Checks whether the given key has been stored in the hash object. The data variables are not updated.

Return codes are the same as for **find**.

rc = obj.remove();

rc = obj.remove(key: key_val1, ..., key: key_valN);

Removes the data associated with the given key.

rc = obj.clear();

Removes all entries from a hash object without deleting the hash object.*

rc = obj.output(dataset: 'dataset_name');

Creates dataset *dataset_name* which will contain the data in the hash object.

rc = obj.sum(sum: sum_var);

**rc = obj.sum(key: key_val1, ..., key: key_valN,
sum: sum_var);**

Gets the key summary for the given key and stores it in the DATA Step variable *sum_var*. Key summaries are incremented when a key is accessed.*

rc = obj.ref();

rc = obj.ref(key: key_val1, ..., key: key_valN);

Performs a **find** operation for the current key. If the key is not in the hash object, it will be added.*

rc = obj.equals(hash: 'hash_obj', result: res_var);

Determines if two hash objects are equal. If they are equal, *res_var* is set to 1, otherwise it is set to zero.*

*Feature available in SAS 9.2 and later.

Hash Object – Attributes

i = obj.num_items;

Retrieves the number of elements in the hash object.

sz = obj.item_size;

Obtains the item size, in bytes, for an item in the hash object.*

rc = obj.delete();

Deletes the hash object.

Hash Iterator – Methods

declare hiter iterobj('hash_obj');

Creates a hash iterator to retrieve items from the hash object named *hash_obj*.

rc = iterobj.first();

Copies the data for the first item in the hash object into the data variables for the hash object.

rc = iterobj.last();

Copies the data for the last item in the hash object into the data variables for the hash object.

rc = iterobj.next();

Copies the data for the next item in the hash object into the data variables for the hash object. A non-zero value is returned if the next item cannot be retrieved.

Use iteratively to traverse the hash object and return the data items in key order. If **first** has not been called, **next** begins with the first item.

rc = iterobj.prev();

Copies the data for the previous item in the hash object into the data variables for the hash object. A non-zero value is returned if the next item cannot be retrieved.

Use iteratively to traverse the hash object and return the data items in reverse key order. If **last** has not been called, **prev** begins with the last item.

SAS9 – Hash Object Tip Sheet

Example – Load and Find

```
/* Create Input Data Set */
data names;
  length first last title $ 16 born died 8;
  input first last born died title & $16.;
datalines;
William Blake 1757 1827 Spring
John Keats 1795 1821 To Autumn
Mary Shelley 1797 1851 Frankenstein
;

/* Load and Find */
data _null_;
  length first last title $ 16;
  length born died 8;

  declare hash ht(dataset:"names");
  ht.defineKey("first", "last");
  ht.defineData("born", "died", "title");
  ht.defineDone();

  /* Find John Keats */
  first = "John";
  last = "Keats";

  rc = ht.find();
  if rc = 0 then
    put "Found " first last title $QUOTE.;
  else
    put "Not Found " first last;
run;

Output:
  Found John Keats "To Autumn"
```

Example – Sorted Output

```
/* Add to hash and then output */
data _null_;
  length patient_id $ 16 discharge 8;

  if _N_ = 1 then do;
    declare hash ht(ordered:"a");
    ht.defineKey("patient_id");
    ht.defineData("patient_id",
                 "discharge");
    ht.defineDone();
  end;

  infile datalines eof=output;
  input patient_id discharge:DATE9.;

  ht.add();

  /*
   ht.add() same as:
   ht.add(key:patient_id,
          data:patient_id,
          data:discharge);
  */
  return;

output:
  ht.output(dataset:"sorted_ids");
datalines;
Smith-4123 15MAR2004
Hagen-2834 23APR2004
Smith-2437 15JAN2004
Flinn-2940 12FEB2004
;

data _null_;
  set sorted_ids;
  put patient_id discharge:DATE9.;
run;

Output:
  Flinn-2940 12FEB2004
  Hagen-2834 23APR2004
  Smith-2437 15JAN2004
  Smith-4123 15MAR2004
```

Example – Hash Iterator

```
/* Create Input Data Set */
data patients;
  length patient_id $ 16 discharge 8;
  input patient_id discharge:DATE9.;
datalines;
Smith-4123 15MAR2004
Hagen-2834 23APR2004
Smith-2437 15JAN2004
Flinn-2940 12FEB2004
;

/* Load and iterate over hash */
data _null_;
  length patient_id $ 16
  discharge 8;

  declare hash ht(dataset:"patients",
                  ordered:"ascending");
  ht.defineKey("patient_id");
  ht.defineData("patient_id",
               "discharge");
  ht.defineDone();

  declare hiter iter("ht");
  rc = iter.first();
  do while (rc=0);
    put patient_id discharge:DATE9.;
    rc = iter.next();
  end;
run;

Output:
  Flinn-2940 12FEB2004
  Hagen-2834 23APR2004
  Smith-2437 15JAN2004
  Smith-4123 15MAR2004
```

For complete information refer to the
Base SAS documentation at
<http://support.sas.com/base>