

Index

A

accessing rows from 221, 257, 259, 287
ADD clause 196
ADD CONSTRAINT clause 187
adding data to 153, 161, 164, 169, 193
adding data with 153, 161, 171
addition 34, 63, 236, 237, 242, 290, 293, 325, 368, 393
aggregate functions 51, 143, 152, 243
aliases 30, 35, 89, 221, 222, 235, 287
ALL keyword 253, 259, 403
alternate approaches 221, 247
ALTER TABLE statement 178, 180, 182, 184, 185, 192, 195, 196, 200, 201, 204
AND logical operator 231, 238
ANSI standard 7, 59, 158, 237
ANY keyword 252, 253
Applications 67, 72, 105, 109, 139, 149, 152, 177, 178, 221, 272, 282, 382, 405, 406
Arithmetic 21, 24, 27, 28, 30, 31, 34, 35, 82, 127, 236, 237, 290
arithmetic and missing data 21, 28
arithmetic operators 21, 31, 34, 35, 82, 127, 236
AS keyword 30, 35, 38, 63, 87, 92, 116, 117, 123, 127, 129, 379, 385, 389
AS operator 89
as unordered 108
asymmetric 240, 331
attributes 4, 11, 66, 93, 104, 154, 158, 159, 193, 195, 196, 214, 223, 226, 237, 259, 262, 290, 344, 346, 349, 350, 364, 383, 405
automatic macro variables 66, 76, 109, 139, 147, 383
AUTOMATIC option 147
automatic sorting 391, 393
AVG function 54
avoiding UNIONS 391, 401

B

base tables 289, 290, 292, 293, 295, 299, 312
BETWEEN predicate 55, 56
Blanks 37, 38, 60, 88–90, 147, 323, 325, 329, 331, 333–35, 354

Bugs 365, 366, 368
BY statement 133, 208, 277

C

calculated column views 291
CALCULATED keyword 21, 35, 63, 65, 82, 127, 331, 332
call compcost routine 340, 341
CALL EXECUTE routine 343, 354, 364
Cartesian product 221, 223, 225, 229, 232, 233, 265, 375
CASCADE clause 187
CASE expressions 109, 110, 114, 115, 119, 124, 127, 129, 152, 338
Catalogs 72, 73
CATALOGS dictionary table 73
CATX function 90, 323, 354
change control 187, 299, 312
character data type 27
character sets 27
character string operators 21, 31, 36, 82
character strings 27, 83, 88, 90, 108, 325, 335
CHAR column-definition 200
CHECK 60, 62, 65, 67, 112, 153, 178, 182, 183, 284, 380
COALESCE function 45, 131, 132
column aliases 30, 35
column-definition lists 153, 154, 158, 193
column definitions 21, 26, 82, 158, 178, 200
column names 1, 7, 21, 69, 158, 159, 167, 193, 213, 219, 224, 259, 262, 350, 352, 369, 385
COLUMNS dictionary table 73, 149, 343, 352
comparing rows 221, 263
comparison operators 21, 31–33, 82, 129, 246, 250, 252, 398
compged function 332, 334–341, 407
compged scoring algorithm 335
complex function 332–34
complex queries, types of 62, 100, 118, 221, 222, 224, 225, 272, 287
 See types of complex queries
composite index 76, 195, 212, 213, 217, 220, 395
computations 63, 65, 123, 143, 221, 236, 291
computations in joins 221, 236
concatenating 36, 37, 83, 88, 90, 108, 146, 221, 261, 266, 323, 392
concatenating rows 221, 261
concatenating strings 36, 323
concatenation operator 36, 38, 39, 88, 323
conditional logic 109, 113, 137, 152

- constants 83, 90, 91, 108–10, 399
- constraints 8, 67, 68, 153, 161, 177, 178, 183, 187, 188, 191–93
- CONTAINS operator 114, 398
- CONTENTS procedure 73, 155, 167, 212, 293
- correlated subqueries 221, 254, 255
- CORRESPONDING CORR keyword 262
- COUNT function 52, 255
- CREATE INDEX 212–215, 398
- CREATE TABLE statement 24, 68, 103, 154, 158, 159, 178, 181, 201, 202, 204–206, 290, 379, 380
- CREATE VIEW statement 199, 290, 292, 389
- creating multiple macro variables 109, 144
- creating views 289, 292
- cross join 225, 229
- cross-referencing columns 109, 149
- Custom-defined formats 343, 357

D

- Databases 4, 30, 67, 150, 177, 325, 343
- data cleaning 265, 313, 318, 323, 324, 405
- Data Definition Language DDL 195, 219
- Data-driven Programming 319, 343, 344, 364, 405–407
- data integrity 1, 8, 183, 185, 191, 202, 205, 258
- data sets 21, 63, 66, 67, 72, 73, 77, 149, 158, 177, 223, 224, 296, 297, 313–316, 323, 325–328, 335, 337, 339, 341–346, 364, 395, 397, 407
- DATASETS procedure 206, 219
- DATA step 24, 25, 32, 34, 38, 41, 44, 53, 82, 102, 103, 114, 115, 137, 154, 155, 157, 193, 201–203, 221–224, 251, 261, 269, 272, 277, 284, 297, 298, 340, 350, 351, 354, 358, 364, 406, 408
- data transformation 265, 337
- data types 21, 23, 53, 82, 149, 259, 291
- data values distribution, understand 313, 318
- date formats 87
- date informats 26
- DBMS tables 150
- DDL statements 195, 219
- Debugging 365–370, 372, 374, 375, 377, 379, 381–383, 385, 389, 390, 407
- debugging process 365, 366, 379, 389
- DELETE FROM 189, 190, 311, 394
- DELETE statement 189, 190, 193, 246
- deleting rows in 153, 189
- deleting tables 8, 24, 27, 103, 153, 190, 191, 195

DESCRIBE TABLE statement 68, 188
DESCRIBE VIEW statement 294
determine matching variables 313, 317
Dictionary tables 21, 66, 67, 69, 71, 73, 74, 79, 80, 82, 139, 151, 283, 317, 343, 350,
351, 364, 396, 405, 406
dictionary views 66, 69, 72, 81, 405
Direct Access Storage Device DASD 392
displaying row numbers 83, 85
DISTINCT keyword 30, 232, 304, 326
Division 34, 123, 236, 325
double-spacing 83
DROP CONSTRAINT clause 192
DROP INDEX statement 217
DROP TABLE statement 191, 192, 206
DROP VIEW statement 311, 312
duplicate rows 109, 151, 232, 256, 259, 292, 371, 393, 401, 403
duplicate values 30, 181, 195, 214, 399

E

eliminating redundancy 289, 299, 312
ELSE expression 114, 115, 152
Empty 135, 154, 158, 190, 191, 254, 336
equal sign 38, 225, 230, 232, 248, 250
equijoins 221, 230, 232
error handling 265
exact matching process 313, 327
EXISTS predicate 62
external files 67, 76, 107
EXTFILES dictionary table 76
extracting information from 42

F

feature creep 368
fifth normal form 5NF 6
FILENAME statement 76
Filerefs 66
finding duplicate 30
first nonmissing value 45
first normal form 1NF 4, 5
FOREIGN KEY 4, 8, 153, 183–87
foreign keys 183

FORMAT procedure 116, 133, 134, 323, 357
formatting output 36, 51, 83, 102
fourth normal form 4NF 6
FROM clause 21, 23, 72, 94, 110, 127, 202, 205, 219, 223, 230, 234–238, 240, 295, 350
full outer joins 221, 224, 245
functions 21, 31, 38
fuzzy matching process 313, 316, 317, 328
Fuzzy Matching Programming 313, 406, 407

G

greater than 32, 33, 55, 56, 64, 65, 110, 111, 127, 232, 233, 252, 253, 330, 331, 333, 335
GROUP BY clause 23, 51, 97–101, 110, 121, 122, 243, 255, 292, 301, 372, 386, 393, 404
grouping data 83, 97, 99, 108, 109, 133
grouping data and sorting 83, 99

H

HAVING clause 23, 33, 51, 83, 97, 98, 100, 101, 109–115, 121, 122, 137, 143, 151, 246, 255, 256, 291
hiding logic complexities 289, 300, 312
hierarchy 372
HTML format engine 107
Hybrid 291, 292
Hyperlinks 361

I

identifying duplicate rows 109, 151
IDXNAME 209
Idxusage 70, 283
IDXWHERE 209
IFC 109, 137, 138, 152, 405
IFN 109, 137, 138, 152, 405
IF-THEN 114, 137
in columns 177
indexes 27, 38, 66, 67, 70–73, 76, 77, 79, 125, 149, 154, 162, 165, 190, 195, 202, 207–209, 211, 212, 214, 217, 219, 222, 224, 226, 282, 283, 343, 364, 391, 394, 395, 397, 398, 404, 407
INDEXES dictionary table 76
INDEX function 40–42
Informats 26, 27, 67, 357
inner joins 221, 222, 224, 225, 230, 240

INOBS 374, 375, 381, 382
IN operator 113, 251, 398
IN predicate 57, 246, 250–252, 287, 399, 402
input-expression 115, 127
input-expressions 115, 127
input to 103, 246, 254, 296–298
inserting 39, 83, 90, 108, 171, 289, 304, 308, 371
INSERT INTO statement 161–65, 167, 169, 171, 172, 179, 193, 304, 305, 383
Insertions 3, 334
INSERT statement 246
integrity constraints 8, 67, 68, 153, 161, 177, 178, 183, 188, 191–193
Interleaving 221, 266, 268
Intersect 7, 225, 226, 256–258, 287, 387
Intersection 4, 221, 257, 287
INTO clause 23, 142–146, 152, 270
I/O 373
IS MISSING predicate 59
IS NULL predicate 58, 59

J

Joins

- about 4,
- algorithms 226–227
- importance of 223
- influencing 227–229
- inner 230–240
- outer 240–246
- performing computations in 236
- using table aliases in 235
- versus merge 224

K

KEEP data set option 298
key dependencies 5
keywords 7, 21, 30, 31, 207, 240, 246, 252, 373

L

LABEL option 69, 93
Labels 109, 133, 373
LEFT function 39

left outer joins 221, 241
length 24–27, 32, 36, 38, 69–73, 79, 82, 88, 89, 149, 150, 154, 155, 157, 158, 193,
195, 200–203, 219, 235, 281, 282, 331, 333, 335, 350, 352, 383, 392, 397
LENGTH function 38
LENGTH statement 24, 154, 155, 157, 193, 201, 202
LET macro statement 139
Levenshtein 332–334
LIBNAMES 68
Libraries 66–68, 72, 81, 290, 343, 344, 364
Librefs 73, 350
LIKE clause 153, 154, 158, 193
LIKE predicate 59–61
Listing destination 104, 107
Lists 153, 154, 158, 193, 238, 272, 325, 344, 382, 399
Logic 44, 51, 109, 113, 116, 117, 119, 124, 127, 129–132, 135, 137,
152, 189, 269, 270, 289, 290, 300, 305, 312, 337–339, 343, 344,
365, 367, 368, 391, 398, 399, 404
Logical 1, 2, 4, 13, 20, 21, 31, 33, 34, 82, 113, 114, 127, 129, 131, 137,
138, 152, 154, 178, 208, 231, 236, 238, 281, 282, 364, 383, 392, 394
logical-expression 137, 138
logical operators 21, 31, 33, 82, 127, 152
logic conditions 116, 117, 124, 130, 135, 152, 391, 398, 399, 404
lookup 227, 273, 325
look-up 113, 133
looping 226, 343
LOWCASE function 41, 42
lowercase characters 41, 61

M

METHOD 372–373
Macro language 109, 139, 152, 269, 343, 360, 364, 405, 407
Macros 66–68, 71, 76, 77, 149, 152, 343, 364, 405
MACROS dictionary table 76
macro variables 23, 66, 76, 109, 139, 142–145, 147, 149, 152, 352, 354,
361, 365, 368–371, 376, 383
many-to-many 221, 223, 224, 272–274, 277
many-to-one 221, 223, 224, 272–274, 276
maximum values 51, 182, 318
mdy 239, 372, 373
mean (average) 51, 52
MEANS procedure 296
MEMBERS dictionary table 77, 79

Memlabel 71
Memname 69–72, 74, 150, 151, 283, 351–353, 396, 397
Memory 190, 208, 217, 226, 227, 283, 367, 392, 394, 397, 402–404
Memtype 69–72, 150, 151, 187, 345, 346, 349, 351, 352
merge-sorting 401
metadata 21, 66, 67, 158, 167, 317, 343, 344, 346, 348, 349, 364, 405–407
MIN function 98
Mismatches 324
missing values 21, 27, 45, 47, 52, 58, 82, 135, 169–172, 178–80, 244, 313,
318, 323, 342, 367
Mnemonics 32
MODIFY clause 200, 204, 219
Modifying 27, 38, 125, 162, 165, 190, 195, 214, 219, 224, 304, 391, 404, 405
MONOTONIC function 47, 49
Msglevel 214, 215, 372, 373, 397, 404
MSGLEVEL system option 397, 404
multiple tables 3, 223

N

naming conflicts 149
naming conventions 7, 89, 235, 385, 386
nesting 124, 222, 246, 289, 302, 312
NOEXEC option 379
non-equi joins 221, 232
Normalization 1, 3–5, 20
 first normal form 1NF 4, 5
 second normal form 2NF 4, 5
 third normal form 3NF 4, 5, 20
 fourth normal form 4NF 6
 fifth normal form 5NF 6
Normalization Strategies 4–6
NOT EXISTS condition 254, 255
NOT logical operator 34, 114
NOT NULL 59, 132, 153, 178–81, 210
NOT NULL integrity constraint 179
null values 3, 27, 135, 136, 153, 178, 180, 241, 395
null values in 136, 178, 180, 241
numeric data type 24, 26, 28, 82

O

- ODS HTML statement 106, 107
- ODS OUTPUT statement 103, 284
- ODS RTF destination 104
- ON clause 109, 110, 222, 241, 242, 388
- ON DELETE clause 186
- ON DELETE SET NULL clause 186
- one-to-many relationships 6
- ON UPDATE CASCADE clause 187
- Operators 21, 31–36, 38, 55, 82, 109, 113, 127, 129, 152, 221, 225, 226, 236, 246, 250, 252, 256, 257, 279, 291, 304, 398, 407
- Operators and functions 31
- Optimizing 22, 391, 394, 398, 404
- OPTIONS dictionary table 68, 78
- ordering output by columns 83, 94, 108
- OR logical operator 33, 113
- outer joins 221, 222, 224, 225, 230, 240–242, 244, 245
- OUTER UNION operation 266
- OUTOBS option 377, 381, 382
- output by columns 83, 94, 108
- Output Delivery System (ODS) 102, 105
- OUTPUT destination 103, 349

P

- partial key dependencies 5
- pattern matching 27, 59
- percent sign 59
- performance 2–4, 6, 30, 76, 123, 190, 207, 209, 211, 212, 217, 226, 282, 319, 326, 330, 391–398, 402, 404, 408
- performance tuning 76, 391, 404
- phonetic matching 27, 43, 313, 329
- populating 8, 24, 27, 103, 142, 145, 153, 160, 171, 172, 179, 181, 182, 193, 195, 354
- populating tables 153, 160
- predicates 21, 31, 55, 59, 82, 109, 113, 152, 236
- primary key 5, 6, 8, 153, 183–186, 188
- PRINT procedure 47, 84, 85, 297
- Procedures 69, 277, 289, 290, 296, 297, 326, 344, 351, 407
- programming paradigms 343, 364
- PUT macro statement 383–385

Q

Queries 4, 62, 100, 118, 178, 209, 212, 214, 221, 222, 224–26, 236, 256–63, 272, 283, 287, 290, 295, 326, 328, 337, 365, 368, 369, 388, 394, 395, 408
QUIT statement 84

R

range of values 51, 55, 56, 133, 182, 209, 318
recursive references 202, 205
redundant information 1, 3, 20
referential 1, 8, 68, 153, 183–188, 192
referential integrity 1, 8, 153, 183–188, 192
referential integrity constraints 8, 153, 183
relational data 5
RENAME data set option 7
renaming columns 204, 205
reserved words 1, 7
RESET statement 84, 369, 376–380
restricting data access 289, 299, 312
Rich Text Format RTF 104
RIGHT function 40
right outer joins 221, 244
RTF format engine 104

S

SASHELP library 69
SAS metadata sources 343, 344
SASUSER library 73
SAS Windowing environment 302, 303, 305
scalar expressions 83, 91, 108
SCAN function 38, 270, 361
Searches 43, 59, 248, 337
search for patterns in a character string 40
second normal form 2NF 4, 5
SELECT clause 65, 97, 98, 115, 116, 119, 121–23, 127, 130, 145, 201, 202, 204, 205, 257, 393
SELECT query 153, 161, 171, 172, 199, 206, 279, 300, 301, 348, 349, 358, 361, 388, 389
SELECT statement 21–23, 30, 31, 35, 45, 47, 51, 63, 65, 72, 91, 97, 101, 110, 114, 143, 144, 151, 159, 222, 223, 235–237, 246, 256, 258, 264, 287, 290–292, 295, 301, 304, 308, 310,

350, 353, 367, 369, 370, 372, 379, 383–89

self joins 221, 233

sending output to 83, 103

sequential access 207, 212, 217, 283

SET clause 38, 153, 161–163, 218, 309, 310

SET NULL clause 186

set operations 221, 222, 225, 226, 256

sorting 83, 99, 208, 226, 265, 391–394, 404

SORTPGM system option 392, 404

soundex algorithm 43, 329, 330, 332, 342

sounds-like operator 43, 44

special characters 90, 354

spedis function 330–332, 342

splitting tables 391, 393, 404

SQL ANSI standard 158, 237

SQL keywords 7, 21, 30

SQLQBS macro variable 147, 383

SQLQOBS macro variable 147, 376, 384

SQL procedure 27, 32, 34, 36, 38, 40, 43, 47, 49, 51, 54, 69, 82–85, 87, 94, 99, 103–105, 107, 109, 110, 114, 115, 119, 134, 139, 143, 149, 152, 155, 156, 172, 177, 178, 183, 188, 196, 201, 204, 206, 222–227, 232, 236, 242, 249, 251, 256, 272, 277, 281, 282, 289, 292, 294, 295, 306, 308, 310, 343, 360, 364, 365, 367, 368, 379, 382–386, 388, 392, 398, 401, 402

SQL procedure options, undocumented 382

SQLRC macro variable 147, 385

Strings 27, 33, 36, 37, 83, 88, 90, 108, 139, 323, 325, 330, 332, 334–336, 341, 354

Subqueries 62, 100, 118, 221, 222, 225, 246–257, 278, 285–287, 290, 292, 300, 304, 383, 387–388

subsetting groups 83, 100

SUBSTR function 42, 117

Subtraction 34, 236, 293

SUM function 53, 243

summarizing data 21, 51, 54

summarizing data across columns 54

summarizing data down rows 54

summary aggregate functions 143

syntax checking 368, 369

syntax errors 22, 368, 380, 385, 387

system messages 391, 395, 397, 404

system options 66–68, 343, 364, 368, 391–393

System-related 67, 343, 365, 368

T

- `_TREE` 372–373
- table aliases 221, 222, 235, 287
- tables as 161, 241, 269, 375
- `TABLES` dictionary table 79, 150
- Testing 52, 58, 62, 323, 366, 368, 407
- testing for null or missing values 58
- testing for the existence of a value 62
- text strings 37, 139, 334
- third normal form 3NF 4, 5, 20
- time informats 26, 27
- `TITLE` statement 139, 368
- trailing blanks 37, 38, 60, 89, 90, 323, 325, 331
- `TRIM` function 38, 39, 89
- Troubleshooting 365, 368, 369, 372, 374, 375, 379, 381–83, 385, 390
- truncated string 32, 33
- truncated string comparison operators 32, 33
- tuning for performance and efficiency 391
- types of complex queries 221, 224, 225
- types of problems 313, 365, 367, 389

U

- `UNION` operation 266, 389
- `UNIONS` 391, 401
- `UNIQUE` constraint 153, 181
- `UNIQUE` keyword 31, 74, 207, 214
- `UPCASE` function 41, 111, 113, 214, 325, 337
- updatable views 289, 291, 304, 311, 312
- `UPDATE` statement 38, 125, 218, 220, 308–310, 379
- updating data in 125, 195, 218, 220
- uppercase characters 41
- usage errors 367, 389

V

- `VALIDATE` statement 365, 368, 369, 379
- Validating 153, 182, 365, 368
- Validation 182, 265, 313, 318, 323–325, 341
- `VALUES` clause 164, 165, 167, 179, 180, 182, 183, 305, 307, 308
- Views 2, 21, 66–69, 72, 74, 77, 81, 190, 198, 199, 289–292, 294–297,

299, 300, 302–304, 307, 311, 312, 343, 351, 364, 405, 406
VIEWS dictionary table 81

W

WHEN-condition 115
WHEN-THEN clause 114
WHERE clause 23, 32, 35, 39, 41, 44, 56, 60, 64, 65, 73, 79, 82, 100,
101, 110–115, 119, 123, 124, 129, 139, 142, 145, 146,
152, 159, 172, 189, 190, 193, 208, 209, 214, 215, 217,
222, 223, 225, 229–235, 237, 238, 240–242, 244, 246,
248, 249, 251–257, 270, 285–287, 291, 299, 304, 306,
308–310, 330–332, 334, 337–339, 375, 387, 388, 391,
394, 397, 398, 402, 404
where-clause 373, 395
WHERE expression 218, 307
WORK library 73, 76, 77, 79, 81, 190, 191, 206, 311

X

XLSX 174, 355, 356, 361–363
XML 68

Y

Yearcutoff 27
YEAR function 56