



THE
POWER
TO KNOW.

SAS® Model Manager 14.1: Tutorials

The correct bibliographic citation for this manual is as follows: SAS Institute Inc. 2015. *SAS® Model Manager 14.1: Tutorials*. Cary, NC: SAS Institute Inc.

SAS® Model Manager 14.1: Tutorials

Copyright © 2015, SAS Institute Inc., Cary, NC, USA

All Rights Reserved. Produced in the United States of America.

For a hard copy book: No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without the prior written permission of the publisher, SAS Institute Inc.

For a web download or e-book: Your use of this publication shall be governed by the terms established by the vendor at the time you acquire this publication.

The scanning, uploading, and distribution of this book via the Internet or any other means without the permission of the publisher is illegal and punishable by law. Please purchase only authorized electronic editions and do not participate in or encourage electronic piracy of copyrighted materials. Your support of others' rights is appreciated.

U.S. Government License Rights; Restricted Rights: The Software and its documentation is commercial computer software developed at private expense and is provided with RESTRICTED RIGHTS to the United States Government. Use, duplication, or disclosure of the Software by the United States Government is subject to the license terms of this Agreement pursuant to, as applicable, FAR 12.212, DFAR 227.7202-1(a), DFAR 227.7202-3(a), and DFAR 227.7202-4, and, to the extent required under U.S. federal law, the minimum restricted rights as set out in FAR 52.227-19 (DEC 2007). If FAR 52.227-19 is applicable, this provision serves as notice under clause (c) thereof and no other notice is required to be affixed to the Software or documentation. The Government's rights in Software and documentation shall be only those set forth in this Agreement.

SAS Institute Inc., SAS Campus Drive, Cary, NC 27513-2414

August 2016

SAS® and all other SAS Institute Inc. product or service names are registered trademarks or trademarks of SAS Institute Inc. in the USA and other countries. ® indicates USA registration.

Other brand and product names are trademarks of their respective companies.

14.1-P2:mdlmgrtut

Contents

<i>About These Tutorials</i>	<i>vii</i>
Chapter 1 • SAS Model Manager Tutorials	1
Overview of SAS Model Manager Tutorials	1
Configure Users for Tutorials	3
Install and Register the Tutorial Files	4
Create Tutorials Folders	12
Chapter 2 • Tutorial 1: Prepare for Using SAS Workflow	15
Overview	15
Make the Workflow Templates Available	16
Chapter 3 • Tutorial 2: Performing Basic SAS Model Manager Tasks	19
Overview of SAS Model Manager Basics	20
Prerequisites	20
Organize the Model Hierarchy	21
Import Models	24
Create Model Comparison Reports	29
Scoring Models	33
Set a Champion Model	35
View History	35
Search for Models	35
Chapter 4 • Tutorial 3: Importing Models, Scheduling Scoring Tests, and Creating Reports	37
Overview of Importing Models, Scheduling Scoring Tests, and Creating Reports	38
Prerequisites	38
Organize the Model Hierarchy	39
Import Models	45
Create Model Comparison and Summary Reports	50
Scoring Models	56
Set a Champion Model	58
Chapter 5 • Tutorial 4: Publishing Models	61
Overview of Publishing Models	61
Prerequisites	62
Publish Models to the SAS Metadata Repository	63
Publish Models to a Database	66
Update Workflow	72
Chapter 6 • Tutorial 5: Performance Monitoring and Using Dashboard Reports	73
Overview of Performance Monitoring	73
Prerequisites	74
Monitor the Performance of a Classification Project Champion Model	75
Monitor the Performance of a Prediction Project Champion Model	80
Schedule Performance Monitoring	84
Creating Output Formats for Performance Monitoring Reports	86
Using Dashboard Reports	87

Chapter 7 • Tutorial 6: Creating LGD and PD Model Validation Reports	93
Overview of LGD and PD Model Validation Reports	93
Prerequisites	94
Organize the Model Hierarchy	95
Import Models	99
Create LGD and PD Reports	102
Chapter 8 • Tutorial 7: Using Advanced Reporting Features	107
Overview of Advanced Reporting Features	107
Prerequisites	108
Create a Simple Ad Hoc Report	109
Create an Ad Hoc Score Range Report	110
Configure and Run a User-defined Score Range Report	112
Combining Multiple Reports	114
Chapter 9 • Tutorial 8: Creating and Using Model Templates	117
Overview of Creating and Using Model Templates	117
Example Scope	118
Prerequisites	118
Organize the Model Hierarchy	119
Create a Model Template	121
Import a Model	122
Create an Ad Hoc Variable Importance Report	124
Chapter 10 • Tutorial 9: Retraining Models	127
Overview of Retraining Models	127
Prerequisites	128
Define a Model Retrain Definition	129
Execute a Model Retrain Definition	131
Schedule a Retrain Definition	132
Viewing Retrained Models and Model Comparison Reports	133
Chapter 11 • Tutorial 10: Creating and Managing Portfolios	135
Overview of Portfolios	135
Prerequisites	136
Organize the Model Hierarchy	137
Set a Champion Model	141
Publish Project Champion Models from a Portfolio	142
Monitor Performance of Project Champion Models	144
Add a New Version	148
Add an Input Variable	149
Add Attachments	150
Add Comments	150
View SAS Factory Miner Models	150
Chapter 12 • Tutorial 11: Using My Tasks and Managing Workflows	153
Overview of Using My Tasks and Managing Workflows	153
Prerequisites	154
Add a New Version	154
Start a Workflow	156
Working with Workflow Tasks	156
Manage Workflows	159
Chapter 13 • Tutorial 12: Managing Model Inventory	163
Overview of Managing Model Inventory	163
Prerequisites	163

Import Models into a Folder	163
Modify Model Content	165
Add Model User-Defined Properties to the Inventory List	170
Search and Filter Model Inventory	171

Chapter 14 • Tutorial 13: Scoring a SAS Model Manager Model Using SAS

Data Integration Studio	173
Overview of Using Published Models in SAS Data Integration Studio	173
Prerequisites	174
Publish a Project Champion Model from SAS Model Manager	175
Score a Model Using a SAS Data Integration Studio Job	175
Declare and Publish a New Champion Model in SAS Model Manager	179
Update the Job to Use the Latest Champion Model	180
Recommended Reading	185

About These Tutorials

Audience

The tutorials have been designed for those who have these responsibilities:

- developing analytical models
- modeling project management
- model validation and performance testing

In addition, the tutorials cover topics of interest to these groups:

- scoring officers
- analysts
- SAS administrators
- SAS Model Manager administrators

Conventions Used in This Document

The following typographical conventions are used for all text in this document except for syntax:

bold

identifies an item in a window, a menu item, or a computer pathname.

bold monospace

identifies text that you enter in a window.

italics

identifies a book title or a value that is supplied by the user.

monospace

identifies SAS code.


Chapter 1

SAS Model Manager Tutorials

Overview of SAS Model Manager Tutorials	1
Configure Users for Tutorials	3
Install and Register the Tutorial Files	4
About Installing and Registering the Tutorial Files	4
Download the Tutorial Files	4
Prepare Tutorial Data Sets	5
Required Files for Each Tutorial	7
Create Tutorials Folders	12
Sign In	12
Create a Top-Level Tutorials Folder	12
Create a Folder for Your Own Tutorials	12

Overview of SAS Model Manager Tutorials

SAS Model Manager is a flexible model repository and model management environment for predictive and analytical models. A centralized repository and procedural templates make it easy to manage models and metadata across organizational areas and throughout the life of a model. Accountability metrics and validation of analytical steps, from creation to deployment in real time or batch scoring systems, continue until a model is retired. Storing the models in a secure, centralized repository enables you to easily organize modeling projects, develop and validate candidate models, assess candidate models for champion model selection, publish and monitor champion models in a production environment, and retrain models. The following figure illustrates the model management process that you use in SAS Model Manager:

Figure 1.1 An Example of the Model Management Process

The goal of a modeling project is to identify a champion model that a scoring application uses to predict an outcome. SAS Model Manager provides tools to evaluate candidate models, declare a project champion model, and inform your scoring officer that a predictive or analytical model is ready for validation or production. You can perform scoring tests for champion and challenger model assessment as well as publish and share the model information and performance data over established reporting channels. You can also run comparative performance benchmarks for the models in your production environment.

The tutorials for SAS Model Manager cover basic and advanced tasks that are related to model management within an enterprise computing environment. Tutorial folders are created by extracting files from the tutorial ZIP file. You use these data files to become familiar with the following basic tasks that are involved in model management:

- create a library and add data tables
- use workflows to manage modeling projects
- define and create the components of the model hierarchy
- import models

- run model reports
- select a champion model and challenger models
- update workflow tasks
- run model scoring code
- monitor performance of project champion and challenger models
- publish models
- retrain models

Configure Users for Tutorials

All users who perform the tutorials must be configured to use SAS Model Manager. A user must be in the Model Manager Administrator Users group to complete the setup for the tutorials. A user must also be in the Decision Manager Common Administrators group to prepare the tutorials for use with workflow.

Here are the required groups for users, listed by tutorial.

Table 1.1 User Groups

Required for Tutorial	Group	Description
Tutorial setup, Tutorial 1, and Tutorial 11	Decision Manager Common Administrators	This group has administrative permissions. This includes administration of the Projects, Portfolios, and Workflows categories.
All Tutorials	Decision Manager Users	This group has permission to read, add, or delete table summary information in the Data category. Users or groups must be a member of this group to be able to add or delete table summary information.
Tutorial setup, Tutorial 1, and Tutorial 11	Model Manager Administrator Users	This group has administrative permissions in the Projects and Portfolio categories.
Tutorials 2 through 12	Model Manager Advanced Users	This group has permission to read, write, and delete content in the Projects and Portfolios categories.
Tutorial 10	Factory Miner Users	This group has permission to register project segments and models from SAS Factory Miner to the SAS Model Manager model repository.

It is recommended that you add the Model Manager Administrator Users group as a member of the Decision Manager Common Administrators group and the Decision

Manager Users group. The Model Manager Advanced Users group should be added as a member of the Decision Manager Users group. If you are a licensed user of SAS Factory Miner, it is recommended that you add the SAS Factory Miner user or group to the Model Manager Administrator Users group or Model Manager Advanced Users group. For more information, see “Configuring Users, Groups, and Roles” in *SAS Model Manager: Administrator’s Guide*.

Install and Register the Tutorial Files

About Installing and Registering the Tutorial Files

The tutorials are designed to use the SAS Metadata Repository. Before you use tables in the SAS Metadata Repository, the tutorial data sets and models must be placed on the SAS Application Server. An administrator who has Write access to the SAS Application Server and who has a valid SASApp user ID and password can place the tutorial files on the server.

Some tutorials require files other than data sets and models, such as score code and templates. These files do not need to be registered in the SAS Metadata Repository. The drive where you extract the tutorial ZIP file must be accessible to the SAS Metadata Repository and to tutorial users. Tutorial users can also extract tutorial ZIP files to their local computers in order to access the other files.

You can create a data library and register the tables in the SAS Metadata Repository using the Data category view in SAS Model Manager.

Note: Whether the product you have installed is SAS Model Manager or SAS Decision Manager, the application title bar contains the name of SAS Decision Manager. To see which products you have installed select **Help** ⇒ **About**.

Download the Tutorial Files

The ZIP file SMM141Tutorials.zip contains the tutorials' data sets, models, workflow templates, and score code. It is available from <http://support.sas.com/documentation/onlinedoc/modelmgr/>. Before you begin any of the tutorials, extract the tutorial files to a computer that is accessible to the SAS Metadata Server and to SAS Model Manager users. If your SAS Metadata Server is separate from the SAS Application Server, the files must be placed on the SAS Application Server. Follow the steps for using WinZip to extract the files. If you are using a different extraction program, follow that program's instructions for extracting the files.

1. Create a folder on your local computer to store the tutorial files. The instructions refer to this folder as **<drive>**.
Note: Users must have Read and Write permission to this folder or directory.
2. From <http://support.sas.com/documentation/onlinedoc/modelmgr/>, save SMM141Tutorials.zip to **<drive>**.
3. Open Windows Explorer to **<drive>**. Right-click **SMM141Tutorials.zip** and select **Open**. Click **Open**.
4. Click the arrow on the **Unzip** button to open the Unzip from WinZip File Folder window.

Note: If you are using a previous release of Windows, from the WinZip window, click the **Extract** button. The Extract dialog box appears.

5. Select **<drive>** from the Unzip to WinZip File Folder window.

Note: If you are using a previous release of Windows, in the **Extract to** box, select **<drive>** and click **Extract**.

You can find the data and models files for each tutorial in the respective tutorial folder (for example, **<drive>\SMM141Tutorials\Data** or **<drive>\SMM141Tutorials\Models**).

UNIX Specifics

To complete the tutorials in a UNIX environment, first locate the CPORT files. Files that you use to import the data sets into UNIX are located in the SMM141_UNIX_cport_files.zip file that is available from <http://support.sas.com/documentation/onlinedoc/modelmgr/>. Instructions, as well as the sample code for performing an import, are provided in the Readme.txt file. In order for a transport file to be imported successfully, the encodings of the source and target SAS sessions must be compatible. For more information, see “[CIMPORT Problems: Importing Transport Files](#)” in *Base SAS Procedures Guide*.

Prepare Tutorial Data Sets

Sign In

To sign in to SAS Model Manager:

1. In the address bar of your web browser, enter **http://hostname:port/SASDecisionManager** and press Enter. The Sign In page appears.
2. Enter a user ID and password. Your user ID might be case sensitive, depending on the operating system that is used to host the application server. Your password is case sensitive.

Note: To schedule jobs in a Windows environment, you must include the domain name when entering your user ID (for example, *domain\myuserID*).


3. Click **Sign In**.

Register the Tutorial Data Sets

You can create a data library and register the tables in the SAS Metadata Repository using the Data category view in SAS Model Manager. For more information, see “[Managing Data Tables](#)” in *SAS Model Manager: User’s Guide*.

To register new tables in the SAS Metadata Repository and add them to the list of data sources:


1. Select **Data** ⇒ **Tables**.
2. Click **+** and select **Register Tables**. The Register Tables window appears.



Note: You cannot use the **Register Tables** option to add a table that has already been registered in the SAS Metadata Repository using SAS Management Console. You must select **Add Registered Tables** instead. See [“Add Tables That Are Registered in Metadata”](#) in *SAS Model Manager: User’s Guide*.

3. Create a new Base SAS library.
 - a. Select **Create a new library**.
 - b. Specify **Tutorials** for the name of the new library. The name cannot exceed 60 characters.
 - c. (Optional) Specify a description for the library.
 - d. Specify **TutLib** for the libref.
 - e. Specify the location for the new library. This location is the folder in the SAS Metadata Repository where the library is stored (for example, **/Shared Data/Model Manager/Tutorials**).
 - f. Select the SAS server and the directory where the data tables for the tutorials reside (for example, **C:\SMM141Tutorials\Data**).
 - g. Click **Next**.

Note: If you click **Cancel** at this point, a folder for the library is created in the SAS Metadata Repository, but the folder does not appear in the list of data tables.

4. Click  to add all of the tables to the **Selected tables** list.

Note: If you do not want to register the tables for all of the tutorials and want only to register the tables for specific tutorials, see [“Required Files for Each Tutorial”](#) on [page 7](#).

5. Click **Finish**. The new library is now available in the list of data tables.

Required Files for Each Tutorial

About Required Files

The SAS data sets that are required for this tutorial must be on the SAS server host for the SAS Application Server, and the models must be on your local computer or a network drive after you extract them from the ZIP file SMM141Tutorials.zip. If you have not extracted the tutorial files, see [“Install and Register the Tutorial Files” on page 4](#).

The Required Tutorial 2 Files

The SAS data sets that are required for this tutorial must be on the SAS server host for the SAS Application Server, and the models must be on your local computer or a network drive after you extract them from the ZIP file SMM141Tutorials.zip. If you have not extracted the tutorial files, see [“Install and Register the Tutorial Files” on page 4](#).

Tutorial 2 requires the following files and data sets in `<drive>\SMM141Tutorials`.

The following data sets in `\Data` must be registered in the **Tutorials** library in the SAS Metadata Repository:

- delinquency_project_input.sas7bdat
- delinquency_project_output.sas7bdat
- delinquency_scoring_input.sas7bdat
- delinquency_scoring_output.sas7bdat
- delinquency_test.sas7bdat
- delinquency_train.sas7bdat

The following model files and folders in `\Models` must be available on a local or network drive.

- **model1** contains these files:
 - modelin1.sas7bdat
 - modelout1.sas7bdat
 - om.sas7bdat
 - result1.sas7bdat
 - score1.sas
 - target1.sas7bdat
- **model2** contains these model files:
 - modelin2.sas7bdat
 - modelout2.sas7bdat
 - ot.sas7bdat
 - result2.sas7bdat
 - score2.sas
 - target2.sas7bdat
- **model3** contains these model files:

- modelin3.sas7bdat
- modelout3.sas7bdat
- result3.sas7bdat
- score3.sas7bdat
- target3.sas7bdat

The Required Tutorial 3 Files

The SAS data sets that are required for this tutorial must be on the SAS server host for the SAS Application Server, and the models must be on your local computer or a network drive after you extract them from the ZIP file SMM141Tutorials.zip. If you have not extracted the tutorial files, see [“Install and Register the Tutorial Files” on page 4](#).

Tutorial 3 requires the following files and folders in **<drive>\SMM141Tutorials**.

The following data sets in **\Data** must be registered in the **Tutorials** library in the SAS Metadata Repository:

- hmeq_project_input.sas7bdat
- hmeq_project_output.sas7bdat
- hmeq_score_input.sas7bdat
- hmeq_score_output.sas7bdat
- hmeq_test.sas7bdat
- hmeq_train.sas7bdat

The following model files in **\Models** must be available on a local or network drive:

- \HMEQ_STAT_Item\HMEQItem.spk
- \Neural\Neural.xml
- \Reg1\miningResult.spk
- \Reg1_Interval\miningResult.spk
- \Tree1\miningResult.spk

The Required Tutorial 5 Files

The SAS data sets that are required for this tutorial must be on the SAS server host for the SAS Application Server, and the models must be on your local computer or a network drive after you extract them from the ZIP file SMM141Tutorials.zip. If you have not extracted the tutorial files, see [“Install and Register the Tutorial Files” on page 4](#).

Tutorial 5 requires the following files and data sets in **<drive>\SMM141Tutorials**.

The following data sets in **\Data** must be registered in the **Tutorials** library in the SAS Metadata Repository:

- hmeq_perf_q1.sas7bdat
- hmeq_perf_q2.sas7bdat
- hmeq_perf_q3.sas7bdat
- hmeq_perf_q4.sas7bdat

The Required Tutorial 6 Files

The SAS data sets that are required for this tutorial must be on the SAS server host for the SAS Application Server, and the models must be on your local computer or a network drive after you extract them from the ZIP file SMM141Tutorials.zip. If you have not extracted the tutorial files, see [“Install and Register the Tutorial Files” on page 4](#).

Tutorial 6 requires the following files and folders in `<drive>\SMM141Tutorials`.

This tutorial requires that the following LGD data sets in `\Data\LGD` be registered in the **Tutorials** library in the SAS Metadata Repository:

- lgd_proj_input.sas7bdat
- lgd_proj_output.sas7bdat
- lgd_score_input.sas7bdat
- lgd_score_output.sas7bdat

The following LGD model files in `\Models\LGD` must be available on a local or network drive:

- lgd_model_est.sas7bdat
- lgd_model_input.sas7bdat
- lgd_model_output.sas7bdat
- lgd_model_target.sas7bdat
- lgd_score.sas
- lgd_training.sas

This tutorial requires that the following PD data sets in `\Data\PD` be registered in the **Tutorials** library in the SAS Metadata Repository:

- hmeq_project_input.sas7bdat
- hmeq_project_output.sas7bdat
- hmeq_test.sas7bdat
- hmeq_train.sas7bdat
- pd_scoring_input.sas7bdat
- pd_scoring_output.sas7bdat

The following PD model files in `\Models\PD` must be available on a local or network drive:

- hmeq_scorecard.spk

The Required Tutorial 8 Files

The SAS data sets that are required for this tutorial must be on the SAS server host for the SAS Application Server, and the models must be on your local computer or a network drive after you extract them from the ZIP file SMM141Tutorials.zip. If you have not extracted the tutorial files, see [“Install and Register the Tutorial Files” on page 4](#).

This tutorial requires that the following files and folders in the `<drive>\SMM141Tutorials`.

The following data sets in **\Data** must be registered in the **Tutorials** library in the SAS Metadata Repository:

- hmeq_project_input.sas7bdat
- hmeq_project_output.sas7bdat
- hmeq_score_input.sas7bdat
- hmeq_score_output.sas7bdat
- hmeq_test.sas7bdat
- hmeq_train.sas7bdat

The following model files in **\Models\Model8** must be available on a local or network drive:

- VarImportance.sas
- importance8.sas7bdat
- modelinput8.sas7bdat
- modeloutput8.sas7bdat
- nodestat8.sas7bdat
- path8.sas7bdat
- rules8.sas7bdat
- score8.sas
- target8.sas7bdat

The Required Tutorial 10 Files

The SAS data sets that are required for this tutorial must be on the SAS server host for the SAS Application Server, and the models must be on your local computer or a network drive after you extract them from the ZIP file SMM141Tutorials.zip. If you have not extracted the tutorial files, see [“Install and Register the Tutorial Files” on page 4](#).

This tutorial requires the following files and folders in the **<drive>\SMM141Tutorials**.

The following data sets in **\Data** must be registered in the **Tutorials** library in the SAS Metadata Repository:

- control_table.sas7bdat
- control_table2.sas7bdat
- hmeq_seg_q1.sas7bdat
- hmeq_seg_q2.sas7bdat
- hmeq_seg_q3.sas7bdat
- hmeq_seg_q4.sas7bdat

The following model files in **\Models\segmodels** must be available on a local or network drive:

- hpf_class.spk
- hpr_class.spk
- reg1.spk

- tree1.spk

The Required Tutorial 11 Files

The SAS data sets that are required for this tutorial must be on the SAS server host for the SAS Application Server, and the models must be on your local computer or a network drive after you extract them from the ZIP file SMM141Tutorials.zip. If you have not extracted the tutorial files, see [“Install and Register the Tutorial Files” on page 4](#).

Tutorial 11 requires the following files and folders in **<drive>\SMM141Tutorials**.

The following data sets in **\Data** must be registered in the **Tutorials** library in the SAS Metadata Repository:

- hmeq_project_input.sas7bdat
- hmeq_project_output.sas7bdat
- hmeq_score_input.sas7bdat
- hmeq_score_output.sas7bdat
- hmeq_test.sas7bdat
- hmeq_train.sas7bdat
- hmeq_perf_q1.sas7bdat
- hmeq_perf_q2.sas7bdat
- hmeq_perf_q3.sas7bdat
- hmeq_perf_q4.sas7bdat

The following model files in **\Models** must be available on a local or network drive:

- \HMEQ_STAT_Item\HMEQItem.spk
- \Neural\Neural.xml
- \Reg1\miningResult.spk
- \Reg1_Interval\miningResult.spk
- \Tree1\miningResult.spk

The Required Tutorial 13 Files

The SAS data sets that are required for this tutorial must be on the SAS server host for the SAS Application Server, and the models must be on your local computer or a network drive after you extract them from the ZIP file SMM141Tutorials.zip. If you have not extracted the tutorial files, see [“Install and Register the Tutorial Files” on page 4](#).

This tutorial requires the following files and folders in **<drive>\SMM141Tutorials**.

The following data sets in **\Data** must be registered in the **Tutorials** library in the SAS Metadata Repository:

- score_input.sas7bdat
- score_output.sas7bdat

Create Tutorials Folders

Sign In

To sign in to SAS Model Manager:


1. In the address bar of your web browser, enter **http://hostname:port/SASDecisionManager** and press Enter. The Sign In page appears.
2. Enter a user ID and password. Your user ID might be case sensitive, depending on the operating system that is used to host the application server. Your password is case sensitive.


Note: To schedule jobs in a Windows environment, you must include the domain name when entering your user ID (for example, *domain\myuserID*).

3. Click **Sign In**.

Create a Top-Level Tutorials Folder

It is recommended that you create a top-level folder for the tutorials to separate them from your test or production modeling data. This folder needs to be created only once.

1. Select **Models** ⇒ **Projects**.
2. Click  and select **New Top-Level Folder**. The New Folder window appears.
3. Enter **Tutorials** for the name for the folder.
- 4.



The screenshot shows a 'New Folder' dialog box with the following fields:

- Name:** * Tutorials
- Description:** (empty text box)
- Location:** This is a top-level folder.


At the bottom right, there are 'Save' and 'Cancel' buttons.


(Optional) Enter a description for the folder.

5. Click **Save**.

Create a Folder for Your Own Tutorials

Because multiple users might want to perform the tasks in the tutorial, it is recommended that each user create his or her own folder in the **Tutorials** folder. The administrator can also create the folders for each user.

1. Select **Tutorials**, click , and select **New Folder**. The New Folder window appears.
2. Enter a name for the folder, such as **yourUserID**. The examples in this tutorial use the user ID **mmanalyst**.
3. (Optional) Enter a description for the folder.



The image shows a 'New Folder' dialog box with a title bar containing a close button (X). Inside the dialog, there are three fields: 'Name:' with a red asterisk and a text box containing 'mmanalyst'; 'Description:' with an empty text box; and 'Location:' with a dropdown menu showing 'Tutorials'. At the bottom right, there are 'Save' and 'Cancel' buttons.

4. Click **Save**.

Chapter 2

Tutorial 1: Prepare for Using SAS Workflow

Overview	15
Make the Workflow Templates Available	16
Overview	16
Log On to the Server	16
Add Tag Attributes to a Workflow Template	17
Upload a Workflow Template	17
Verify That the Workflow Templates Are Available and Set Mappings	17

Overview

SAS Workflow provides services that work together to model, automate, integrate, and streamline business processes. It provides a platform for more efficient and productive business solutions.

SAS Workflow is used by SAS solutions that benefit from business process management. SAS Workflow Studio is a desktop client application that is used to design and deploy workflow templates.

From the SAS Model Manager, you can view a workflow, create a new workflow for a version, and view your workflow tasks, depending on the user permissions. The option that is selected and the user permissions determine the category view and content that are displayed. SAS Model Manager administrators can view the Workflows and My Tasks category views. By default, users that are not associated with the Decision Manager Common: Administration role can view only the My Tasks category view. For more information about user permissions, see [“Configuring Users, Groups, and Roles” in SAS Model Manager: Administrator’s Guide](#).

To use SAS Workflow with SAS Model Manager tutorials, you must satisfy the following prerequisites:

1. SAS Workflow Engine, SAS Workflow Services, and SAS Workflow Studio must be installed and configured. For more information, see *SAS Intelligence Platform: Installation and Configuration Guide*.
2. Workflow templates must be made available using SAS Workflow Studio. For more information, see [“Make the Workflow Templates Available” on page 16](#).
3. In order to assign additional participants to tasks in SAS Model Manager, the user must have or be in a group that is assigned the participant workflow role of Business Administrator. Also, in order to manage workflows and assign participants, the user

must be in the Decision Manager Common Administrators group, or in a group that is a member of the Decision Manager Common Administrators group or that is associated with the Decision Manager Common: Administration role in SAS Management Console. For more information, see [“Configuring Users, Groups, and Roles”](#) in *SAS Model Manager: Administrator’s Guide*.

Make the Workflow Templates Available

Overview

To use SAS Workflow with tutorials, you must make the workflow templates available to SAS Model Manager. After the workflow templates are made available, the SAS Model Manager administrator can use the Workflows category view to set the mappings for the Models: Projects object. The mappings determine which workflow templates can be selected to create workflows for modeling projects.

To save the tutorial workflow templates to the Workflow repository:

1. From SAS Workflow Studio, select **File** ⇒ **Open** and navigate to the location where you extracted the tutorial files (for example, `C:\SMM141Tutorials\`). Open the subfolder **Workflow Templates** and select the file (for example, `MMTutorial2Workflow.xml`).

2. [Log on to the server](#) as a SAS administrator or another authorized user.

Note: By default only the SAS administrator can log on to the Workflow server. Before other users can log on to the server, they must be configured. For more information, see [“Managing Workflow Template Authorization”](#) in *SAS Workflow Studio: User’s Guide*.

3. [Add the tab attribute](#) of `mmapi` to the workflow template file properties.
4. [Upload a workflow template](#).
5. Repeat steps 1 through 4 for each workflow definition. There are workflow templates for tutorial 2 and tutorial 3, and some additional examples.
6. [Verify that the workflow templates](#) appear in the Workflows category view of SAS Model Manager.

For more information, see [“Deploying and Maintaining Workflows”](#) in *SAS Workflow Studio: User’s Guide*.

Log On to the Server

With SAS Workflow Studio, you can manage only locally stored workflow templates on your system until you have logged on to the SAS Content Server. After you are connected, you can access additional workflow templates that are stored in the SAS Content Server.

To log on to the server:

1. Select **Server** ⇒ **Log On**.
2. In the Log On window, select the host name from the **SAS environment** drop-down list.

Note: For more information, see “Configuring the SAS Environment File” in *SAS Intelligence Platform: Middle-Tier Administration Guide*.

3. Enter a user ID and password, and click **Log On**.
4. Click **OK** to close the confirmation message that might appear.

Add Tag Attributes to a Workflow Template

Only those workflow templates in the Workflow repository that contain the **mmapi** tag attribute in the file properties are available to SAS Model Manager. The Workflow repository is located on the SAS Content Server.

To add a tag attribute to the file properties of a workflow template in SAS Workflow Studio:

1. Select **File** ⇒ **Properties** and click **Add**.
2. Enter the tag value of **mmapi**.

Note: The file properties are case sensitive. This value must be lowercase.

3. Click **OK** twice.

Upload a Workflow Template

To upload a workflow:

1. From the **Server** menu, select the **Save to Repository** menu option. The Save to Workflow Repository window appears.
2. (Optional) Enter relevant comments to associate with the workflow definition.
3. Select the **Activate** option if you want to make the current version of the workflow template available for use in the Workflow repository by applications such as SAS Model Manager.
4. Click **OK**.
5. Click **OK** to close the confirmation message that might appear.

Verify That the Workflow Templates Are Available and Set Mappings

To verify that the workflow templates are available in the Workflows category view of SAS Model Manager:

1. In the address bar of your web browser, enter `http://hostname:port/SASDecisionManager` and press Enter.
2. Enter the user ID and password for a user that is in the Decision Manager Common Administrators Group or a user group that is associated with the Decision Manager Common: Administration role.
3. Verify that the uploaded workflow definition is available in the Workflows category view. From the Workflows category view, select **Actions** ⇒ **Set Mappings**. The Set Mappings window appears with a list of the available workflow templates.

There are two types of workflow templates that can be configured for use with SAS Model Manager. Workflow templates that contain tasks that are configured with an

approval status are considered an approval workflow. Workflow templates that do not contain tasks with an approval status are considered a standard workflow. After you define your workflow template, save and activate it using SAS Workflow Studio. You must specify the templates to map to each type of object. This action enables you to start a new workflow using one of the templates that are associated with the specific object.

1. In the Set Mappings window, select the **Models:Projects** object and then select one or more templates to map to the object.
2. Select a type for each template. The types of templates that are available are **Approval** and **Standard**. For the **MM Tutorial 2 Workflow** and the **MM Tutorial 3 Workflow** templates select **Standard**.
3. Select the default template for the object.
4. Click **OK**.

Chapter 3

Tutorial 2: Performing Basic SAS Model Manager Tasks

Overview of SAS Model Manager Basics	20
Prerequisites	20
Tutorial 2 Models and Data Sets	20
Verify Your User ID as a Member of Model Manager User Groups	20
Sign In	20
Organize the Model Hierarchy	21
Create a Folder	21
Create a New Project	21
Define the Variables	21
Define the Project Properties	22
Start a New Workflow (Optional)	23
Add Attachments (Optional)	24
Add Comments (Optional)	24
Update the Workflow (Optional)	24
Import Models	24
About Tutorial 2 Models	24
Import SAS Code Models	25
Set Model Properties and Map Output Variables	27
Add Attachments (Optional)	29
Add Comments (Optional)	29
Update the Workflow Process (Optional)	29
Create Model Comparison Reports	29
Create a Model Profile Report	29
Create a Delta Report	30
Create a Dynamic Lift Report	31
View a Model Comparison Report	32
Update the Workflow Process (Optional)	32
Scoring Models	33
Create a Scoring Test	33
Execute a Scoring Test	34
Update the Workflow Process (Optional)	34
Set a Champion Model	35
Set the Champion Model	35
Update the Workflow Process (Optional)	35
View History	35
Search for Models	35

Overview of SAS Model Manager Basics

After an administrator has defined your user ID in SAS Management Console, you are ready to work in SAS Model Manager. This tutorial guides you through a simple modeling project process. You can track the progress of the modeling project through an optional workflow process.

Prerequisites

Tutorial 2 Models and Data Sets

Before starting these exercises, you must extract the Tutorial 2 data sets and models from SMM141Tutorials.zip and register the data sets in the SAS Metadata Repository. For information about how to extract and register the files, see [“Install and Register the Tutorial Files” on page 4](#). You must have access from SAS Model Manager to the tutorial files.

Verify Your User ID as a Member of Model Manager User Groups

In this exercise, you ensure that your user ID is a member of the **Model Manager Advanced Users** group.

1. Open SAS Management Console and log on to the SAS Metadata Server.
2. On the **Plug-ins** tab, select **User Manager**.
3. Find and double-click your user ID in the right pane of SAS Management Console.
4. Click the **Groups and Roles** tab. Review the **Member of** pane and locate the group **Model Manager Advanced Users**. If your user ID is not a member of this group, ask your administrator to add you to this group. Close the properties window.
5. Close SAS Management Console.

Sign In

To sign in to SAS Model Manager:

1. In the address bar of your web browser, enter **http://hostname:port/SASDecisionManager** and press Enter. The Sign In page appears.
2. Enter a user ID and password. Your user ID might be case sensitive, depending on the operating system that is used to host the application server. Your password is case sensitive.

Note: To schedule jobs in a Windows environment, you must include the domain name when entering your user ID (for example, *domain\myuserID*).

3. Click **Sign In**.

Organize the Model Hierarchy


In this exercise, you create a folder and a modeling project.

Create a Folder

To provide a folder to manage your modeling projects for this tutorial:

1. Select **Models** ⇒ **Projects**.
2. Select **Tutorials** ⇒ *your-userID*.


Note: If the **Tutorials** folder or a folder with your user ID does not already exist, see [“Create Tutorials Folders” on page 12](#).


3. Click  and select **New Folder**.
4. Enter **Tutorial12** for the folder name.
5. (Optional) Enter a description for the folder.
6. Click **Save**.

The new folder appears in the Projects category view.

Create a New Project

To create a project and define the model function:


1. Select the **Tutorial12** folder.
2. Click  and select **New Project**.
3. Enter **Delinquency** for the project name.
4. Select **Classification** as the model function.




5. Click **Save**. The new project opens.

Define the Variables


To define the input and output variables:


1. On the **Input** tab of the **Variables** page, click .

2. Select **DELINQUENCY_PROJECT_INPUT** from the **Tutorials** library, and click **OK**.



3. On the **Output** tab of the **Variables** page, click .
4. Select **DELINQUENCY_PROJECT_OUTPUT** and click **OK**.



5. Click .
6. Click **Yes** in the confirmation message.

Define the Project Properties

To define the properties that SAS Model Manager uses to create reports and score models:

1. On the **Properties** page, select **Specific**.
2. Specify values for these properties:

Default test table

Click **Browse**. In the Select Data Source window, select **DELINQUENCY_TEST** from the **Tutorials** library, and click **OK**.

Default scoring input table

Click **Browse**. In the Select Data Source window, select **DELINQUENCY_SCORING_INPUT** from the **Tutorials** library, and click **OK**.

Default scoring output table

Click **Browse**. In the Select Data Source window, select **DELINQUENCY_SCORING_OUTPUT** from the **Tutorials** library, and click **OK**.

Default train table

Click **Browse**. In the Select Data Source window, select **DELINQUENCY_TRAIN** from the **Tutorials** library, and click **OK**.

Training target variable

Enter **BAD**.

Target event value

Enter **1**.


Class target level

Click the property value field and select **Binary**.

Output event probability variable

Click the property value field and select **POSTERIOR**.

3. Click .



Property	Value	Action
Default test table:	Tutorials.DELINQUENCY_TEST	Browse
Default scoring input table:	Tutorials.DELINQUENCY_SCORING_	Browse
Default scoring output table:	Tutorials.DELINQUENCY_SCORING_	Browse
Default performance table:		Browse
Default train table:	Tutorials.DELINQUENCY_TRAIN	Browse
Champion version:		
Model function:	Classification	
Training target variable:	BAD	
Target event value:	1	
Class target values:		
Class target level:	Binary	
Output event probability variable:	POSTERIOR	


4. Click **Yes** in the confirmation message.

Start a New Workflow (Optional)

A *workflow* is a copy of a workflow template. A workflow can be used to track the progress of model projects at the version level. Workflow templates contain the set of tasks, participants, policies, statuses, and data objects that comprise a business task. The status that you select when completing a task determines the next task in the workflow.

The exercises in this tutorial require that you have made the workflow template available to SAS Model Manager. For more information, see [“Make the Workflow Templates Available” on page 16](#).


To start a new workflow:

1. Click  in the project toolbar.
2. Enter a name for the new workflow.
3. (Optional) Enter a description for the workflow.
4. Select the template for this tutorial from which to create the workflow.
5. Click **Start**.

Participants are already assigned in the workflow templates that have been provided for the tutorials. For information about how to assign additional participants to a workflow, see “[Working with Workflow Participants](#)” in *SAS Model Manager: User’s Guide*. See also [Chapter 12](#), “[Tutorial 11: Using My Tasks and Managing Workflows](#),” on page 153 for information about how to manage workflows and work with tasks.


Add Attachments (Optional)

To add an attachment to a project:

1. On the **Attachments** page, click .
2. Select a file to attach and click **Open**.


Add Comments (Optional)

To add a comment to a project:

1. On the **Comments** page, enter a topic name and a comment.
2. Click  to attach a file to the topic. Repeat this step to attach multiple files.
3. Click **Post**.

Update the Workflow (Optional)

To complete the tasks in the associated workflow:

1. Click .
2. Select **Claim this task**.
3. Select an action to take for the selected task. The actions that are available are the status values for the task in the workflow.
4. Click **Done**. The workflow process continues to the next task.
5. Repeat steps 2 and 3 for the tasks that you completed during this tutorial.

Note: For more information, see [Chapter 12](#), “[Tutorial 11: Using My Tasks and Managing Workflows](#),” on page 153.

Import Models

In this exercise, you import models into SAS Model Manager, set model properties, and map the model variables.


About Tutorial 2 Models

The imported models are SAS code models. SAS code models are models that were not created and exported from SAS Enterprise Miner. SAS code models consist of the SAS code and the model component files (metadata) that are used to process a model in SAS Model Manager.

The SAS code for the first model is the LOGISTICS procedure, and the SAS code for the second and third models consists of DATA step fragments. To import a SAS code file, at least three component files are required: the model score code, the model input file, and the model output file. For prediction or classification models, you also must prepare model target files.

Note: This document imports two models that use the LOGISTICS procedure. In Tutorial 2, the model is a SAS code model, which consists of individual model component files. In Tutorial 3, the model component files were created by the LOGISTICS procedure and bundled as a model package file (.spk). SAS code models and model package files use different model import methods.


Import SAS Code Models


1. Import Model 1.
 - a. On the **Models** page of the **Delinquency** project, click , and select **from local files**.
 - b. In the **Choose a model template** box, select **Classification**.
 - c. Click **Properties** and enter **Model 1** as the **Name**.
 - d. Click **Files** and select the local files that match the template files. For the following files listed in the **Template Files** column, click in the corresponding cell in the **Local Files** column, and then click **Browse**. Navigate to `<drive>\SMM141Tutorials\Models\model1` and select the corresponding model files listed below. This action maps the tutorial model component filenames to the SAS Model Manager model component filenames.

Template Files	Model Files
score.sas	score1.sas
modelinput.sas7bdat	modelin1.sas7bdat
modeloutput.sas7bdat	modelout1.sas7bdat
target.sas7bdat	target1.sas7bdat
outmodel.sas7bdat	om.sas7bdat

Note: If the same variables appear in your modelinput.sas7bdat file and your modeloutput.sas7bdat file, SAS Model Manager removes the duplicate variables from the outputvar.xml file when you import the model.


Here is the Import Model from Local Files window after the files have been mapped.



- e. Click **OK**.
2. Import Model 2.
 - a. On the **Models** page, click  and select **from local files**.
 - b. In the **Choose a model template** box, select **Classification**.
 - c. Click **Properties** and enter **Model 2** as the **Name**.
 - d. Click **Files** and select the local files from the SAS Workspace Server that match the template files. For the following files listed in the **Template Files** column, click in the corresponding cell in the **Local Files** column, and then click **Browse**. Navigate to `<drive>\SMM141Tutorials\Models\model2` and select the corresponding model files that are listed below. This action maps the tutorial model component filenames to the SAS Model Manager model component filenames.

Template Files	Model Files
score.sas	score2.sas
modelinput.sas7bdat	modelin2.sas7bdat
modeloutput.sas7bdat	modelout2.sas7bdat
target.sas7bdat	target2.sas7bdat

Template Files	Model Files
outmodel.sas7bdat	ot.sas7bdat

- e. Click **OK**.
3. Import Model 3.
 - a. On the **Models** page, click  and select **from local files**.
 - b. In the **Choose a model template** box, select **Classification**.
 - c. Click **Properties** and enter **Model 3** as the **Name**.
 - d. Click **Files** and select the local files from the SAS Workspace Server that match the template files. For the following files listed in the **Template Files** column, click in the corresponding cell in the **Local Files** column, and then click **Browse**. Navigate to **<drive>\SMM141Tutorials\Models\model3** and select the corresponding model files that are listed below. This action maps the tutorial model component filenames to the SAS Model Manager model component filenames.

Template Files	Model Files
score.sas	score3.sas
modelinput.sas7bdat	modelin3.sas7bdat
modeloutput.sas7bdat	modelout3.sas7bdat
target.sas7bdat	target3.sas7bdat

- e. Click **OK**.

Set Model Properties and Map Output Variables

SAS Model Manager requires that the **Score Code Type** be set to **DATA step** if the score code is a DATA step fragment. If the score code is a SAS procedure, the **Score Code Type** must be set to **SAS Program**. In addition, when the names of the model output variable are not identical to the names of the project output variables, you must map the variables.

Model 1

To set the properties and map output variables for **Model 1**:

1. Open **Model 1** on the **Models** page.
2. On the **Model Properties** tab, select **General** and enter **first model for tutorial 2** in the **Description** field.
3. Map model variables for the first model. On the **Model Properties** tab, select **Variables** ⇒ **Output Mapping**. Ensure that the following model variables are mapped to their respective project variables. To map a model variable to a project variable, click in the box in the **Value** column and select a variable.

Project Variables	Model Variables
POSTERIOR	P_1
PREDICTION	I_BAD

4. Click .

Model 2

To set the properties and map output variables for **Model 2**:

1. Open **Model 2**.
2. On the **Model Properties** tab, select **Specific**, click the **Score code type** box, and select **DATA step**.
3. Map model variables for the second model. On the **Model Properties** tab, select **Variables** ⇒ **Output Mapping**. Ensure that the following model variables are mapped to their respective project variables. To map a model variable to a project variable, click the box in the **Value** column and select a variable.

Project Variables	Model Variables
POSTERIOR	PROB2
PREDICTION	PREDICTION

4. Click .

Model 3

To set the properties and map output variables for **Model 3**:


1. Open **Model 3**.
2. On the **Model Properties** tab, select **Specific**, click the **Score code type** box, and select **DATA step**.
3. Map model variables for the third model. On the **Model Properties** tab, select **Variables** ⇒ **Output Mapping**. Ensure that the following model variables are mapped to their respective project variables. To map a model variable to a project variable, click the box in the **Value** column and select a variable.

Project Variables	Model Variables
POSTERIOR	P_BAD1
PREDICTION	PREDICTION

4. Click .


Add Attachments (Optional)

To add an attachment to a model:

1. Open the model and select the **Attachments** page.
2. Click .
3. Select a file to attach and click **Open**.


Add Comments (Optional)

To add a comment to a model:

1. Open the model and select the **Comments** page.
2. Enter a topic name and a comment.
3. Click  to attach a file to the topic. Repeat this step to attach multiple files.
4. Click **Post**.

Update the Workflow Process (Optional)

To complete the tasks in the associated workflow:

1. Click .
2. Select **Claim this task**.
3. Select an action to take for the selected task. The actions that are available are the status values for the task in the workflow.
4. Click **Done**. The workflow process continues to the next task.
5. Repeat steps 2 and 3 for the tasks that you completed during this tutorial.


Note: For more information, see [Chapter 12, “Tutorial 11: Using My Tasks and Managing Workflows,”](#) on page 153.


Create Model Comparison Reports

In this exercise, you create several model comparison reports that are used in the selection and approval of a champion model. After you create the reports, you view the reports on the **Reports** page. The reports enable you to evaluate candidate models in a version or across versions by assessing the structure, performance, and resilience of your models.

Create a Model Profile Report

The Model Profile report creates three tables to display the profile data that is associated with the model input variables, output variables, and target variables. To create this report:

1. Open the **Delinquency** project and select the **Reports** page.
2. Click  and select **Model Profile**.
3. Enter **profile_model1** for the name of the report.
4. Select **PDF** for the output type.
5. Select **Seaside** for the style of the report. When the SAS default option is selected, the default style and themes are used in generating the report. For example, the SAS default style for the HTML output type is HTMLBLUE.
6. Select **Model 1** from the list.



New Report

Name: * profile_model1

Description: The Model Profile Report

Report: Model Profile

Output type: PDF

Style: Seaside

Select models:


	Name	Version	Role	Model Function	Date Published
<input type="radio"/>	Model 3	1.0		Classification	
<input type="radio"/>	Model 2	1.0		Classification	
<input checked="" type="radio"/>	Model 1	1.0		Classification	

Run Cancel

7. Click **Run**. The report is generated and appears in the default viewer based on the selected output type.

Create a Delta Report

The Delta report compares the profile data for two models and notes the differences. To create this report:

1. Open the **Delinquency** project and select the **Reports** page.
2. Click  and select **Delta**.
3. Enter **delta_mod1mod2** for the name of the report.
4. Select **HTML** for the output type.
5. Select **SAS default** for the style of the report. When the SAS default option is selected, the default style and themes are used in generating the report. For example, the SAS default style for the HTML output type is HTMLBLUE.
6. Select models **Model 1** and **Model 2** from the list.

New Report

Name: * delta_mod1mod2

Description: The Delta Report

Report: Delta

Output type: HTML

Style: SAS default

Select models:


<input type="checkbox"/> All	Name	Version	Role	Model Function	Date Published
<input type="checkbox"/>	Model 3	1.0		Classification	
<input checked="" type="checkbox"/>	Model 2	1.0		Classification	
<input checked="" type="checkbox"/>	Model 1	1.0		Classification	

Run Cancel

- Click **Run**. The report is generated and appears in the default viewer based on the selected output type.

Create a Dynamic Lift Report

The Dynamic Lift report provides visual summaries of the performance of one or more models for predicting a binary outcome variable performance. To create this report:

- Open the **Delinquency** project and select the **Reports** page.
- Click  and select **Dynamic Lift**.
- Enter **lift_mod1mod3** for the name of the report.
- Select **PDF** for the output type.
- Select **Seaside** for the style of the report.
- Select models **Model 1** and **Model 3** from the list.
- (Optional) Enter **3** for the control group response rate.
- (Optional) Enter **1** for the prior probability.

New Report [X]

Name: * lift_mod1mod3

Description: The Dynamic Lift Report

Report: Dynamic Lift

Output type: PDF

Style: Seaside

Select models:

<input type="checkbox"/> All	Name	Version	Role	Model Function	Date Published
<input checked="" type="checkbox"/>	Model 3	1.0		Classification	
<input type="checkbox"/>	Model 2	1.0		Classification	
<input checked="" type="checkbox"/>	Model 1	1.0		Classification	

Control group response rate: 3 % ?

Prior probability: 1 % ?

Input table: * Tutorials.DELINQUENCY_TEST [Browse](#)

Run **Cancel**

9. Click **Run**. The report is generated and appears in the default viewer based on the selected output type.

View a Model Comparison Report


To view a model comparison report:

1. Open the **Delinquency** project and select the **Reports** page.
2. Double-click the report name to open the report.
3. Use the PDF or HTML viewer to distribute or print a copy of the report.
4. Close the PDF or HTML viewer.

For a detailed description of the model comparison reports, see *SAS Model Manager: User's Guide*.

Update the Workflow Process (Optional)

To complete the tasks in the associated workflow:

1. Click .
2. Select **Claim this task**.
3. Select an action to take for the selected task. The actions that are available are the status values for the task in the workflow.
4. Click **Done**. The workflow process continues to the next task.
5. Repeat steps 2 and 3 for the tasks that you completed during this tutorial.

Note: For more information, see [Chapter 12, “Tutorial 11: Using My Tasks and Managing Workflows,”](#) on page 153.

Scoring Models

In this exercise, you create a scoring test that is used to run the score code of a model and produce scoring results. You use the results to determine the scoring accuracy and to analyze the model performance. The scoring test uses data from a scoring test input table, and then generates the results in a scoring test output table.

Create a Scoring Test


1. Open the **Delinquency** project and select the **Scoring** page.
 2. Click **+**.
 3. Enter **M1** for the name.
 4. (Optional) Enter **test1** for the description.
 5. Select the **Model 1** model from the list.
 6. Select **Test** for the type of scoring test. Accept the default number of observations (1000 rows) to be read from the scoring input table.
- Note:* A best practice is to select **Test** before beginning all scoring tests. Later, when you are satisfied with the results of running the scoring test and you are ready to put the test into production, you can change the type to **Production**.
7. Click **Next**.
 8. Verify that the value you previously specified for the **Default score input table** project property appears in the **Input table** box. To select a table, click **Browse** and select the table **Tutorials.DELINQUENCY_SCORE_INPUT**. Click **OK**.
 9. Verify that the value you previously specified for the **Default score output table** project property appears in the **Output table** box. To select a table, click **Browse** and select the table **Tutorials.DELINQUENCY_SCORE_OUTPUT**. Click **OK**.
 10. Click **Next**.
 11. Verify that the scoring output table variables are mapped to the available variables. The variable mapping is as follows:


Output Variables	Available Model and Scoring Variables
AGE	AGE
CUSTKEY	CUSTKEY
EVERDEFAULT	EVERDEFAULT
GENDER	GENDER
NUMCARDS	NUMCARDS
POSTERIOR	P_1

Output Variables	Available Model and Scoring Variables
PREDICTION	I_BAD

12. Click **Next**.
13. Select the configured SAS Application Server (for example, **SASApp**).
14. Click **Save**.

Execute a Scoring Test


1. Select the **M1** scoring test and click .
2. To view the results, click the **Results** tab.



3. Select the **Results** menu option and then click **Result Set**, **Log**, or **Output** to view the scoring test results.
4. (Optional) Select the **Scoring Job Code** menu option.

Update the Workflow Process (Optional)

To complete the tasks in the associated workflow:

1. Click .
2. Select **Claim this task**.
3. Select an action to take for the selected task. The actions that are available are the status values for the task in the workflow.

4. Click **Done**. The workflow process continues to the next task.
5. Repeat steps 2 and 3 for the tasks that you completed during this tutorial.


Note: For more information, see [Chapter 12, “Tutorial 11: Using My Tasks and Managing Workflows,”](#) on page 153.

Set a Champion Model

In this exercise, you set a champion model.


Set the Champion Model

To set a champion model:

1. On the **Models** page, select **Model 1**,
2. Click  to set the model as the project champion model. The value in the **Role** column changes to **Champion**.

Update the Workflow Process (Optional)

To complete the tasks in the associated workflow:

1. Click .
2. Select **Claim this task**.
3. Select an action to take for the selected task. The actions that are available are the status values for the task in the workflow.
4. Click **Done**. The workflow process continues to the next task.
5. Repeat steps 2 and 3 for the tasks that you completed during this tutorial.

Note: For more information, see [Chapter 12, “Tutorial 11: Using My Tasks and Managing Workflows,”](#) on page 153.



View History

In this example, you view the history of a project. Select the **History** page to view the history log for changes to the project, the history of models that were published at the project and model level, and the history of scoring, performance, and retrain jobs that were executed.

Search for Models

In this example, you search for a model in the Projects category view.

To search for a model:

1. Click .
2. Select **Current** as the location.
3. Enter **Model 2** for the name of the model.
4. Click **Search**.
5. Select **Model 2** from the **Search Results** and click  to view or edit the model.
Click **OK**.
6. Click **Close**.

Chapter 4

Tutorial 3: Importing Models, Scheduling Scoring Tests, and Creating Reports

Overview of Importing Models, Scheduling Scoring Tests, and Creating Reports	38
Prerequisites	38
Tutorial 3 Models and Data Sets	38
Verify Your User ID as a Member of Model Manager User Groups	38
Sign In	39
Organize the Model Hierarchy	39
Create a Folder	39
Create a New Project	39
Define the Variables	40
Define the Project Properties	43
Start a New Workflow (Optional)	44
Add Attachments (Optional)	44
Add Comments (Optional)	45
Update the Workflow Process (Optional)	45
Import Models	45
Register SAS Enterprise Miner Models in the SAS Metadata Repository (Optional)	45
Import Models from a SAS Metadata Repository	46
Import PMML Models	46
Import Model Package Files	47
Map Model Variables to Project Variables	48
Add Attachments (Optional)	49
Add Comments (Optional)	50
Update the Workflow Process (Optional)	50
Create Model Comparison and Summary Reports	50
Create a Model Profile Report	50
Create a Delta Report	51
Create a Dynamic Lift Report	52
Training Summary Data Set Report (Optional)	53
Create an Interval Target Variable Report	54
View a Model Comparison and Summary Reports	55
Update the Workflow Process (Optional)	55
Scoring Models	56
Create a Scoring Test	56
Schedule a Scoring Test	57
Update the Workflow Process (Optional)	58

Set a Champion Model	58
Set the Champion Model for the HMEQ Project	58
Flag the Challenger Model for the HMEQ Project	58
Set the Champion Model for the HMEQ-Interval Project	58
Update the Workflow Process (Optional)	59

Overview of Importing Models, Scheduling Scoring Tests, and Creating Reports

SAS Model Manager provides several methods to import SAS models into a project version. You can import your models into a project version from the SAS Metadata Repository, SAS Enterprise Miner or SAS/STAT model package files, SAS code, R models, and PMML models. SAS macros are also available so that you can use SAS code to import or register SAS models into your project version.

SAS Model Manager provides several model comparison reports that are used in the selection and approval of a champion model. After you create the reports, you view the reports on the **Reports** page of a project. The reports enable you to evaluate candidate models in a version or across versions by assessing the structure, performance, and resilience of your models.

Instead of executing a scoring test, you can schedule a scoring test to run on a particular date and time. You can also schedule how often you want the scoring test to run. Advanced settings enable you to set the scheduling server, the batch server to run the scoring test, and the location of the scoring job definition in the SAS Metadata Repository.

The tutorial provides examples and step-by-step directions for performing these tasks.

Prerequisites

Tutorial 3 Models and Data Sets

Before starting these exercises, you must extract the Tutorial 3 data sets and models from SMM141Tutorials.zip, and register the data sets in the SAS Metadata Repository. For information about how to extract and register the files, see [“Install and Register the Tutorial Files” on page 4](#). You must have access from SAS Model Manager to the tutorial files.

Importing models requires that you know where the SAS Model Manager administrator installed the Tutorial 3 models.

Verify Your User ID as a Member of Model Manager User Groups

In this exercise, you ensure that your user ID is a member of the **Model Manager Advanced Users** group.

1. Open SAS Management Console and log on to the SAS Metadata Server.
2. On the **Plug-ins** tab, select **User Manager**.
3. Find and double-click your user ID in the right pane of SAS Management Console.

4. Click the **Groups and Roles** tab. Review the **Member of** pane and locate the group **Model Manager Advanced Users**. If your user ID is not a member of this group, ask your administrator to add you to this group. Close the properties window.
5. Close SAS Management Console.

Sign In

To sign in to SAS Model Manager:

1. In the address bar of your web browser, enter **http://hostname:port/SASDecisionManager** and press Enter. The Sign In page appears.
2. Enter a user ID and password. Your user ID might be case sensitive, depending on the operating system that is used to host the application server. Your password is case sensitive.

Note: To schedule jobs in a Windows environment, you must include the domain name when entering your user ID (for example, *domain\myuserID*).

3. Click **Sign In**.

Organize the Model Hierarchy


In this exercise, you create a folder and a modeling project.

Create a Folder

To provide a folder to manage your modeling projects for this tutorial:

1. Select **Models** ⇒ **Projects**.
2. Select **Tutorials** ⇒ *yourUserID*.


Note: If the **Tutorials** folder or a folder with your user ID does not already exist, see [“Create Tutorials Folders” on page 12](#).


3. Click  and select **New Folder**.
4. Enter **Tutorial13** for the folder name.
5. (Optional) Enter a description for the folder.
6. Click **Save**.

The new folder appears in the Projects category view.

Create a New Project

To create a project that is associated with the classification model function:

1. Select the **Tutorial13** folder.
2. Click  and select **New Project**.
3. Enter **HMEQ** for the project name.
4. Select **Classification** as the model function.




The 'New Project' dialog box is shown with the following fields:


- Name:** * HMEQ
- Initial version:** 1.0
- Model function:** Classification (dropdown menu with a help icon)
- Location:** Tutorials/mmanalyst/Tutorial3

Buttons at the bottom right: Save, Cancel.

5. Click **Save**. The new project opens.

To create a project that is associated with the prediction model function:

1. Select the **Tutorial3** folder.
2. Click  and select **New Project**.
3. Enter **HMEQ-Interval** for the project name.
4. Select **Prediction** as the model function.



The 'New Project' dialog box is shown with the following fields:



- Name:** * HMEQ-Interval
- Initial version:** 1.0
- Model function:** Prediction (dropdown menu with a help icon)
- Location:** Tutorials/mmanalyst/Tutorial3


Buttons at the bottom right: Save, Cancel.

5. Click **Save**. The new project opens.

Define the Variables


To define the input and output variables for the **HMEQ** project:

1. Select the **Variables** page, and on the **Input** tab, click .
2. Select **HMEQ_PROJECT_INPUT** from the **Tutorials** library, and click **OK**.
3. Click the **Output** tab and click .




Name	Type	Measurement	Length	Description
LOAN	N		8	
MORTDUE	N		8	
VALUE	N		8	
REASON	C		7	
JOB	C		7	
YOJ	N		8	
DEROG	N		8	
DELINQ	N		8	
CLAGE	N		8	
NINQ	N		8	
CLNO	N		8	
DEBTINC	N		8	



4. Select **HMEQ_PROJECT_OUTPUT** from the **Tutorials** library, and click **OK**.



Name	Type	Measurement	Length	Description
score	N		8	

5. Click .
6. Click **Yes** in the confirmation message.

To define the input and output variables for the **HMEQ-Interval** project:

1. Select the **Variables** page, and on the **Input** tab click .
2. Select **HMEQ_PROJECT_INPUT** from the **Tutorials** library, and click **OK**.
3. Click the **Output** tab and then click .

HMEQ-Interval

Properties | Versions | Models | Variables | Scoring | Performance | Retrain | Reports | History | Attachments | Comments

Version: 1.0

Search

Input Output

Name	Type	Measurement	Length	Description
LOAN	N		8	
MORTDUE	N		8	
VALUE	N		8	
REASON	C		7	
JOB	C		7	
YOJ	N		8	
DEROG	N		8	
DELINQ	N		8	
CLAGE	N		8	
NINQ	N		8	
CLNO	N		8	
DEBTINC	N		8	

4. Enter the following project variable properties and click **OK**.

Name

Enter **P_DEBTINC**

Description

Enter an optional description.

Type

Select **Numeric**.

Measurement

Enter **INTERVAL**.

Length

Enter **8**.

HMEQ-Interval


Properties | Versions | Models | Variables | Scoring | Performance | Retrain | Reports | History | Attachments | Comments

Version: 1.0

Search

Input Output

Name	Type	Measurement	Length	Description
P_DEBTINC	N	INTERVAL	8	

5. Click .
6. Click **Yes** in the confirmation message.

Define the Project Properties

To define the properties that SAS Model Manager uses to create reports and score models:

1. Select **Properties** ⇒ **Specific**.
2. Specify values for these properties:

Default test table

Click **Browse**. In the Select Data Source window, select **HMEQ_TEST** from the **Tutorials** library, and click **OK**.

Default scoring input table

Click **Browse**. In the Select Data Source window, select **HMEQ_SCORING_INPUT** from the **Tutorials** library, and click **OK**.

Default scoring output table

Click **Browse**. In the Select Data Source window, select **HMEQ_SCORING_OUTPUT** from the **Tutorials** library, and click **OK**.

Default train table

Click **Browse**. In the Select Data Source window, select **HMEQ_TRAIN** from the **Tutorials** library, and click **OK**.

Training target variable

Enter **BAD** for the **HMEQ** project that has a model function type of classification.

Enter **DEBTINC** for the **HMEQ-Interval** project that has a model function type of prediction.

Target event value

Enter 1 for the **HMEQ** project that has a model function type of classification.

Class target level

Select **Binary** for the **HMEQ** project that has a model function type of classification.


Select **Interval** for the **HMEQ-Interval** project that has a model function type of prediction.

Output event probability variable

Select **score** for the **HMEQ** project that has a model function type of classification.

Output prediction variable

Select **P_DEBTINC** for the **HMEQ-Interval** project that has a model function type of prediction.

3. Click .
4. Click **Yes** in the confirmation message.

The screenshot shows the 'HMEQ' project window in SAS Model Manager. The 'Specific' tab is selected in the left-hand navigation pane. The main area contains the following configuration fields:

Property	Value	Action
Default test table:	Tutorials.HMEQ_TEST	Browse
Default scoring input table:	Tutorials.HMEQ_SCORE_INPUT	Browse
Default scoring output table:	MMLib.HMEQ_SCORE_OUTPUT	Browse
Default performance table:		Browse
Default train table:	Tutorials.HMEQ_TRAIN	Browse
Champion version:		
Model function:	Classification	
Training target variable:	BAD	
Target event value:	1	
Class target values:		
Class target level:	Binary	
Output event probability variable:	score	

Start a New Workflow (Optional)

A *workflow* is a copy of a workflow template. A workflow can be used to track the progress of model projects at the version level. Workflow templates contain the set of tasks, participants, policies, statuses, and data objects that comprise a business task. The status that you select when completing a task determines the next task in the workflow.

The exercises in this tutorial require that you have made the workflow template available to SAS Model Manager. For more information, see [“Make the Workflow Templates Available” on page 16](#).

To start a new workflow:

1. Click in the project toolbar.
2. Enter a name for the new workflow.
3. (Optional) Enter a description for the workflow.
4. Select the template for this tutorial from which to create the workflow.
5. Click **Start**.

Participants are already assigned in the workflow templates that have been provided for the tutorials. For information about how to assign additional participants to a workflow, see [“Working with Workflow Participants” in SAS Model Manager: User’s Guide](#). See also [Chapter 12, “Tutorial 11: Using My Tasks and Managing Workflows,” on page 153](#) for information about how to manage workflows and work with tasks.

Add Attachments (Optional)


To add an attachment to a project:

1. On the **Attachments** page, click .

2. Select a file to attach and click **Open**.


Add Comments (Optional)

To add a comment to a project:

1. On the **Comments** page, enter a topic name and a comment.
2. Click  to attach a file to the topic. Repeat this step to attach multiple files.
3. Click **Post**.

Update the Workflow Process (Optional)

To complete the tasks in the associated workflow:

1. Click .
2. Select **Claim this task**.
3. Select an action to take for the selected task. The actions that are available are the status values for the task in the workflow.
4. Click **Done**. The workflow process continues to the next task.
5. Repeat steps 2 and 3 for the tasks that you completed during this tutorial.

Note: For more information, see [Chapter 12, “Tutorial 11: Using My Tasks and Managing Workflows,”](#) on page 153.

Import Models

In this exercise, you import models into SAS Model Manager from the SAS Metadata Repository, a PMML model file, and a SAS model package file. Then you map the model variables. Before you import the model, verify that the model type is identical to the value of the project **Model function** property, classification, or prediction. For more information, see [“Create a New Project”](#) on page 39.

Register SAS Enterprise Miner Models in the SAS Metadata Repository (Optional)

If you have not already registered models in the SAS Metadata Repository, you can use the models in the **SMM141Tutorials\Models** directory to complete the next exercise.

To register a model from SAS Enterprise Miner to the SAS Metadata Repository:


1. From SAS Enterprise Miner, select **File** ⇒ **Open Model Package**.
2. Navigate to the location of the folder that contains the files. For this example, use `<drive>\SMM141Tutorials\Models\Reg1\`, the folder that was installed by the SAS Model Manager administrator. For more information, see [“Install and Register the Tutorial Files”](#) on page 4. Click **OK**.
3. Run the model.


4. After the model run is complete, right-click the node in the SAS Enterprise Miner Diagram Workspace, and select **Create Model Package**. The new SPK filename appears under the Model Packages folder in your SAS Enterprise Miner Project Navigator.
5. Right-click the filename and select **Register** to copy the SPK file from the SAS Enterprise Miner server to your computer.

Import Models from a SAS Metadata Repository

If your SAS Enterprise Miner 5.3 (or later) model files are registered in the SAS Metadata Repository, then you can use SAS Model Manager to import the files.

To import a model from the SAS Metadata Repository:

1. Open a project and select the **Models** page.
2. Click  and select **from the SAS Metadata Repository**.




3. Navigate to the location of the file and select the model file to import.
4. Enter a name for the model and click **OK**.


Import PMML Models

You can use SAS Model Manager to import PMML 4.2 (or later) models that are produced by another software application, such as SAS Enterprise Miner. PMML 4.2 (or later) is supported by SAS Model Manager for creating DATA step score code when importing models. This capability enables you to include a PMML model in scoring tests, reporting, and performance monitoring.

Note: If your PMML model contains variable names with blanks or special characters other than underscores, you must set the system option `VALIDVARNAME=ANY` to perform tasks such as scoring tests, reporting, and performance monitoring that use the score.sas file. For more information, see [“Valid Variable Name Options” in SAS Model Manager: Administrator’s Guide](#).

To import a PMML model:

1. Open a project and select the **Models** page.
2. Click  and select **from a PMML file**.





3. On the **Browse** tab, click **Select a Model** and navigate to the location of the file. For this tutorial, use `<drive>\SMM141Tutorials\Models\Neural\`, the folder that was installed by the SAS Model Manager administrator. For more information, see [“Install and Register the Tutorial Files” on page 4](#).
4. Select the **Neural.xml** file and click **Open**.
5. Enter **Neural** for the name for the model.
6. Click **OK**.

Import Model Package Files

SAS Enterprise Miner and SAS/STAT linear model package files contain complete model information. You can import SAS Enterprise Miner and SAS/STAT models even if they are not registered in the SAS Metadata Repository. For information about how to create a SAS package file, see [“Using Macros to Register Models Not Created by SAS Enterprise Miner” in *SAS Model Manager: User’s Guide*](#).

To import a model from a SAS Package File:

1. Select the **Models** page.
2. Click  and select **from a SAS package file**.




3. On the **Browse** tab, click **Select a Model** and navigate to the location of the file. For this example, use `<drive>\SMM141Tutorials\Models\Reg1`, the folder that was installed by the SAS Model Manager administrator. For more information, see [“Install and Register the Tutorial Files” on page 4](#).
4. Select the `miningResult.spk` file and click **Open**.
5. Enter **Reg 1** for the name for the model.
6. Click **OK**.
7. Repeat steps 2 through 6 to import a second package file that is located in `<drive>\SMM141Tutorials\Models\Tree1`. Name the model **Tree 1**.
8. Repeat steps 2 through 6 to import a third package file that is located in `<drive>\SMM141Tutorials\Models\HMEQ_STAT_Item`. Name the model **HMEQ_STAT_Item**.
9. Repeat steps 2 through 6 to import a fourth package file that is located in `<drive>\SMM141Tutorials\Models\HPForest`. Name the model **HPForest**.
10. Repeat steps 2 through 6 in the **HMEQ-Interval** project to import a prediction model with an interval target. The package file is located in `<drive>\SMM141Tutorials\Models\Reg1_Interval`. Name the model **Reg1_Interval**.


Map Model Variables to Project Variables

When the names for the model output variable are not identical to the names for the project output variables, you must map the variables.

To map model output variables to project output variables:


1. Open the **HMEQ** project and select the **Models** page.
2. Open the **Neural** model and then select **Model Properties** ⇒ **Variables** ⇒ **Output Mapping**. Ensure that the following model variables are mapped to their respective project variables. To map a model variable to a project variable, click in the box in the **Value** column, select a variable, and click .

Project Variables	Model Variables
score	P_BAD1


3. Open the **Reg 1** model and then select **Model Properties** ⇒ **Variables** ⇒ **Output Mapping**. Ensure that the following model variables are mapped to their respective project variables. To map a model variable to a project variable, click in the box in the **Value** column, select a variable, and click .

Project Variables	Model Variables
score	EM_EVENTPROBABILITY


4. Open the **Tree 1** model and then select **Model Properties** ⇒ **Variables** ⇒ **Output Mapping**. Ensure that the following model variables are mapped to their respective

project variables. To map a model variable to a project variable, click in the box in the **Value** column, select a variable, and click .


Project Variables	Model Variables
score	EM_EVENTPROBABILITY

- Open the **HMEQ_STAT_Item** model and then select **Model Properties** ⇒ **Variables** ⇒ **Output Mapping**. Ensure that the following model variables are mapped to their respective project variables. To map a model variable to a project variable, click in the box in the **Value** column, select a variable, and click .

Project Variables	Model Variables
score	P_BAD1

- Open the **HPForest** model and then select **Model Properties** ⇒ **Variables** ⇒ **Output Mapping**. Ensure that the following model variables are mapped to their respective project variables. To map a model variable to a project variable, click in the box in the **Value** column, select a variable, and click .


Project Variables	Model Variables
score	P_BAD1

- Open the **HMEQ-Interval** project and select the **Models** page.
- Open the **Reg1_Interval** model and then select **Model Properties** ⇒ **Variables** ⇒ **Output Mapping**. Ensure that the following model variables are mapped to their respective project variables. To map a model variable to a project variable, click in the box in the **Value** column, select a variable, and click .

Project Variables	Model Variables
P_DEBTINC	P_DEBTINC


Add Attachments (Optional)

To add an attachment to a model:

- Open the model and select the **Attachments** page.
- Click .
- Select a file to attach and click **Open**.


Add Comments (Optional)

To add a comment to a model:

1. Open the model and select the **Comments** page.
2. Enter a topic name and a comment.
3. Click  to attach a file to the topic. Repeat this step to attach multiple files.
4. Click **Post**.

Update the Workflow Process (Optional)

To complete the tasks in the associated workflow:

1. Click .
2. Select **Claim this task**.
3. Select an action to take for the selected task. The actions that are available are the status values for the task in the workflow.
4. Click **Done**. The workflow process continues to the next task.
5. Repeat steps 2 and 3 for the tasks that you completed during this tutorial.


Note: For more information, see [Chapter 12, “Tutorial 11: Using My Tasks and Managing Workflows,”](#) on page 153.

Create Model Comparison and Summary Reports

In this exercise, you create several model comparison reports that are used in the selection and approval of a champion model. Of the reports, the Model Profile report can be created for any type of model. The Interval Target Variable report can be created only for a prediction model. After you create the reports, you view them on the **Reports** page. The reports enable you to evaluate candidate models in a version or across versions by assessing the structure, performance, and resilience of your models.

Create a Model Profile Report

The Model Profile report creates three tables to display the profile data that is associated with the model input variables, output variables, and target variables. To create this report:

1. Open the **HMEQ** project and select the **Reports** page.
2. Click  and select **Model Profile**.
3. Enter **profile_tree1** for the report name.
4. (Optional) Enter a description for the report.
5. Select **PDF** for the output type.
6. Select **Seaside** for the style of the report.

7. Select the model **Tree 1** from the list.

New Report ✕

Name: *

Description:

Report:

Output type:

Style:

Select models:


	Name	Version	Role	Model Function	Date Published
<input type="radio"/>	Neural	1.0		Classification	
<input type="radio"/>	Reg 1	1.0		Classification	
<input type="radio"/>	HPForest	1.0		Classification	
<input checked="" type="radio"/>	Tree 1	1.0		Classification	
<input type="radio"/>	HMEQ_STAT_It...	1.0		Classification	

Run Cancel

8. Click **Run**. The report is generated and appears in the default viewer based on the selected output type.

Create a Delta Report

The Delta report compares the profile data for two models and notes the differences. To create this report:

1. Open the **HMEQ** project and select the **Reports** page.
2. Click  and select **Delta**.
3. Enter **delta_reg1tree1** for the report name.
4. (Optional) Enter a description for the report.
5. Select **HTML** for the output type.
6. Select **SAS default** for the style of the report.
7. Select the models **Reg 1** and **Tree 1** from the list.

New Report

Name: * delta_reg1tree1

Description: The Delta Report

Report: Delta

Output type: HTML

Style: SAS default

Select models:

<input type="checkbox"/> All	Name	Version	Role	Model Function	Date Published
<input type="checkbox"/>	Neural	1.0		Classification	
<input checked="" type="checkbox"/>	Reg 1	1.0		Classification	
<input type="checkbox"/>	HPForest	1.0		Classification	
<input checked="" type="checkbox"/>	Tree 1	1.0		Classification	
<input type="checkbox"/>	HMEQ_STAT_IT...	1.0		Classification	

Run Cancel

- Click **Run**. The report is generated and appears in the default viewer based on the selected output type.

Create a Dynamic Lift Report

The Dynamic Lift report provides visual summaries of the performance of one or more models for predicting a binary outcome variable performance. To create this report:

- Open the **HMEQ** project and select the **Reports** page.
- Click and select **Dynamic Lift**. The New Report window appears.
- Enter **lift_reg1tree1** for the report name.
- (Optional) Enter a description for the report.
- Select **HTML** for the output type.
- Select **Seaside** for the style of the report.
- Select the models **Reg 1** and **Tree 1** from the list.
- (Optional) Enter **3** for the control group response rate.
- (Optional) Enter **1** for the prior probability.
- Accept the default input table of **Tutorials.HMEQ_TEST**.

New Report ✕

Name: * lift_reg1tree1

Description: The Dynamic Lift Report

Report: Dynamic Lift

Output type: HTML ▼

Style: Seaside ▼

Select models:

<input type="checkbox"/> All	Name	Version	Role	Model Function	Date Published
<input type="checkbox"/>	Neural	1.0		Classification	
<input checked="" type="checkbox"/>	Reg 1	1.0		Classification	
<input type="checkbox"/>	HPForest	1.0		Classification	
<input checked="" type="checkbox"/>	Tree 1	1.0		Classification	
<input type="checkbox"/>	HMEQ_STAT_It...	1.0		Classification	

Control group response rate: 3 % ?

Prior probability: 1 % ?

Input table: * Tutorials.HMEQ_TEST [Browse](#)

Run Cancel

11. Click **Run**. The report is generated and appears in the default viewer based on the selected output type.

Training Summary Data Set Report (Optional)


About the Report

A Training Summary Data Set report creates frequency and distribution charts that summarize the train table variables. Using the default train table, SAS Model Manager generates data sets that contain numeric and character variable summaries, as well as variable distributions. These data sets are used to create the summary report.

In this exercise, you create a Training Summary Data Set report.

Create a Training Summary Data Set Report

To generate a Training Summary Data Set report for a version:

1. Open the **HMEQ** project and select the **Reports** page.
2. Click  and select **Training Summary Data Set**.
3. Enter **TrainingSummaryDataSet_HMEQ** for the report name.
4. (Optional) Enter a description for the report.
5. Select **HTML** for the output type.
6. Select **Seaside** for the style of the report.
7. Accept the default input table of **Tutorials.HMEQ_TRAIN**.
8. Select the variables to include in the summary data set.

New Report

Name: * TrainingSummaryDataSet_HMEQ

Description:

Report: Training Summary Data Set

Output type: HTML

Style: Seaside

Input table: * Tutorials.HMEQ_TRAIN [Browse](#)

Select the variables to include in the summary data set.

<input checked="" type="checkbox"/> All	Variable Name	Description
<input checked="" type="checkbox"/>	YOJ	
<input checked="" type="checkbox"/>	MORTDUE	
<input checked="" type="checkbox"/>	DEROG	
<input checked="" type="checkbox"/>	REASON	
<input checked="" type="checkbox"/>	CLNO	
<input checked="" type="checkbox"/>	VALUE	
<input checked="" type="checkbox"/>	LOAN	
<input checked="" type="checkbox"/>	CLAGE	
<input checked="" type="checkbox"/>	DELINQ	
<input checked="" type="checkbox"/>	DEBTINC	
<input checked="" type="checkbox"/>	JOB	
<input checked="" type="checkbox"/>	RAD	

Run **Cancel**


- Click **Run**. The report is generated and appears in the default viewer based on the selected output type.

Create an Interval Target Variable Report

The Interval Target Variable report creates two plots so that you can view the actual versus predicted values for a model and the actual versus residual values for a model. This report can be created only for prediction models.

Note: This report is created based on the sample data of the default test table. By default, the sample size is 1000 and the sample seed is 12345. When the sample size is less than or equal to 5000, the chart that is created in the report is a scatter plot. When the sample size is greater than 5000, the chart that is created in the report is a heat map. If you are using your own data sets and want to create an Interval Target Variable Report that contains a heat map, contact your SAS Administrator. Request that the **Sample size for models with an interval target** configuration setting be changed to greater than 5000.

To create this report:

- Open the **HMEQ-Interval** project and select the **Reports** page.
- Click  and select **Interval Target Variable**.
- Enter **reg1_interval** for the report name.
- (Optional) Enter a description for the report.
- Select **PDF** for the output type.
- Select **Seaside** for the style of the report.
- Select the model **Reg1_Interval** from the list.
- Accept the default input table of **Tutorials.HMEQ_TEST**.

New Report ✕

Name: * reg1_interval

Description: The Interval Target Variable Report

Report: Interval Target Variable

Output type: PDF

Style: Seaside

Select models:

<input type="checkbox"/> All	Name	Version	Role	Model Function	Date Published
<input checked="" type="checkbox"/>	Reg1_Interval	1.0		Prediction	

Input table: * Tutorials.HMEQ_TEST [Browse](#)

Run **Cancel**

- Click **Run**. The report is generated and appears in the default viewer based on the selected output type.

View a Model Comparison and Summary Reports


To view a model comparison report:

- Open the **HMEQ** or **HMEQ-Interval** project and select the **Reports** page.
- Double-click the report name to open the report.
- Use the PDF or HTML viewer to distribute or print a copy of the report.
- Close the PDF or HTML viewer.

For a detailed description of the model comparison reports, see *SAS Model Manager: User's Guide*.

Update the Workflow Process (Optional)

To complete the tasks in the associated workflow:

- Click .
- Select **Claim this task**.
- Select an action to take for the selected task. The actions that are available are the status values for the task in the workflow.
- Click **Done**. The workflow process continues to the next task.
- Repeat steps 2 and 3 for the tasks that you completed during this tutorial.

Note: For more information, see [Chapter 12, “Tutorial 11: Using My Tasks and Managing Workflows,”](#) on page 153.

Scoring Models

In this exercise, you create a scoring test that is used to run the score code of a model and produce scoring results. Then you schedule the scoring test to run on a particular date and time. You can also schedule how often you want the scoring test to run. You use the results to determine the scoring accuracy and to analyze the model performance. The scoring test uses data from a scoring input table, and then generates the results in a scoring output table.

Create a Scoring Test

1. Open the **HMEQ** project and select the **Scoring** page.
2. Click **+**. The Add a New Scoring Test wizard appears.

Add a New Scoring Test (Step 1 of 4)

Specify Name and Model

Name:

Description:

Select model:

	Name	Version	Type	Role
<input type="radio"/>	Neural	1.0	Classification	
<input type="radio"/>	Reg 1	1.0	Classification	
<input type="radio"/>	HPForest	1.0	Classification	
<input type="radio"/>	Tree 1	1.0	Classification	

Type: ☒ Test ☐ Production

Number of observations: [?](#)

Previous Next Save Cancel


3. Enter **Tree1** for the name.
4. (Optional) Enter **test1** for the description.
5. Select the **Tree 1** model from the list.
6. Select **Test** for the type of scoring test. Accept the default number of observations (1000 rows) to be read from the scoring input table.


Note: A best practice is to select **Test** before beginning all scoring tests. Later, when you are satisfied with the results of running the scoring test and you are ready to put the test into production, you can change the type to **Production**.


7. Click **Next**.
8. Verify that the value you previously specified for the **Default score input table** project property appears in the **Input table** box. To select a table, click **Browse** and select the table **HMEQ_SCORE_INPUT** from the **Tutorials** library. Click **OK**.

9. Verify that the value you previously specified for the **Default score output table** project property appears in the **Output table** box. To select a table, click **Browse** and select the table **HMEQ_SCORE_OUTPUT** from the **Tutorials** library. Click **OK**.
10. Click **Next**. Verify that the output variables are mapped to the available variables.
11. Click **Next**.
12. Select the configured SAS Application Server (for example, **SASApp**).
13. Click **Save**.


Schedule a Scoring Test

1. Select the **Tree1** scoring test from the list and click .




2. On the **Recurrence** tab, select the recurrence pattern.
3. Specify the criteria for when and how often the job should be run.
To set the start date, click the calendar  and select a start date and time. The default is today's date. It is recommended to schedule it at least 5 minutes out, so that you can complete the next steps.
4. (Optional) Click **Advanced**. Select the server that schedules the job from the **Scheduling server** list box. Select the batch server that runs the job from the **Batch server** list box. Click **Browse** to select a location for the scoring job definition in the SAS Metadata Repository. Click **OK**.
5. Click **OK**.
6. After the job has been scheduled, a confirmation message appears. Click **Close**.
7. Click the **Results** tab to view the scoring test results, after the scheduled scoring test job has been completed.

Note: Scoring test job schedules cannot be edited. To change the schedule, delete the schedule and create a new schedule.

To delete a schedule, select the schedule and then click .

Update the Workflow Process (Optional)

To complete the tasks in the associated workflow:

1. Click .
2. Select **Claim this task**.
3. Select an action to take for the selected task. The actions that are available are the status values for the task in the workflow.
4. Click **Done**. The workflow process continues to the next task.
5. Repeat steps 2 and 3 for the tasks that you completed during this tutorial.


Note: For more information, see [Chapter 12, “Tutorial 11: Using My Tasks and Managing Workflows,”](#) on page 153.

Set a Champion Model

In this exercise, you set a champion model for each project.


Set the Champion Model for the HMEQ Project

To set a champion model:

1. On the **Models** page, select **Tree 1**.
2. Click  to set the model as the project champion model. The value in the **Role** column changes to **Champion**.


Flag the Challenger Model for the HMEQ Project

You can flag a challenger model after the champion model has been set. To flag a challenger model:

1. On the **Models** page, select **Reg 1**.
2. Click  to flag the model as a challenger. The value in the **Role** column changes to **Challenger**.

Set the Champion Model for the HMEQ-Interval Project


To set a champion model:

1. On the **Models** page, select **Reg1_Interval**.
2. Click  to set the model as the project champion model. The value in the **Role** column changes to **Champion**.

Note: Click **Yes** if a confirmation message appears.

Update the Workflow Process (Optional)

To complete the tasks in the associated workflow:

1. Click .
2. Select **Claim this task**.
3. Select an action to take for the selected task. The actions that are available are the status values for the task in the workflow.
4. Click **Done**. The workflow process continues to the next task.
5. Repeat steps 2 and 3 for the tasks that you completed during this tutorial.

Note: For more information, see [Chapter 12, “Tutorial 11: Using My Tasks and Managing Workflows,”](#) on page 153.

Chapter 5

Tutorial 4: Publishing Models

Overview of Publishing Models	61
Prerequisites	62
Tutorial 4 Models	62
Prepare a Database or Hadoop for Use with SAS Model Manager	62
Verify Your User ID as a Member of Model Manager User Groups	62
Sign In	62
Publish Models to the SAS Metadata Repository	63
Publish a Model from the Models Page	63
Verify the Published Model	64
Publish the Champion Model	65
Publish Models to a Database	66
Overview	66
Publish a Model Using the SAS Embedded Process Publish Method	66
Publish a Model Using the Scoring Function Publish Method	68
(Optional) Publish a Model to a Hadoop Distributed File System	70
Update Workflow	72
Update the Workflow Process (Optional)	72

Overview of Publishing Models

SAS Model Manager provides a comprehensive publishing environment for model delivery that supports sharing model and performance data. SAS Model Manager publishes models to different channels, and to the SAS Metadata Repository. SAS Model Manager can also publish classification, prediction, and segmentation (cluster) models to a database, if the model has a score code type of SAS DATA step. SAS Model Manager cannot publish PMML models to a database. Application software, such as SAS Data Integration Studio or SAS Enterprise Guide, enables you to access models through the SAS Metadata Server and to submit on-demand and batch scoring jobs.

The tutorial provides examples and step-by-step directions for publishing models to the SAS Metadata Repository, to a database, and to the Hadoop Distributed File System. For information about how to publish models to a SAS channel, see [“Publishing Models to a SAS Channel”](#) in *SAS Model Manager: User’s Guide*.

Prerequisites

Tutorial 4 Models

The exercises in this tutorial depend on some of the properties of the specific models that were added in [Chapter 4, “Tutorial 3: Importing Models, Scheduling Scoring Tests, and Creating Reports,”](#) on page 37. Use the projects, versions, or models that are specified here. This tutorial is designed to follow Tutorial 3.

Prepare a Database or Hadoop for Use with SAS Model Manager

To publish a model to a database or Hadoop from SAS Model Manager, the Database Administrator (DBA) needs to prepare the database. For more information, see [“Preparing a Data Management System for Use with SAS Model Manager”](#) in *SAS In-Database Products: Administrator’s Guide*.

Note: Contact your system administrator if you do not have the appropriate permissions to the installation and configuration directories on the SAS Model Manager server.

Verify Your User ID as a Member of Model Manager User Groups

In this exercise, you ensure that your user ID is a member of the **Model Manager Advanced Users** group.

1. Open SAS Management Console and log on to the SAS Metadata Server.
2. On the **Plug-ins** tab, select **User Manager**.
3. Find and double-click your user ID in the right pane of SAS Management Console.
4. Click the **Groups and Roles** tab. Review the **Member of** pane and locate the group **Model Manager Advanced Users**. If your user ID is not a member of this group, ask your administrator to add you to this group. Close the properties window.
5. Close SAS Management Console.

Sign In

To sign in to SAS Model Manager:

1. In the address bar of your web browser, enter **http://hostname:port/SASDecisionManager** and press Enter. The Sign In page appears.
2. Enter a user ID and password. Your user ID might be case sensitive, depending on the operating system that is used to host the application server. Your password is case sensitive.

Note: To schedule jobs in a Windows environment, you must include the domain name when entering your user ID (for example, *domain\myuserID*).

3. Click **Sign In**.

Publish Models to the SAS Metadata Repository


In this exercise, you use the comprehensive publishing environment for model delivery to share models. Model delivery most often includes model score code and its associated input and output metadata. You publish a model and the champion model for a project to the SAS Metadata Repository. In the next exercise, you publish a champion or challenger model to a database. Application software, such as SAS Data Integration Studio or SAS Enterprise Guide, can access the MiningResults object through the SAS Metadata Server and submit on-demand or batch scoring jobs.


Publish a Model from the Models Page

SAS Model Manager uses the SAS Folders view to publish the model to any folder in the SAS Metadata Repository that is accessible to the user. You can publish a model to folders in the SAS Foundation repository or to folders in custom repositories that are created in SAS Management Console to reflect the structure of your business organization.

Note: SAS Model Manager cannot publish R models.

To publish a model to the SAS Metadata Repository:

1. In the **Tutorial3** folder, open the **HMEQ** project and select the **Models** page.
2. Select **Tree 1** and click .
3. Enter **Tree 1** as the publish name for the model. It might already be populated.
4. Click **Browse** to select the location to publish the model to.



Publish Model

Publish destination: SAS Metadata Repository

Specify a publish name for the selected model.

<input type="checkbox"/> All	Model Name	Role	Version	Model Function	Publish Name	Date Published
<input checked="" type="checkbox"/>	Tree 1	Champion	1.0	Classification	Tree 1	

SAS Metadata Repository Settings

Location: [Browse](#)

Publish **Cancel**

5. Click **Publish**.

Note: If you change the score code for the model, publish the model again to ensure that your score application uses the current scoring code. Do not overwrite an existing MiningResults object unless you are certain that the model is from the same project in SAS Model Manager.

- Click **Close** in the confirmation message.

Verify the Published Model

View Publish History

To view the publish history of an individual model, open the model from the **Models** page and select **History** ⇒ **Published** from the menu on the **Model Properties** page. To view the publish history of all models in a project, select the **Published** tab on the **History** page. All models that have been published to a SAS channel, to the SAS Metadata Repository, and to a database are displayed. Select a model from the list to view the full publish details.

To view the full publish details for a model:

- Open a model and select the **Model Properties** tab.
- Select **History** ⇒ **Published** to view the publish history.

To view the full publish details for all models:


- Open a project and select the **History** page.
- Select the **Published** tab to view the publish history.

View a Published Model

To verify that SAS Model Manager successfully created the MiningResults object in the SAS Metadata Repository for a published model, use SAS Management Console. To view the contents of the published model or project, you can use SAS Data Integration Studio. You can also use SAS Management Console to export the MiningResults object to a SAS package.

To view a MiningResults object in the metadata repository:

- Open SAS Management Console and log on to the SAS Metadata Server using the same user ID that you use to log on to SAS Model Manager.
- Click the **Folders** tab and expand the folders to locate the model that you exported. When you select the folder, the right pane lists the MiningResults objects for the exported models.



- Right-click the **Tree 1** MiningResults object and select **Properties** from the pop-up menu. The Properties window appears.
- Examine the **Keywords** box on the **General** tab to verify that the MiningResults object contains the universally unique identifier (UUID) of the exported model. The

UUID is a system property that SAS Model Manager automatically assigns to each model. To view a system properties for a model in SAS Model Manager, open the model from the **Models** page of a project and select **Properties** ⇒ **System** on the **Model Properties** page.

Tree 1 Properties

General | Advanced | Authorization

Name:

Type: Mining Result

Description:

Location: /User Folders/mmanalyst/My Folder

Created: 8/3/15 11:20 AM

Modified: 8/3/15 11:20 AM (mmanalyst)

Keywords:

Buttons: Add... Edit... Delete

Responsibilities:

Name	Role

Buttons: Add... Delete

Buttons: OK Cancel Help


TIP You can use the UUID to conduct filtered searches and query the published models. For more information, see Appendix 1 in the *SAS Model Manager: User's Guide*.

- Examine the metadata on the **Advanced** tab to determine when the MiningResults object was created or most recently updated.
- Click **OK**.

Publish the Champion Model

To publish the champion model, you must have already assigned the champion model for the project. SAS Model Manager examines the project and displays a list of the champion and challenger models for the project. When the champion model for a project changes and you publish the model again at the project level, the scoring application automatically uses the latest score code.

To publish the champion model from a model project to the SAS Metadata Repository:

1. From the Projects category, select **HMEQ** and click .
2. Select **SAS Metadata Repository** as the publish destination.
3. Select **Tree 1** from the models list.
4. The **Publish Name** is set as **HMEQ**.
5. Click **Browse** and select the location to publish the model to. Click **OK**.
6. Click **Publish**.
7. Click **Close** in the confirmation message.

Publish Models to a Database

Overview


In this tutorial, you publish the project champion model and challenger models to a configured database using either the SAS Embedded Process Publish Method or the Scoring Function Publish Method. There is also an example of publishing a model using the Hadoop Distributed File System.

For more information, see [“Publishing Models” in SAS Model Manager: User’s Guide](#).

Note: The examples that are used in this tutorial use the Teradata and Hadoop publish destinations for publishing a model to a database. You can also use this tutorial to publish a model to a DB2, Greenplum, Netezza, Oracle, or SAP HANA database.

Publish a Model Using the SAS Embedded Process Publish Method

In this exercise, you publish a project's champion model to a database using the SAS Embedded Process publish method.

1. Verify that you have set the project champion model. For more information, see [“Set a Champion Model” on page 58](#).
2. From the Projects category, select **HMEQ** and click .
3. Select a database type as the publish destination.
4. Select **SAS Embedded Process** for the publish method. The type of database and the publish method that you choose determine which database settings and options are required. The default publish method is SAS Embedded Process.
5. Select **Tree 1** in the models list.
6. Enter a publish name for the champion model that you selected to publish or accept the default value. The SAS Embedded Process publish method uses only the **publish name** to publish the model files to the database.

Here are the naming convention requirements:

- The user-defined value is case insensitive. The maximum length of alphanumeric characters is determined by the database type and publish method that is selected. No spaces are allowed. An underscore is the only special character that can be included in the publish name.

- The recommended maximum length of the publish name for the SAS Embedded Process publish method is 30 alphanumeric characters for all database types. The database types that are currently supported by SAS Model Manager are DB2, Greenplum, Hadoop, Netezza, Oracle, SAP HANA, or Teradata.

Note: The publish name for each model is reserved by default for subsequent use of the publishing models for a project.

7. Enter a value for the database settings that appear for the selected database type and publish method. For more information about database settings, see [“Publishing Models to a Database or Hadoop”](#) in *SAS Model Manager: User’s Guide*.

Publish Models

Publish destination: Teradata

Publish method: ☒ SAS Embedded Process ☐ Scoring function

Select one or more models to publish, and specify a publish name for each model.

<input type="checkbox"/> All	Model Name	Role	Version	Model Function	Publish Name	Date Published
<input checked="" type="checkbox"/>	Tree 1	Champion	1.0	Classification	HMEQ	Aug 3, 2015 11:...
<input type="checkbox"/>	Reg 1	Challenger	1.0	Classification	Reg 1	

☐ Replace scoring functions that have the same publish name

Specify an identifier to add to the database target table for each model:

HMEQ

☒ Validate scoring results

Validation table: Tutorials.HMEQ_TRAIN [Browse](#)

Teradata Settings

Server: DBserver

Database: DBname

User ID: myDBuserID Password: *****


[More Options...](#)

Publish Cancel

8. Click **More Options**. The <Database-type> Options window appears.

Select the check box for the desired validation options that appear for the selected database type:

- **Keep scoring files if validation fails**
- **Display detailed log messages**
- **Use model input**



Note: By default, **Use model input** is selected.

9. Enter a numeric value for **Sample Size**. The default value for sample size is 100. The maximum number of digits that are allowed is 8.
10. Click **Save**.
11. Click **Publish**. A message indicates whether the models were published to the database successfully.


Note: The value of the publish name is validated against the target database. Validation occurs when the option **Replace scoring files that have the same publish name** is not selected for the SAS Embedded Process publish method. If the publish name is not unique, an error message is displayed.

12. Click **Close** to complete the publishing process.
13. To view the published history and publish results of the project, open the project and then select the **History** page.

Publish a Model Using the Scoring Function Publish Method

In this exercise, you publish a project's champion model to a database using the scoring function publish method.

To publish a model:

1. Verify that you have set the project champion model. For more information, see [“Set a Champion Model” on page 58](#).
2. From the Projects category, select **HMEQ** and click .
3. Select a database type as the publish destination.
4. Select **Scoring function** for the publish method. The type of database and the publish method that you choose determine which database settings and options are required. The default publish method is SAS Embedded Process.
5. Select **Reg 1** in the models list.

TIP If you have not published the champion model, select the champion model **Tree 1**.

6. Enter a publish name for each model that you selected to publish. The scoring function publish method has a system-generated **prefix** and a **publish name**. These

are used to publish the model scoring function. The publish name is a user-defined value that can be modified.

Here are the naming convention requirements:

- The user-defined value is case insensitive. The maximum length of alphanumeric characters is determined by the database type and publish method that is selected. No spaces are allowed. An underscore is the only special character that can be included in the publish name.
- The recommended maximum lengths of the publish names for the scoring function publish method are the following:
 - 19 alphanumeric characters for Teradata
 - 30 alphanumeric characters for Netezza, Greenplum, DB2, SAP HANA, and Hadoop

UNIX Specifics

The publish name (user-defined) portion of the function name in an AIX environment has a maximum length of 16 alphanumeric characters for Teradata.

Note: The publish name for each model is reserved by default for subsequent use of the publishing models for a project.

7. Enter a value for the database settings that appear for the selected database type and publish method. For more information about database settings, see [“Publishing Models to a Database or Hadoop” in SAS Model Manager: User’s Guide](#).

Publish Models

Publish destination: Teradata

Publish method: ☐ SAS Embedded Process ☒ Scoring function

Select one or more models to publish, and specify a publish name for each model.

<input type="checkbox"/> All	Model Name	Role	Version	Model Function	Prefix	Publish Name	Date Published
<input type="checkbox"/>	Tree 1	Champion	1.0	Classification	Y150803071_	Tree_1	Aug 3, 2015 02:...
<input checked="" type="checkbox"/>	Reg 1	Challenger	1.0	Classification	Y150803072_	Reg_1	

☒ Validate scoring results

Validation table: Tutorials.HMEQ_TRAIN [Browse](#)

Teradata Settings

Server: DBserver

Database: DBname

User ID: myDBuserID Password: *****

[More Options...](#)

Publish **Cancel**

8. Click **More Options**. The More Options window appears.

Select the check box for the desired validation options that appear for the selected database type:

- **Keep scoring function if validation fails**
- **Display detailed log messages**
- **Use model input**

- **Protected mode** (Teradata scoring function option) or **Fenced mode** (DB2 and Netezza scoring function option)

More Options

☒ Keep scoring function if validation fails

Sample size:

☒ Display detailed log messages

☒ Use model input

☒ Protected mode

Save Cancel

Note: By default, **Use model input** is selected for both publish methods. The **Protected mode** or the **Fenced mode** options are selected by default for the scoring function publish method.

9. Enter a numeric value for **Sample Size**. The default value for sample size is 100 if the value is null or zero. The maximum number of digits that are allowed is 8.

10. Click **Save**.

11. Click **Publish**. A message indicates whether the models were published to the database successfully.


Note: The publish name portion of the **Function Name** is validated against the target database. The scoring function with the same publish name is replaced automatically.

12. Click **Close** to complete the publishing process.

13. To view the published history and publish results of the project, open the project and then select the **History** page.

(Optional) Publish a Model to a Hadoop Distributed File System

In this exercise, a project's champion model is published to a Hadoop Distributed File System. Your data and input will differ.

1. From the Projects category, select **HMEQ** and click .
2. Select **Hadoop** as the publish destination.
3. **SAS Embedded Process** is the default publish method.
4. Select **Tree 1** in the models list.
5. Enter **Tree1** as the publish name.
6. Enter the name of the server (for example, **myserver.com**).
7. Enter the directory path for the Hadoop Distributed File System (HDFS).
8. Enter a user ID and password that have access to the HDFS.

Publish Models

Publish destination: Hadoop

Publish method: SAS Embedded Process

Select one or more models to publish, and specify a publish name for each model.

<input type="checkbox"/> All	Model Name	Role	Version	Model Function	Publish Name	Date Published
<input checked="" type="checkbox"/>	Tree 1	Champion	1.0	Classification	HMEQ	Aug 3, 2015 02:12 PM
<input type="checkbox"/>	Reg 1	Challenger	1.0	Classification	Reg 1	Aug 3, 2015 02:52 PM

☐ Replace scoring files that have the same publish name

Specify an identifier to add to the database target table for each model:

HMEQ

☒ Validate scoring results

Validation table: Tutorials.HMEQ_TRAIN [Browse](#)

Hadoop Settings

Server: HadoopServer

Directory path: /user/HadoopUserID

User ID: HadoopUserID Password: *****

[More Options...](#)

Publish **Cancel**

9. Click **More Options** and select the following:

- **Keep scoring files if validation fails**
- **Display detailed log messages**
- **Use model input**

More Options

☒ Keep scoring files if validation fails

Sample size: 100

☒ Display detailed log messages

☒ Use model input

Save **Cancel**

10. Click **Save**.

11. Click **Publish**. A message indicates whether the models were published to the database successfully.

12. Click **Close** to complete the publishing process.

13. To view the publish results, results log, and job history of the project, open the project (for example, the **HMEQ** project) and then select the **History** page.

HMEQ

Properties | Versions | Models | Variables | Scoring | Performance | Retrain | Reports | History | Attachments | Comments

Version: 1.0

Published | Publish Results | Log | Job History

Published Name	Publish Destination	Publish Method	Operation Status	Server Name	Date Published	Project	Version	Model
Tree 1	SAS Metadata Repository		Published	RDCESX16083.RA...	Aug 3, 2015 11:20 ...	HMEQ	1.0	Tree 1
HMEQ	SAS Metadata Repository		Published	RDCESX16083.RA...	Aug 3, 2015 11:30 ...	HMEQ	1.0	Tree 1
HMEQ	Database	SAS Embedded Process	Published	DBserver	Aug 3, 2015 02:12 ...	HMEQ	1.0	Tree 1
Reg_1	Database	Scoring function	Published	DBserver	Aug 3, 2015 02:52 ...	HMEQ	1.0	Reg 1
HMEQ	Hadoop	SAS Embedded Process	Published	HadoopServer	Aug 3, 2015 03:06 ...	HMEQ	1.0	Tree 1

Published name: HMEQ

Operation status: Published

Server name: HadoopServer

Published by: mmanalyst

Date published: Aug 3, 2015 03:06 PM

Model function: Classification


Model role: Champion

Publish level: Project

Update Workflow

Update the Workflow Process (Optional)

To complete the tasks in the associated workflow:

1. Click .
2. Select **Claim this task**.
3. Select an action to take for the selected task. The actions that are available are the status values for the task in the workflow.
4. Click **Done**. The workflow process continues to the next task.
5. Repeat steps 2 and 3 for the tasks that you completed during this tutorial.

Note: For more information, see [Chapter 12, “Tutorial 11: Using My Tasks and Managing Workflows,”](#) on page 153.

Chapter 6

Tutorial 5: Performance Monitoring and Using Dashboard Reports

Overview of Performance Monitoring	73
Prerequisites	74
Tutorial 5 Models and Data Sets	74
Verify Your User ID as a Member of Model Manager User Groups	74
Sign In	74
Monitor the Performance of a Classification Project Champion Model	75
Ensure the Project and Model Properties Are Set	75
Edit and Execute the Performance Definition	75
Monitor the Performance of a Prediction Project Champion Model	80
Ensure the Project and Model Properties Are Set	80
Edit and Execute the Performance Definition	80
Schedule Performance Monitoring	84
Overview of Scheduling Performance Monitoring	84
Create the Schedule	85
Delete Performance Data Sets	85
Creating Output Formats for Performance Monitoring Reports	86
Create Monitoring Reports	86
Create Champion and Challenger Performance Reports	86
Using Dashboard Reports	87
Overview	87
Prerequisites	88
Dashboard Directory Configuration and Permissions	88
Create a Dashboard Report Definition	88
Generate Dashboard Reports	89
View the Dashboard Reports	90
Manage Project Dashboard Definitions	92

Overview of Performance Monitoring

SAS Model Manager performance monitoring enables you to monitor and evaluate model performance. Model performance can sometimes be improved by tuning or refitting the model, or by using a new champion model.

To monitor performance, you create a performance definition and then you execute it or schedule it to run at a specific date and time. The output from executing a performance

definition includes several charts, such as Characteristic, Stability, Lift, Gini (ROC and Trend), Kolmogorov-Smirnov (KS), and Mean Squared Error (MSE) charts. The New Report feature enables you to create a Monitoring report and a Champion and Challenger Performance report that uses the performance data as input. You can view these charts in SAS Model Manager or you can create monitoring reports in PDF, HTML, RTF, or Excel output formats.

Prerequisites

Tutorial 5 Models and Data Sets

The exercises in this tutorial depend on some of the properties of the specific models that were added in [Chapter 4, “Tutorial 3: Importing Models, Scheduling Scoring Tests, and Creating Reports,”](#) on page 37.

The performance data sets from SMM141Tutorials.zip must be extracted and registered in the SAS Metadata Repository. If the data sets have not been extracted and registered, see [“Install and Register the Tutorial Files”](#) on page 4 to extract and register the files.

Verify Your User ID as a Member of Model Manager User Groups

In this exercise, you ensure that your user ID is a member of the **Model Manager Advanced Users** group.

1. Open SAS Management Console and log on to the SAS Metadata Server.
2. On the **Plug-ins** tab, select **User Manager**.
3. Find and double-click your user ID in the right pane of SAS Management Console.
4. Click the **Groups and Roles** tab. Review the **Member of** pane and locate the group **Model Manager Advanced Users**. If your user ID is not a member of this group, ask your administrator to add you to this group. Close the properties window.
5. Close SAS Management Console.

Sign In

To sign in to SAS Model Manager:

1. In the address bar of your web browser, enter **http://hostname:port/SASDecisionManager** and press Enter. The Sign In page appears.
2. Enter a user ID and password. Your user ID might be case sensitive, depending on the operating system that is used to host the application server. Your password is case sensitive.

Note: To schedule jobs in a Windows environment, you must include the domain name when entering your user ID (for example, *domain\myuserID*).

3. Click **Sign In**.

Monitor the Performance of a Classification Project Champion Model

In this exercise, you run the Performance Definition wizard for the **HMEQ** classification modeling project to create a performance monitoring definition for the champion model, **Tree 1**. The performance monitoring job uses the information that you supply in the Performance Definition wizard to create SAS programs. You then execute the SAS programs in the performance job to create the performance monitoring data sets. Finally, you repeat the steps for the challenger model **Reg 1**.

Ensure the Project and Model Properties Are Set

The Performance Definition wizard requires that specific project and model properties be set before you can run the wizard.


1. Expand the **Tutorial3** folder.
2. Open the **HMEQ** project and ensure that the following project properties are set:

Project Property	Value
Training target variable	BAD
Target event value	1
Class target level	Binary
Output event probability variable	score

3. Select the **Models** page.
4. Open the champion model **Tree 1** and verify that the value of the **Score code type** property is set to **DATA step**.
5. Open the challenger model **Reg 1** and verify that the value of the **Score code type** property is set to **DATA step**.

Edit and Execute the Performance Definition

To edit the performance definition:

1. Select the **Performance** page.
2. Click  and select the champion model **Tree 1**.

Edit Performance Definition

Select Model Step 1 of 4

Select Model

Select a model:

	Name	Version	Type	Role
<input type="radio"/>	Reg 1	1.0	Classification	Challenger
<input checked="" type="radio"/>	Tree 1	1.0	Classification	Champion

Previous Next Save Cancel

Click **Next**.

3. Select a SAS Application Server (for example, the default is SASApp).
4. Click **All** to select all output variables for stability analysis.
5. Click **All** to select all input variables for characteristic analysis.

Edit Performance Definition

Select Server and Variables Step 2 of 4

Select Model

Select Server and Variables

Select a SAS Application Server: SASApp

Select the output variables for stability analysis:

<input checked="" type="checkbox"/> All	Variables	Description
<input checked="" type="checkbox"/>	score	

Select the input variables for characteristic analysis:

<input checked="" type="checkbox"/> All	Variables	Description
<input checked="" type="checkbox"/>	YOJ	
<input checked="" type="checkbox"/>	MORTDUE	
<input checked="" type="checkbox"/>	REASON	
<input checked="" type="checkbox"/>	DEROG	

Previous Next Save Cancel


6. Click **Next**.
7. Select **Standard configuration** as the data processing method and select **Run model score code** to run the score code in the performance monitor job.
8. Select **Static data sources** or **Dynamic data sources**, and then specify the data source information. The default option is **Static data sources**.

To use static data sources:


- a. Click **+**.

Note: The data table whose collection date is the earliest is the baseline performance data table.


- b. Click the empty cell in the **Data Source** column.
- c. Click **Browse** and select the **Tutorials.HMEQ_PERF_Q1** performance data source. Click **OK**.

- d. Click the empty cell in the **Collection Date** column and click . Select the date of **March 31, 2014**. The date can be any date in the time period when the performance data was collected.
- e. Enter the label **Q1** in the **Report Label** column. The report label represents the time point of the performance data source. Because the report label appears in the performance charts, use a label that has not been used for another time period, is short, and is understandable.

Note: If you duplicate report labels, previous performance results are overwritten.

- f. (Optional) Select a data source and click  to verify that the selected input variables and target variable are included in the performance data source.
- g. (Optional) Repeat the above steps to add the following performance data sources to the performance definition.

Data Source	Collection Date	Report Label
Tutorials.HMEQ_PERF_Q2	June 30, 2014	Q2
Tutorials.HMEQ_PERF_Q3	September 30, 2014	Q3
Tutorials.HMEQ_PERF_Q4	December 31, 2014	Q4



Edit Performance Definition

Set Processing and Performance Options Step 3 of 4

Select the data processing method:

☒ Standard configuration ☒ Run model score code

☐ High-performance configuration

Specify the data source information.



☒ Static data sources

Baseline collection date: None

Data Source	Collection Date	Report Label
Tutorials.HMEQ_PERF_Q1	March 31, 2014	Q1
Tutorials.HMEQ_PERF_Q2	June 30, 2014	Q2
Tutorials.HMEQ_PERF_Q3	September 30, 2014	Q3
Tutorials.HMEQ_PERF_Q4	December 31, 2014	Q4

☐ Dynamic data sources


The data source names are used to generate the report labels.

Data source library:  

Remove this prefix:

☐ Generate dashboard reports after the performance monitoring has completed

Previous Next Save Cancel

- h. (Optional) To delete a data source from the performance definition, select the data source and click .

To use dynamic data sources:

- a. Click  to select the **Tutorials** data source library.

- b. Enter the prefix **HMEQ_PERF_** to remove it from the data source names in the selected library. The data source name is used for the report label. You remove the prefix so that it does not show as part of a report label on the charts. Also, if you have other data sources in the same library only the ones that have the specified prefix are used.

Edit Performance Definition [X]

Set Processing and Performance Options Step 3 of 4

Select the data processing method:

☒ Standard configuration ☒ Run model score code

☐ High-performance configuration

Specify the data source information.

☐ Static data sources

Baseline collection date: None

Data Source	Collection Date	Report Label

☒ Dynamic data sources

The data source names are used to generate the report labels.

Data source library: Tutorials [icon]

Remove this prefix: HMEQ_PERF_

☐ Generate dashboard reports after the performance monitoring has completed

Previous Next Save Cancel

9. (Optional) Select **Generate dashboard reports after the performance monitoring has completed**. The dashboard definition must already exist.
10. Click **Next**.
11. Accept the defaults for the alert and warning conditions.
12. (Optional) To send the results by email, click **+**. A new row is added to the table.
 - a. Enter an email address.
 - b. Select either **Yes** or **No** if you want an alert or warning to be sent by email when alert or warning thresholds have been exceeded.
 - c. Select either **Yes** or **No** if you want a completion notice with the job status to be sent by email every time the report runs.

Edit Performance Definition

Set Alerts and Notifications Step 4 of 4

Select Model
Select Server and Variables
Set Processing and Performance Options
Set Alerts and Notifications

Specify values for the alert and warning conditions.

Condition	Value
Characteristic - Alert	p1>5 or p25>0
Stability - Alert	outputDeviation > 0.03
Model - Alert	(lift5Decay>0.15 and lift10Decay>0.12) or giniDecay...
Characteristic - Warning	p1>2
Stability - Warning	outputDeviation > 0.01
Model - Warning	lift5Decay>0.05

Specify who should receive notifications and when.

Email Address	Send Alert or Warning	Send Job Status
mmanalyst@email.com	Yes	Yes

Previous Next Save Cancel


13. Click **Save**.


14. Click .

Note: You can also schedule a performance monitoring to be run at a specific date and time. For more information, see [“Schedule Performance Monitoring” on page 84](#).

15. After the performance monitoring has been completed, a confirmation message appears. Click **Close**.

16. Click the **Results** tab to view the performance results.



Note: You can check the status of a job by clicking  in the **Job History** tab. A new record appears after the job has completed.

17. Click the **Definition** tab on the **Performance** page and repeat steps 2 through 7 for the challenger model **Reg 1**. The same settings and options that were specified for the champion model should be used.

Monitor the Performance of a Prediction Project Champion Model

In this exercise, you run the Performance Definition wizard for the **HMEQ-Interval** prediction modeling project to create a performance monitoring definition for the champion model, **Reg1_Interval**. The performance monitoring job uses the information that you supply in the Performance Definition wizard to create SAS programs. You then execute the SAS programs in the performance job to create the performance monitoring data sets.

Ensure the Project and Model Properties Are Set

The Performance Definition wizard requires that specific project and model properties be set before you can run the wizard.


1. Expand the **Tutorial3** folder.
2. Open the **HMEQ-Interval** project and ensure that the following project-specific properties are set:

Project Property	Value
Training target variable	DEBTINC
Class target level	Interval
Output prediction variable	P_DEBTINC


3. Select the **Models** page.
4. Open the champion model **Reg1_Interval** and verify that the value of the **Score code type** property is set to **DATA step**.

Edit and Execute the Performance Definition


To edit the performance definition:

1. Select the **Performance** page.
2. Click  and select the champion model **Reg1_Interval**.

Note: The data table whose collection date is the earliest is the baseline performance data table.

- b. Click the empty cell in the **Data Source** column.
- c. Click **Browse** and select the **Tutorials.HMEQ_PERF_Q1** performance data source. Click **OK**.
- d. Click the empty cell in the **Collection Date** column and click . Select the date of **March 31, 2014**. The date can be any date in the time period when the performance data was collected.
- e. Enter the label **Q1** in the **Report Label** column. The report label represents the time point of the performance data source. Because the report label appears in the performance charts, use a label that has not been used for another time period, is short, and is understandable.

Note: If you duplicate report labels, previous performance results are overwritten.

- f. (Optional) Select a data source and click  to verify that the selected input variables and target variable are included in the performance data source.
- g. (Optional) Repeat the above steps to add the following performance data sources to the performance definition.

Data Source	Collection Date	Report Label
Tutorials.HMEQ_PERF_Q2	June 30, 2014	Q2
Tutorials.HMEQ_PERF_Q3	September 30, 2014	Q3
Tutorials.HMEQ_PERF_Q4	December 31, 2014	Q4

Edit Performance Definition

Set Processing and Performance Options Step 3 of 4

Select Model

Select Server and Variables

Set Processing and Performance Options

Set Alerts and Notifications

Select the data processing method:

☐ Standard configuration
☒ Run model score code
☐ High-performance configuration

Specify the data source information.



☒ Static data sources

Baseline collection date: None

Data Source	Collection Date	Report Label
Tutorials.HMEQ_PERF_Q1	March 31, 2014	Q1
Tutorials.HMEQ_PERF_Q2	June 30, 2014	Q2
Tutorials.HMEQ_PERF_Q3	September 30, 2014	Q3
Tutorials.HMEQ_PERF_Q4	December 31, 2014	Q4

☐ Dynamic data sources

The data source names are used to generate the report labels.

Data source library:  

Remove this prefix:


☐ Generate dashboard reports after the performance monitoring has completed

Previous


Next


Save

Cancel

- h. (Optional) To delete a data source from the performance definition, select the data source and click .

To use dynamic data sources:

- a. Click  to select a data source library.
- b. Enter the prefix **HMEQ_PERF_** to remove it from the data source names in the selected library. The data source name is used for the report label. You remove the prefix so that it does not show as part of a report label on the charts. Also, if you have other data sources in the same library only the ones that have the specified prefix are used.



Edit Performance Definition ✕

Set Processing and Performance Options Step 3 of 4

Select Model

Select Server and Variables

Set Processing and Performance Options

Set Alerts and Notifications

Select the data processing method:

☒ Standard configuration ☒ Run model score code

☐ High-performance configuration

Specify the data source information.



☐ Static data sources

Baseline collection date: None

Data Source	Collection Date	Report Label	
			+
			✕
			📄

☒ Dynamic data sources



The data source names are used to generate the report labels.

Data source library:  

Remove this prefix:


☐ Generate dashboard reports after the performance monitoring has completed


Previous Next Save Cancel

9. (Optional) Select **Generate dashboard reports after the performance monitoring has completed**. The dashboard definition must already exist.
10. Click **Next**.
11. Accept the defaults for the alert and warning conditions.
12. (Optional) To send the results by email, click . A new row is added to the table.
 - a. Enter an email address.
 - b. Select either **Yes** or **No** if you want an alert or warning to be sent by email when alert or warning thresholds have been exceeded.
 - c. Select either **Yes** or **No** if you want a completion notice with the job status to be sent by email every time the report runs.
13. Click **Save**.
14. Click .

Note: You can also schedule a performance monitoring to be run at a specific date and time. For more information, see [“Schedule Performance Monitoring” on page 84](#).

15. After the performance monitoring has been completed, a confirmation message appears. Click **Close**.
16. Click the **Results** tab to view the performance results.



Note: You can check the status of a job by clicking  in the **Job History** tab. A new record appears after the job has completed.

Schedule Performance Monitoring

Overview of Scheduling Performance Monitoring

After you create a performance definition, you can create a schedule to execute the definition to run on a specific day and at a specific time. You can schedule the definition to run once, hourly, daily, weekly, or monthly.

Before you can schedule a performance definition, your user ID and password must be made available to the SAS Metadata Repository. You must also sign in to SAS Model Manager using your full user credentials that were specified for your user account in SAS Management Console. For user accounts where a Microsoft Windows user ID is specified, you must enter your user ID in the format of *domain\userID*. Contact your system administrator to add or update your password, and to determine the correct user credentials for your user account.


You cannot edit a schedule for a performance definition. To modify a schedule, delete the schedule and create a new schedule.

After performance monitoring jobs execute, you can view the job history using the **Job History** tab on the **Performance** page.

Create the Schedule

To schedule a performance monitoring definition:


1. Click .



The 'New Schedule' dialog box is shown with the 'Recurrence' tab selected. It contains a list of recurrence patterns: 'Once' (selected), 'Hourly', 'Daily', 'Weekly', and 'Monthly'. To the right of the list is a 'Start date and time:' label followed by a text input field and a calendar icon. At the bottom right are 'OK' and 'Cancel' buttons.

2. On the **Recurrence** tab, select the recurrence pattern.
3. Specify the criteria for when and how often the job should be run.
4. (Optional) Select the **Advanced** tab.
 - a. Select the server that schedules the job from the **Scheduling server** list box.
 - b. Select the batch server that runs the job from the **Batch server** list box.
 - c. Click **Browse** to select a location for the performance monitoring output. Click **OK**.
5. Click **OK**.
6. After the job has been scheduled, a confirmation message appears. Click **Close**.
7. Click the **Results** tab to view the performance results.


Note: Performance schedules cannot be edited. To change the schedule, delete the schedule and create a new schedule.

To delete a schedule, click .

Delete Performance Data Sets

After a performance monitoring job has run, the performance data sets reside on the **Results** tab on the **Performance** page.

To delete the performance data sets:


1. Click the **Results** tab.
2. Click . Confirm the deletion.


Creating Output Formats for Performance Monitoring Reports

Create Monitoring Reports

In this exercise, you use the New Report window to create the monitoring reports in the PDF output formats.

To create a Monitoring report:

1. Expand the **Tutorial3** folder.
2. Open the **HMEQ** project and select the **Reports** page.
3. Click  and select **Monitoring**.
4. Enter **PDF_PerfMonitoring** as the name of the report. The description is optional.
5. Select **PDF** for the output type.
6. Select **Seaside** for the style for the report. When the SAS default option is selected, the default style and themes are used in generating the report. For example, the SAS default style for the HTML output type is HTMLBLUE.



New Report

Name: * PDF_PerfMonitoring

Description: The Monitoring Report

Report: Monitoring

Output type: PDF

Style: Seaside

Run Cancel

7. Click **Run**. The report is generated and appears in the default viewer for the selected output type.


Note: If you are prompted, enter your user ID and password to view the report.


Create Champion and Challenger Performance Reports

In this exercise, you use the New Report window to create champion and challenger performance report in the HTML output format.

To create a Champion and Challenger Performance report:

1. Expand the **Tutorial3** folder.

2. Open the **HMEQ** project and select the **Reports** page.
3. Click  and select **Champion and Challenger Performance**.
4. Enter **HTML_ChampionChallengerPerf** as the name of the report. The description is optional.
5. Select **HTML** for the output type.
6. Select **Seaside** for the style for the report. When the SAS default option is selected, the default style and themes are used in generating the report. For example, the SAS default style for the HTML output type is HTMLBLUE.



New Report

Name: * HTML_ChampionChallengerPerf

Description: The Champion and Challenger Performance Report

Report: Champion and Challenger Performance

Output type: HTML

Style: Seaside

Run Cancel

7. Click **Run**. The report is generated and appears in the default viewer for the selected output type.

Note: If you are prompted, enter your user ID and password to view the report.

Using Dashboard Reports

Overview

The SAS Model Manager dashboard can provide reports that show the overall state of projects that are being monitored. The dashboard reports are produced from existing performance data sets. For each project, you can define dashboard report indicators by creating a dashboard definition. The dashboard definition is used to create the dashboard reports. You view the dashboard reports through the **Dashboard** menu. These reports are generated in HTML.

Note: The dashboard reports can be defined and generated only by SAS Model Manager administrators and advanced users.

In this exercise, you create a dashboard definition, generate the dashboard reports, and view the dashboard reports.

Prerequisites

Models Used in Tutorial 3

The exercises in this tutorial depend on some of the properties of the specific models that were added in Tutorial 3. Use the projects, versions, or models that are specified here. This tutorial is designed to follow [Chapter 4, “Tutorial 3: Importing Models, Scheduling Scoring Tests, and Creating Reports,”](#) on page 37.

The Required Tutorial Files

The exercises in this tutorial depend on the performance data sets that were created using the tutorial files in [“Monitor the Performance of a Classification Project Champion Model”](#) on page 75.


Dashboard Directory Configuration and Permissions


In SAS Model Manager 14.1, the dashboard reports directory is configured during installation. The default directory is `\SASConfigDir\Lev#\AppData\SASModelManager14.1\Dashboard`. SAS Model Manager users must have Read permission to this directory in order to view the Dashboard reports. In order for users to generate dashboard reports, they must also have at least Write and Modify permissions. For more information, see [“Configure the Dashboard Reports Directory”](#) in *SAS Model Manager: Administrator's Guide*.

Create a Dashboard Report Definition

Before you can create a dashboard definition, you must have at least one project that contains performance data. For more information, see [“Monitor the Performance of a Classification Project Champion Model”](#) on page 75.

To create a dashboard definition:

1. Select a project, click , and select **New Definition**. The New Dashboard Definition window appears.



New Dashboard Definition [X]

Set Indicators Step 1 of 3

Set Indicators | Set Email Notifications | Set Report Types

Select indicators or copy indicators from another project. You must select one category indicator for each category, and select one category indicator as the project indicator.

<input type="checkbox"/> All	Name	Category	Category Indicator	Project Indicator	Range Min	Range Low
<input type="checkbox"/>	Input Low Cutoff	Characteristic	<input type="radio"/>	<input type="radio"/>	0.0	2.0
<input type="checkbox"/>	Input High Cutoff	Characteristic	<input type="radio"/>	<input type="radio"/>	0.0	1.0
<input type="checkbox"/>	Gini Decay	Model Assessment	<input type="radio"/>	<input type="radio"/>	0.0	0.2
<input type="checkbox"/>	KS Decay	Model Assessment	<input type="radio"/>	<input type="radio"/>	0.0	0.15
<input type="checkbox"/>	Lift Decay at 10%	Model Assessment	<input type="radio"/>	<input type="radio"/>	0.0	0.1
<input type="checkbox"/>	Lift Decay at 15%	Model Assessment	<input type="radio"/>	<input type="radio"/>	0.0	0.1
<input type="checkbox"/>	Lift Decay at 20%	Model Assessment	<input type="radio"/>	<input type="radio"/>	0.0	0.1
<input type="checkbox"/>	Lift Decay at 5%	Model Assessment	<input type="radio"/>	<input type="radio"/>	0.0	0.1
<input type="checkbox"/>	MSE	Model Assessment	<input type="radio"/>	<input type="radio"/>		
<input type="checkbox"/>	MSE Decay	Model Assessment	<input type="radio"/>	<input type="radio"/>	0.0	0.2
<input type="checkbox"/>	Output Low Cutoff	Stability	<input type="radio"/>	<input type="radio"/>	0.0	1.0
<input type="checkbox"/>	Output High Cutoff	Stability	<input type="radio"/>	<input type="radio"/>	0.0	1.0

Previous Next Finish Cancel



2. (Optional) Click  to copy indicators from another project. The Copy Indicators from a Project window appears.
Select the indicators that you want to copy and click **OK**.
3. Select the indicators for the new dashboard definition.
4. Enter normal, warning, and alert values for the range definitions for each indicator that you have selected.

Table 6.1 Example Performance Indicator Values


Indicator Name	Category	Range Min (Normal)	Range Lower (Warning)	Range Upper (Warning)	Range Max (Alert)
Input Low Cutoff	Characteristic	0	1	2	3
Gini Decay	Model Assessment	0	0.2	0.4	0.6
Output Low Cutoff	Stability	0	1	2	3


5. Click **Next**.
6. Select one **Category Indicator** for each category, and one indicator as the **Project Indicator**.
Note: The indicator that you select as a project indicator must also be a category indicator.
7. Click **Next**.
8. (Optional) Specify an email address for each recipient who should receive an email notification about the project status. Click , select a project status, and enter an email address. Click **Save**.
Note: If you send email notifications as part of the dashboard definition, the email notification contains a ZIP file (DashboardReports.zip) with the Dashboard reports in HTML format with the contents of the reports when they were generated. It also contains a link to the latest dashboard reports and status on the SAS Content Server.
9. Click **Next**.
10. Accept the defaults for the report types to include in the dashboard reports.
11. Click **Finish**.
Note: You must define dashboard report indicators for all projects that you want to be included in your dashboard reports.
12. Click **Close**.

Generate Dashboard Reports

Before you execute the dashboard report, ensure that at least one project contains performance data. At least one dashboard report indicator must also be defined in that project.

To generate dashboard reports:

1. Click  and select **Generate Reports**. The Generate Dashboard Reports window appears.




2. Select a style.
3. Select a report option:
 - Create reports and data tables for projects that have new performance monitoring data.
 - Update the style for all reports, using the existing data tables.
 - Update all reports and data tables for projects whose performance monitoring data or report indicator definitions have changed.

Note: This option regenerates the dashboard reports, even if the performance monitoring data or report indicator definitions have not changed.
4. (Optional) Select an option if you want to exclude one or more project types from the report.
5. Click **OK**. A confirmation window appears, stating that the dashboard report was created.
6. Click **Close**.

For more information about executing dashboard reports, see “[Using Dashboard Reports](#)” in *SAS Model Manager: User’s Guide*.

View the Dashboard Reports





To view the dashboard reports:

1. Click  and select **View Reports**. A web page displays all of the dashboard reports for each project that has a dashboard definition.

All projects





Project Path	Current Status	Owner	Model Age (days)
/Tutorials/mmanalyst/Tutorial3/HMEQ	 Q4	mmanalyst	13

History Status

Project Path	Current	Current - 1	Current - 2	Current - 3
/Tutorials/mmanalyst/Tutorial3/HMEQ	 Q4	 Q3	 Q2	 Q1

- Select a project name or status link to view the associated dashboard report. The **Project Reports Index** appears in a new window. If you select a status, only the dashboard reports for that time frame are displayed.










Project Reports Index

Time	Status	Project Indicator	Report
Q4		Number of predictors with deviation index exceeding 0.1	KPI Dashboard Report
			KPI Detail Report
			KPI Trend Dashboard Report
			Monitoring Report
Q3		Number of predictors with deviation index exceeding 0.1	KPI Dashboard Report
			KPI Detail Report
			KPI Trend Dashboard Report
			Monitoring Report
Q2		Number of predictors with deviation index exceeding 0.1	KPI Dashboard Report
			KPI Detail Report
			KPI Trend Dashboard Report
			Monitoring Report
Q1		Number of predictors with deviation index exceeding 0.1	KPI Dashboard Report
			KPI Detail Report
			KPI Trend Dashboard Report
			Monitoring Report

- Select a link from the **Report** column to view the report details.

Note: To return to the Project Reports Index, select the browser's back button. To return to the All Projects dashboard, select the first tab in the browser window.


KPI Detail Report
Q4


Category	Category Status	Category Indicator	Indicator	Indicator Status	Value
Characteristic			Number of predictors with deviation index exceeding 0.1		6.0000
Model Assessment			Gini index decay		0.3929
Stability			Number of outputs with deviation index exceeding 0.1		0.0000



For more information about dashboard reports, see [SAS Model Manager: User's Guide](#).

Manage Project Dashboard Definitions

To manage all project dashboard definitions:

1. Click  and select **Manage Definitions**. The Manage Dashboard Definitions window appears.



2. To edit a dashboard definition for a specific project:
 - a. Select a project and click . The Edit Dashboard Definition window appears.
 - b. Make your changes. Click **Finish**.
3. For each dashboard report definition that you want to delete, select the project and . A confirmation message appears. Click **OK** to confirm the definition.
4. Click **Close**.

Chapter 7

Tutorial 6: Creating LGD and PD Model Validation Reports

Overview of LGD and PD Model Validation Reports	93
Prerequisites	94
Tutorial 6 Models and Data Sets	94
Verify Your User ID as a Member of Model Manager User Groups	94
Sign In	95
Organize the Model Hierarchy	95
Create a Folder	95
Create a Project for PD Models	95
Create a Project for LGD Models	97
Import Models	99
Import Model Package Files	99
Import SAS Code Models	100
Map Model Variables to Project Variables	101
Create LGD and PD Reports	102
Create a Loss Given Default (LGD) Report	102
Create a Probability of Default (PD) Report	103

Overview of LGD and PD Model Validation Reports

The Loss Given Default (LGD) and Probability of Default Model Validation (PD) reports in SAS Model Manager provide several statistical measures and tests to validate stability, performance, and calibration using Loss Given Default and Probability of Default models. These reports can be used to validate models for the Basel Accords (Basel II and III) banking laws and regulations that were issued by the Base Committee on Banking Supervision (BCBS). This tutorial shows you how to import LGD and PD models and create the Loss Given Default and Probability of Default Model Validation reports. For a description of the statistical measures, see [“Statistical Measures Used in Basel III Reports”](#) in *SAS Model Manager: User’s Guide*.

Prerequisites

Tutorial 6 Models and Data Sets

The exercises in this tutorial require that the Tutorial 6 data sets and models from SMM141Tutorials.zip be extracted, and the data sets be registered in the SAS Metadata Repository. If they have not been extracted and registered, see [“Install and Register the Tutorial Files” on page 4](#) to extract the files and register the data sets.

Importing models requires that you know where the SAS Model Manager administrator installed the Tutorial 6 models. If you do not know the location of the models, contact your SAS Model Manager administrator.

The data sets for the traffic light benchmarks and validation grade default thresholds that are used to create the LGD and PD reports are located in the directory `\\<server-name>\<install-directory>\Program Files\SASHome\SASFoundation\9.4\mmcore\sashelp`. This tutorial uses the default thresholds in the data sets that are located in the sashelp directory.

Here are the default Basel III data sets and index that are located in the sashelp directory:

- traffic_light_benchmarks.sas7bdat
- validation_grade.sas7bdat
- validation_grade.sas7bndx

It is not recommended to directly modify the data sets in the sashelp directory. Use one of the following methods if you want to change the default values before creating the LGD and PD reports.

- Copy the data sets from the sashelp directory to the location of the input table that is used when creating the LGD and PD reports. An example of the input table directory location is `C:\SMM141Tutorials\Data`.
- Assign the MMBASEL library reference (libref) using the **Data** category view in SAS Model Manager. The library name must also be MMBASEL if you use SAS Management Console to define the library. Copy the data sets and index from the sashelp directory to the new MMBASEL library location.
- The search order for the data sets is the following:
 1. The library where the input table is located.
 2. The MMBASEL library, if it exists.
 3. The sashelp directory that is located on the server where SAS was installed.

For more information, see [“Statistical Measures Used in Basel III Reports” in SAS Model Manager: User’s Guide](#).

Verify Your User ID as a Member of Model Manager User Groups

In this exercise, you ensure that your user ID is a member of the **Model Manager Advanced Users** group.

1. Open SAS Management Console and log on to the SAS Metadata Server.
2. On the **Plug-ins** tab, select **User Manager**.

3. Find and double-click your user ID in the right pane of SAS Management Console.
4. Click the **Groups and Roles** tab. Review the **Member of** pane and locate the group **Model Manager Advanced Users**. If your user ID is not a member of this group, ask your administrator to add you to this group. Close the properties window.
5. Close SAS Management Console.

Sign In

To sign in to SAS Model Manager:

1. In the address bar of your web browser, enter **http://hostname:port/SASDecisionManager** and press Enter. The Sign In page appears.
2. Enter a user ID and password. Your user ID might be case sensitive, depending on the operating system that is used to host the application server. Your password is case sensitive.

Note: To schedule jobs in a Windows environment, you must include the domain name when entering your user ID (for example, *domain\myuserID*).

3. Click **Sign In**.

Organize the Model Hierarchy


In this exercise, you create a folder and a modeling project.

Create a Folder

To provide a folder to manage your modeling projects for this tutorial:

1. Select **Models** ⇒ **Projects**.
2. Select **Tutorials** ⇒ *yourUserID*.

Note: If the **Tutorials** folder or a folder with your user ID does not already exist, see [“Create Tutorials Folders” on page 12](#).

3. Click  and select **New Folder**.
4. Enter **Tutorial6** for the folder name.
5. (Optional) Enter a description for the folder. For example, enter **LGD and PD Reports Tutorial**.
6. Click **Save**.


The new folder appears in the Projects category view.


Create a Project for PD Models

Create a New Project

To create a project that is associated with the classification model function:

1. Select the **Tutorial6** folder.

2. Click  and select **New Project**.
3. Enter **PD** for the project name.
4. Select **Classification** as the model function.



The image shows a 'New Project' dialog box with the following fields and values:




- Name:** PD (with a red asterisk indicating a required field)
- Initial version:** 1.0
- Model function:** Classification (selected from a dropdown menu, with a help icon to the right)
- Location:** Tutorials/mmanalyst/Tutorial6

At the bottom right, there are 'Save' and 'Cancel' buttons.

5. Click **Save**. The new project opens.

Define the Variables

To define the input and output variables for the **PD** project:

1. Select the **Variables** page and, on the **Input** tab, click .
2. Select **HMEQ_PROJECT_INPUT** from the **Tutorials** library, and click **OK**.
3. Click the **Output** tab and click .
4. Select **HMEQ_PROJECT_OUTPUT** from the **Tutorials** library, and click **OK**.
5. Click .
6. Click **Yes** in the confirmation message.

Define the Project Properties

To define the PD project properties that are used to create reports and score models:

1. Select **Properties** ⇒ **Specific**.
2. Specify values for these **PD** project properties:

Default test table

Click **Browse**. In the Select Data Source window, select **HMEQ_TEST** from the **Tutorials** library, and click **OK**.

Default scoring input table

Click **Browse**. In the Select Data Source window, select **PD_SCORE_INPUT** from the **Tutorials** library, and click **OK**.

Default scoring output table

Click **Browse**. In the Select Data Source window, select **PD_SCORE_OUTPUT** from the **Tutorials** library, and click **OK**.

Default train table

Click **Browse**. In the Select Data Source window, select **HMEQ_TRAIN** from the **Tutorials** library, and click **OK**.

Training target variable

Enter **BAD**.

Target event value

Enter 1.

Class target levelSelect **Binary**.**Output event probability variable**Select **score**.

PD

Properties | Versions | Models | Variables | Scoring | Performance | Retrain | Reports | History | Attachments | Comments

Version: 1.0

General
Specific
 System
 User-Defined

Default test table: Tutorials.HMEQ_TEST X Browse

Default scoring input table: Tutorials.PD_SCORE_INPUT X Browse

Default scoring output table: Tutorials.PD_SCORE_OUTPUT X Browse

Default performance table: X Browse

Default train table: Tutorials.HMEQ_TRAIN X Browse

Champion version:

Model function: Classification

Training target variable: BAD

Target event value: 1


Class target values:


Class target level: Binary ▼

Output event probability variable: score ▼

3. Click .**Create a Project for LGD Models****Create a New Project**

To create a project that is associated with the prediction model function:




1. Select the **Tutorial6** folder.
2. Click  and select **New Project**.
3. Enter **LGD-Interval** for the project name.
4. Select **Prediction** as the model function.



5. Click **Save**. The new project opens.

Define the Variables

To define the input and output variables for the **LGD-Interval** project:

1. Select the **Variables** page, and on the **Input** tab click .
2. Select **LGD_PROJ_INPUT** from the **Tutorials** library, and click **OK**.
3. Click the **Output** tab and then click .
4. Select **LGD_PROJ_OUTPUT** from the **Tutorials** library, and click **OK**.
5. Click .
6. Click **Yes** in the confirmation message.

Define the Project Properties

To define the LGD-Interval project properties that are used to create reports and score models:

1. Select **Properties** ⇒ **Specific**.
2. Specify values for these **LGD-Interval** project properties:

Default scoring input table

Click **Browse**. In the Select Data Source window, select **LGD_SCORE_INPUT** from the **Tutorials** library, and click **OK**.

Default scoring output table

Click **Browse**. In the Select Data Source window, select **LGD_SCORE_OUTPUT** from the **Tutorials** library, and click **OK**.

Training target variable


Enter **lgd**.

Class target level

Select **Interval**.

Output prediction variable

Select **p_lgd**.



The screenshot shows the SAS Model Manager interface for a model named 'LGD-Interval'. The 'Properties' tab is active, and the 'Specific' section is selected in the left sidebar. The configuration fields are as follows:

Field	Value	Action
Default test table:		Browse
Default scoring input table:	Tutorials.LGD_SCORE_INPUT	Browse
Default scoring output table:	Tutorials.LGD_SCORE_OUTPUT	Browse
Default performance table:		Browse
Default train table:		Browse
Champion version:		
Model function:	Prediction	
Training target variable:	lgd	
Class target level:	Interval	
Output prediction variable:	p_lgd	

3. Click .


Import Models

In this exercise you import models into SAS Model Manager from a SAS model package file, and you also import a SAS code model from local files. Then you map the model variables. SAS code models consist of the SAS code and the model component files (metadata) that are used to process a model in SAS Model Manager. To import a SAS code model, at least three component files are required: the model score code, the model input file, and the model output file.


Import Model Package Files

SAS Enterprise Miner and SAS/STAT linear model package files, or SPK files, contain complete model information. You can import SAS Enterprise Miner and SAS/STAT models even if they are not registered in the SAS Metadata Repository. For information about how to create a package file, see *SAS Model Manager: User's Guide*.

To import a model from a SAS package file:


1. Open the **PD** project.
2. Select the **Models** page.
3. Click  and select **from a SAS package file**.
4. On the **Browse** tab, click **Select a Model** and navigate to the location of the file. For this example, use `<drive>\SMM141Tutorials\Models\PD`, the folder that was installed by the SAS Model Manager administrator. For more information, see [“Install and Register the Tutorial Files” on page 4](#).
5. Select the `hmeq_scorecard.spk` file and click **Open**.

- Enter **HMEQ Scorecard** for the name for the model.




- Click **OK**.
- Click **Close** in the confirmation message.

Import SAS Code Models

- Open the **LGD-Interval** project.
- Select the **Models** page.
- Click  and select **from local files**.
- In the **Choose a model template** box, select **Prediction**.
- Click **Properties** and enter **LGD** as the **Name**.
- Click **Files** and select the local files that match the template files. For the following files listed in the **Template Files** column, click in the corresponding cell in the **Local Files** column, and then click **Browse**. Navigate to **<drive>\SMM141Tutorials\Models\LGD** and select the corresponding model files listed below. This action maps the tutorial model component filenames to the SAS Model Manager model component filenames.

Template Files	Model Files
score.sas	lgd_score.sas
modelinput.sas7bdat	lgd_model_input.sas7bdat
modeloutput.sas7bdat	lgd_model_output.sas7bdat
target.sas7bdat	lgd_model_target.sas7bdat
outest.sas7bdat	lgd_model_est.sas7bdat
Training.sas	lgd_training.sas

Note: This file is needed only if you want to retrain the model.




7. Click **OK**.
8. Click **Close** in the confirmation message.


Map Model Variables to Project Variables

When the names for the model output variable are not identical to the names for the project output variables, you must map the variables.

To map model output variables to project output variables:

1. Map model variables for the **HMEQ Scorecard** model in the **PD** project. Open **HMEQ Scorecard** model from the **Models** page, and then select **Model Properties** ⇒ **Variables** ⇒ **Output Mapping**. Ensure that the following model variables are mapped to their respective project variables. To map a model variable to a project variable, click in the box in the **Value** column, select a variable, and click .

Project Variables	Model Variables
score	P_BAD1

2. Map model variables for the **LGD** model in the **LGD-Interval** project. Open the **LGD** model from the **Models** page, and then select **Model Properties** ⇒ **Variables** ⇒ **Output Mapping**. Ensure that the following model variables are mapped to their respective project variables. To map a model variable to a project variable, click in the box in the **Value** column, select a variable, and click .


Project Variables	Model Variables
p_lgd	P_LGD

Create LGD and PD Reports

In this exercise, you create the Loss Given Default (LGD) and Probability of Default (PD) reports that are used to validate models. The Loss Given Default (LGD) report can be created only for a prediction model. The Probability of Default (PD) report can be created only for a classification model. After you create the reports, you view them on the **Reports** page of a project. The reports enable you to validate a candidate model in the displayed project version.

Create a Loss Given Default (LGD) Report

To create an LGD report:

1. Select the **Reports** page of the **LGD-Interval** project.
2. Click  and select **Loss Given Default**. The New Report window appears.
3. Enter **Tutorial-6 LGD** as the name of the report.
4. (Optional) Enter a description or accept the default value. The default value is **The Loss Given Default Report**.
Note: The output type is **PDF** and the style is SAS default. These values cannot be changed for this report.
5. Select **LGD** from the list of models.
6. Click **Browse** and select **LGD_SCORE_INPUT** from the **Tutorials** library. Click **OK**. The table can contain only input variables, or it can contain both input and output variables.
7. Select whether to run the score code. If the input table contains only input variables, set **Run score code** to **Yes**. If the input table contains input and output variables, set **Run score code** to **No**. For this exercise set **Run score code** to **Yes**, since the **LGD_SCORE_INPUT** table contains only input variables.
8. The **Time period variable** specifies the variable from the input table whose value is a number that represents the development period. This value is numeric. The time period for LGD reports begin with 1. Accept the default value of **period**.
9. (Optional) In the **Time label variable** field, enter the variable from the input table that is used for time period labels. When you specify the time label variable, the report appendix shows the mapping of the time period to the time label. Enter a value of **timelabel** to include the appendix in the report.

New Report

Name: * Tutorial-6LGD

Description: The Loss Given Default Report

Report: Loss Given Default

Output type: PDF

Style: SAS default

Select models:

	Name	Version	Role	Model Function	Date Published
<input checked="" type="radio"/>	LGD	1.0		Prediction	
<input type="radio"/>					
<input type="radio"/>					
<input type="radio"/>					
<input type="radio"/>					
<input type="radio"/>					

Input table: * Tutorial.LGD_SCORE_INPUT [Browse](#)

Run score code: * ☒ Yes ☐ No

Time period variable: * period

Time label variable: timelabel

[More Options...](#)

[Run](#) [Cancel](#)

10. Click **More Options** to set the following:

Actual variable

Specifies the actual LGD variable. Accept the default value of **lgd**.

Predicted variable

Specifies the project scoring output variable. If the scoring for the LGD report is performed outside SAS Model Manager, the input data set must include this variable. If the scoring for the LGD report is done by SAS Model Manager, the input data set should not include this variable. Accept the default value of **p_lgd**.

Pool variable


Specifies the variable from the input table that is used to identify a two-character pool identifier. Accept the default value of **pool_id**.

Note: The variable names that you specify can be user-defined variables. A variable mapping feature maps the user-defined variables to required variables.

11. Click **Run**. The report is generated and appears in the default viewer for the selected output type. If you are prompted, enter your user ID and password to view the report.

Create a Probability of Default (PD) Report

To create a PD report:

1. Select the **Reports** page of the **PD** project.
2. Click  and select **Probability of Default Model Validation**. The New Report window appears.

3. Enter **Tutorial-6 PD** as the name of the report.
4. (Optional) Enter a description or accept the default value. The default value is **The Probability of Default Model Validation**.

Note: The output type is **PDF** and the style is SAS default. These values cannot be changed for this report.

5. Select **HMEQ Scorecard** from the list of models.
6. Click **Browse** and select **PD_SCORE_INPUT** from the **Tutorials** library. Click **OK**. The table can contain only input variables, or it can contain both input and output variables.

Note: When a scoring input table for a PD report contains data and one or more time periods, do not contain default or non-default loan information. These time periods are not used to calculate the PD measurements. In a chart, time periods that are not used to calculate the PD measurements are represented with dashed lines.

7. Select whether to run the score code. If the input table contains only input variables, set **Run score code** to **Yes**. If the input table contains input and output variables, set **Run score code** to **No**. For this exercise set **Run score code** to **Yes**, since the **PD_SCORE_INPUT** table contains only input variables.
8. The **Time period variable** specifies the variable from the input table whose value is a number that represents the development period. This value is numeric. The time period for PD reports begin with 1. Accept the default value of **period**.
9. (Optional) In the **Time label variable** field, enter the variable from the input table that is used for time period labels. When you specify the time label variable, the report appendix shows the mapping of the time period to the time label. Enter a value of **timelabel** to include the appendix in the report.

New Report

Name: * Tutorial-6PD

Description: The Probability of Default Model Validation Report

Report: Probability of Default Model Validation

Output type: PDF

Style: SAS default

Select models:

	Name	Version	Role	Model Function	Date Published
<input checked="" type="radio"/>	HMEQ Scorecard	1.0		Classification	
<input type="radio"/>					
<input type="radio"/>					
<input type="radio"/>					
<input type="radio"/>					
<input type="radio"/>					

Input table: * Tutorials.PD_SCORE_INPUT [Browse](#)

Run score code: * ☒ Yes ☐ No

Time period variable: * period

Time label variable: timelabel

[More Options...](#)

Run **Cancel**

10. (Optional) Click **More Options** to set the following options and then click **OK**:

Scorecard bin variable

Specifies the variable from the input table that contains the scorecard bins. If the scoring job for the PD report is run outside SAS Model Manager, the scorecard bin variable must be a variable in the input table. If scoring is done within SAS Model Manager, do not include the variable in the input table. Accept the default value of **scorecard_bin**.

Scorecard points variable

Specifies the variable that contains the scorecard points. If the scoring job for the PD report is run outside SAS Model Manager, the scorecard points variable must be a variable in the input table. If scoring is done within SAS Model Manager, do not include the variable in the input table. Accept the default value of **scorecard_points**.

Cut-off value

Specifies either the maximum value or a variable that contains the cut-off value in the input table. It is used to derive the predicted event and to further compute accuracy, sensitivity, specificity, precision, and error rate. Accept the default value of **100**.

11. Click **Run**. The report is generated and appears in the default viewer for the selected output type. If you are prompted, enter your user ID and password to view the report.

Chapter 8

Tutorial 7: Using Advanced Reporting Features

Overview of Advanced Reporting Features	107
Prerequisites	108
Tutorial 7 Models and Data Sets	108
Verify Your User ID as a Member of Model Manager User Groups	108
Sign In	108
Create a Simple Ad Hoc Report	109
Create an Ad Hoc Score Range Report	110
Configure and Run a User-defined Score Range Report	112
Configure a User-defined Report	112
Run the New User-defined Report	113
Combining Multiple Reports	114
About Combining Multiple Reports	114
Create an Aggregated Report	115

Overview of Advanced Reporting Features

The advanced reporting capability of SAS Model Manager enables you to create three different types of reports.

- User-defined reports enable you to add enterprise-specific reports to your company's existing list of reports.
- Ad hoc reports enable you to create one-of-a-kind reports as you need them.
- Aggregated reports enable you to combine multiple reports that you can distribute to company stakeholders.

To make it easy to create these reports, SAS Model Manager provides a number of SAS macro variables and SAS macro programs. These macros can be used to gain access to model-specific information as well as to more general folder and user information.

In this tutorial you perform the basic tasks for creating new reports. You also combine multiple reports by creating an aggregated report.

Prerequisites

Tutorial 7 Models and Data Sets

The exercises in this tutorial depend on some of the properties of the specific models that were added in Tutorial 2. Use the projects, versions, or models that are specified here. This tutorial is designed to follow [Chapter 3, “Tutorial 2: Performing Basic SAS Model Manager Tasks,”](#) on page 19..

Only users who are in the Model Manager Administrator Users or Model Manager Advanced Users groups and who have Write permission to the WebDAV folder where the user-defined templates are stored can save a new template or save changes to an existing template. For more information, see [“Verify WebDAV Folder Permissions for User-Defined Templates”](#) in *SAS Model Manager: Administrator’s Guide*.

Verify Your User ID as a Member of Model Manager User Groups

In this exercise, you ensure that your user ID is a member of the **Model Manager Advanced Users** group.

1. Open SAS Management Console and log on to the SAS Metadata Server.
2. On the **Plug-ins** tab, select **User Manager**.
3. Find and double-click your user ID in the right pane of SAS Management Console.
4. Click the **Groups and Roles** tab. Review the **Member of** pane and locate the group **Model Manager Advanced Users**. If your user ID is not a member of this group, ask your administrator to add you to this group. Close the properties window.
5. Close SAS Management Console.

Sign In

To sign in to SAS Model Manager:


1. In the address bar of your web browser, enter **http://hostname:port/SASDecisionManager** and press Enter. The Sign In page appears.
2. Enter a user ID and password. Your user ID might be case sensitive, depending on the operating system that is used to host the application server. Your password is case sensitive.


Note: To schedule jobs in a Windows environment, you must include the domain name when entering your user ID (for example, *domain\myuserID*).

3. Click **Sign In**.

Create a Simple Ad Hoc Report

In this exercise, you create a PDF file to display the macro variables that are available in the SAS Model Manager reporting environment:

1. Expand the **Tutorial2** folder and open the **Delinquency** project.
2. Select the **Reports** page, click , and select **Ad Hoc**.
3. Enter **RptVars** for the name of the report.
4. Select **Model 1** in the **Select models** table.
5. Copy the code from RptVars.sas in <drive>\SMM141Tutorials\Sample Code in a text editor.
6. In the **SAS Editor**, paste the code that you copied in the previous step.



7. If you are configured to use single sign-on web authentication, edit the RptVars.sas code and change the FILENAME statement to the following:

```
filename Rptfile sasxbamw "&_MM_TaskDir./ReportVars.pdf" authdomain="_SASMeta_";
```

8. Edit the RptVars.sas code to set values of the data sources. Add the following lines of code after **%getModelInfo(&ndx)** and before **TITLE**:

```

libname TutLib 'C:\SMM141Tutorials\Data';
%let _MM_TrainLib=TutLib;
%let _MM_TrainDS=TutLib.DELINQUENCY_TRAIN;
%let _MM_TestLib=TutLib;
%let _MM_TestDS=TutLib.DELINQUENCY_TEST;

```

Note: The location of your tutorial data sources might be different. If so, modify the lines of code accordingly.

9. Click **Run**.


10. The report is generated and appears in the default viewer for the selected output type.

Here is page 2 of the PDF report output:

Reporting Macro Variables for Model 1						16:27 Tuesday, August 18, 2015	2
_MM_ModelLabel	_MM_TargetVar	_MM_PosteriorVar	_MM_TargetEvent	_MM_ScoreCodeType	_MM_ModelLib	_MM_Input	
Model 1	BAD	P_1	1	SAS Program	SMMModel	SMMInput	
_MM_Output	_MM_Target	_MM_Score	_MM_OutModel	_MM_InputLib	_MM_InputDS	_MM_OutputLib	
SMMOutput	SMMTarget	SMMScore	SMMOutMo	TutLib	TutLib.DELINQUENCY_SCORING_INPUT	TutLib	
_MM_OutputDS		_MM_PerformanceLib	_MM_PerformanceDS	_MM_TestLib	_MM_TestDS		
TutLib.DELINQUENCY_SCORING_OUTPUT				TutLib	TutLib.DELINQUENCY_TEST		
_MM_TrainLib		_MM_TrainDS					
TutLib		TutLib.DELINQUENCY_TRAIN					

Create an Ad Hoc Score Range Report

In this exercise, you create an ad hoc report to categorically display score ranges in an HTML report. To create output in HTML from an ad hoc report, ensure that the report code is enclosed by a SAS Model Manager formatting macro.

1. Expand the **Tutorial2** folder and open the **Delinquency** project.
2. Select the **Reports** page, click , and select **Ad Hoc**.
3. Enter **ScoreRange** for the name of the report.
4. Select **Model 1** in the **Select models** table.
5. Copy the code from `ScoreRange.sas` in `<drive>\SMM141Tutorials\Sample Code` in a text editor.
6. In the **SAS Editor**, paste the code that you copied in the previous step.
7. Modify the Score Range code to format the report in HTML, and set the report style.


The `ScoreRange.sas` program uses the SAS Model Manager formatting macros, which enable user reports to be formatted in PDF, HTML, RTF, and Excel. A beginning formatting macro code precedes the report code. The ending formatting macro must be the last line of code in the report program.

- a. Add the arguments **reportFormat=html** and **reportStyle=Seaside** to the `%MM_ExportReportsBegin` macro argument list. Here is the modified macro:

```
%MM_ExportReportsBegin(reportFormat=html, reportStyle=Seaside,
fileName=ScoreRange);
```

- b. Add the argument **reportFormat=html** to the %MM_ExportReportsEnd macro argument list. Here is the modified macro:

```
%MM_ExportReportsEnd(reportFormat=html);
```




8. Click **Run**. SAS Model Manager runs the report and creates the report on the **Reports** page.
9. To view the **ScoreRange** report, expand the **ScoreRange** folder, right-click **ScoreRange.html**, and select **Open**.

Here is the output from the FREQ procedure as a table and as a graph:

Credit Score Range

The FREQ Procedure

score	Frequency	Percent	Cumulative Frequency	Cumulative Percent
400 and Below	1419	14.19	1419	14.19
401 - 450	322	3.22	1741	17.41
451 - 500	249	2.49	1990	19.90
501 - 550	206	2.06	2196	21.96
551 - 600	161	1.61	2357	23.57
601 - 650	213	2.13	2570	25.70
651 - 700	340	3.40	2910	29.10
701 - 750	344	3.44	3254	32.54
751 - 800	777	7.77	4031	40.31
801 and Above	5969	59.69	10000	100.00





Configure and Run a User-defined Score Range Report

In this exercise, you make the Score Range report available by saving the report SAS code files and template to the SAS Content Server. You can then run the Score Range report from the **Reports** page. This exercise has two parts. In the first exercise, you save the report files to the SAS Content Server. In the second exercise, you create a Score Range report.

Configure a User-defined Report

Select the **Models** ⇒ **Projects** category view.

Save the Score Range SAS Code to the SAS Content Server

1. Click  and select **New Template**.
2. Select **Type** ⇒ **Report** ⇒ **SAS Code**.
3. Click  and navigate to <drive>\SMM141Tutorials\Sample Code.
4. Select **ScoreRange.sas** and click **Open**.
5. Edit the ScoreRange.sas code to set the input data source. Add the following lines of code after `%getModelInfo(0)` and before `%scoreRange()`:

```
libname TutLib 'C:\SMM141Tutorials\Data';
%let _MM_InputDS=TutLib.DELINQUENCY_SCORING_INPUT;
```

Note: The location of your tutorial data sources might be different. If so, modify the lines of code accordingly.

New Template

Filename: * ScoreRange

Type: ☐ Model ☒ Report SAS code

Click the Import file icon to select an XML or SAS code file. You can also copy and paste the XML or SAS code below:

```
%getModelInfo(0);

libname TutLib 'C:\SMM141Tutorials\Data';
%let _MM_InputDS=TutLib.DELINQUENCY_SCORING_INPUT;

%scoreRange();

%closeLibsAndFiles();

%MM_ExportReportsEnd;
```

Save Cancel

6. Click **Save**.

Save the Score Range Macro Code to the SAS Content Server

1. Click and select **New Template**.
2. Select **Type** ⇒ **Report** ⇒ **SAS Code**.
3. Click and navigate to <drive>\SMM141Tutorials\Sample Code.
4. Select **ScoreRangeMacro.sas** and click **Open**.
5. Click **Save**.

Create a New Report Template

1. Click and select **New Template**.
2. Select **Type** ⇒ **Report** ⇒ **XML Template**.
3. Click and navigate to <drive>\SMM141Tutorials\Sample Code.
4. Select **ScoreRangeTemplate.xml** and click **Open**.
5. Click **Save**.

Run the New User-defined Report

To run the installed score range report:

1. Expand the **Tutorial2** folder and open the **Delinquency** project.
2. On the **Reports** page, click and select **Score Range Report**.

3. Enter **ScoreRange2** for the name of the report.
4. Select **HTML** for the output type.
5. Select **Seaside** for the style.
6. Select **Model 1** from the list.

New Report

Name: * ScoreRange2

Description: Score Range Report

Report: Score Range Report

Output type: HTML

Style: Seaside

Select models:

	Name	Version	Role	Model Function	Date Published
<input type="radio"/>	Model 3	1.0		Classification	
<input type="radio"/>	Model 2	1.0		Classification	
<input checked="" type="radio"/>	Model 1	1.0	✓ Champion	Classification	

Run Cancel

7. Click **Run**.
8. The report is generated and appears in the default viewer for the selected output type. To view the report output, see [“Create an Ad Hoc Score Range Report”](#) on page 110.

For more information about this task, see *SAS Model Manager: User's Guide*.

Combining Multiple Reports

About Combining Multiple Reports


SAS Model Manager administrators and advanced users can combine multiple reports from the **Reports** page to create a single, aggregated report. The format of the report can be PDF, HTML, or RTF. Aggregated reports are stored on the **Reports** page.


The reports that are selected are rerun to create the aggregated report. If the data set content that the selected reports use has changed since the last time you ran the report, the results might be different from the original reports. Ad hoc reports, LGD reports, and PD reports cannot be added to an aggregated report.

In this exercise, you combine multiple reports to create an aggregated report.

Create an Aggregated Report

To create an aggregated report:

1. Expand the **Tutorial2** folder and open the **Delinquency** project.
2. Click the **Aggregated** tab on the **Reports** page, and then click .
3. Enter **Tutorial-7_AggregatedReport** for the name of the report.
4. (Optional) Enter a description for the report.
5. Select **PDF** for the output type.
6. Expand the **Available reports** section and select the Delta, Dynamic Lift, and Model Profile reports that you created in Tutorial 2.
7. Click the single right arrow. The reports appear in the **Selected reports** section.



8. (Optional) To order the reports, select a report, and use the up and down arrows.
9. When all of the reports are in the correct order, click **Run**.
10. The report is generated and appears in the default viewer for the selected output type.

Chapter 9

Tutorial 8: Creating and Using Model Templates

Overview of Creating and Using Model Templates	117
Example Scope	118
Prerequisites	118
Tutorial 8 Models and Data Sets	118
Verify Your User ID as a Member of Model Manager User Groups	118
Sign In	118
Organize the Model Hierarchy	119
Create a Folder	119
Create a New Project	119
Define the Variables	119
Define the Project Properties	120
Create a Model Template	121
Import a Model	122
Import a Model	122
Verify Model Properties	123
Map Model Output Variables to Project Output Variables	124
Create an Ad Hoc Variable Importance Report	124

Overview of Creating and Using Model Templates

If you are already familiar with the administrative and basic functions of SAS Model Manager, use this tutorial to learn the following tasks:

- create a new model template
- save the new model template to the SAS Content Server
- import a model that is described by the template
- generate a report on the model

Example Scope

The model that is used in this tutorial is based on the ARBORETUM procedure, which is a SAS Enterprise Miner procedure.

Prerequisites

Tutorial 8 Models and Data Sets

The exercises in this tutorial require that the Tutorial 8 data sets and models from SMM141Tutorials.zip be extracted, and the data sets registered in the SAS Metadata Repository. If they have not been extracted and registered, see [“Install and Register the Tutorial Files” on page 4](#) to extract and register the files.

Verify Your User ID as a Member of Model Manager User Groups

In this exercise, you ensure that your user ID is a member of the **Model Manager Advanced Users** group.

1. Open SAS Management Console and log on to the SAS Metadata Server.
2. On the **Plug-ins** tab, select **User Manager**.
3. Find and double-click your user ID in the right pane of SAS Management Console.
4. Click the **Groups and Roles** tab. Review the **Member of** pane and locate the group **Model Manager Advanced Users**. If your user ID is not a member of this group, ask your administrator to add you to this group. Close the properties window.
5. Close SAS Management Console.

Sign In

To sign in to SAS Model Manager:

1. In the address bar of your web browser, enter **http://hostname:port/SASDecisionManager** and press Enter. The Sign In page appears.
2. Enter a user ID and password. Your user ID might be case sensitive, depending on the operating system that is used to host the application server. Your password is case sensitive.

Note: To schedule jobs in a Windows environment, you must include the domain name when entering your user ID (for example, *domain\myuserID*).

3. Click **Sign In**.

Organize the Model Hierarchy


In this exercise, you create a modeling project.

Create a Folder

To provide a folder to manage your modeling projects for this tutorial:


1. Select **Models** ⇒ **Projects**.
2. Select **Tutorials** ⇒ *yourUserID*.


Note: If the **Tutorials** folder or a folder with your user ID does not already exist, see [“Create Tutorials Folders” on page 12](#).

3. Click  and select **New Folder**.
4. Enter **Tutorial18** for the folder name.
5. (Optional) Enter a description for the folder.
6. Click **Save**.

Create a New Project

To create a project and define the model function:


1. Select the **Tutorial18** folder.
2. Click  and select **New Project**.
3. Enter **HmeqVars** for the project name.
4. Select **Classification** as the model function.





5. Click **Save**.

Define the Variables

To define the input and output variables:

1. Select the **Variables** page. On the **Input** tab, click .

2. Select **HMEQ_PROJECT_INPUT** from the **Tutorials** library, and click **OK**.
3. Select the **Variables** page and, on the **Output** tab, click .
4. Select **HMEQ_PROJECT_OUTPUT** from the **Tutorials** library, and click **OK**.
5. Click .

Define the Project Properties

To define the properties that SAS Model Manager uses to create reports and score models:

1. Select **Properties** ⇒ **Specific**.
2. Specify values for these properties:

Default test table

Click **Browse**. In the Select Data Source window, select **HMEQ_TEST** from the **Tutorials** library, and click **OK**.

Default scoring input table

Click **Browse**. In the Select Data Source window, select **HMEQ_SCORE_INPUT** from the **Tutorials** library, and click **OK**.

Default scoring output table

Click **Browse**. In the Select Data Source window, select **HMEQ_SCORE_OUTPUT** from the **Tutorials** library, and click **OK**.

Default train table

Click **Browse**. In the Select Data Source window, select **HMEQ_TRAIN** from the **Tutorials** library, and click **OK**.

Training target variable

Enter **BAD**.

Target event value

Enter **1**.

Class target level

Click the property value field and select **Binary**.

Output event probability variable



Click the property value field and select **score**.

3. Click .

Create a Model Template

In this exercise, you modify an existing template to create a new model template. For information about creating a model template, see *SAS Model Manager: User's Guide*.

To create a model template:

1. From the **Projects** category view, click  and select **Manage Templates**.
2. Select **ProcArborModelTemplate** and click .
3. Enter **ProcArborModelTemplateTutorial** as the filename.
4. In the code in the text box, revise the name **ProcArborModelTemplate** to **ProcArborModelTemplateTutorial**.

Filename: * ProcArborModelTemplateTutorial

Type: ☒ Model ☐ Report XML template

Click the Import file icon to select an XML or SAS code file. You can also copy and paste the XML or SAS code below:

```
<?xml version="1.0" encoding="UTF-8" ?>
<ModelTemplate
  name="ProcArborModelTemplateTutorial"
  class="com.sas.analytics.modelmanager.metadata.model.ClassificationModelInterface"
  resource="com.sas.analytics.modelmanager.Resources"
  type="ClassificationModel"
  function="classification"
  tool="Enterprise Miner"
  validate="N"
  modelMetaMacro="genVarMacro.sas"
  displayName="Proc Arbor Model "
  description="Proc Arbor Model"
  scoreCodeType="Data Step"
  retrainable="N"
>
<FileList libRef="SMMmodel">
```


Save Cancel

- Click **Save**. Accept the confirmation message and then click **Close**.

Import a Model

Import a Model

In this exercise, you import a model using the user model template:

- Open the **HmeqVars** project and select the **Models** page.
- Click  and select **from local files**.
- From the **Choose a model template** drop-down list, select **ProcArborModelTemplateTutorial**. The custom properties and files appear below.
- Click **Properties** and enter **ProcArbor** as the **Name**.
- Click **Files** and select the local files from the SAS Workspace Server that match the template files. For the following objects listed in the **Template Files** column, click in the corresponding cell in the **Local Files** column, and then click **Browse**. Navigate to **<drive>:\SMM141Tutorials\Models\model18** and select the corresponding model files listed below. This action maps the tutorial model component filenames to the SAS Model Manager model component filenames.

Template Files	Model Files
score.sas	score8.sas

Template Files	Model Files
modelinput.sas7bdat	modelinput8.sas7bdat
modeloutput.sas7bdat	modeloutput8.sas7bdat
target.sas7bdat	target8.sas7bdat
importance.sas7bdat	importance8.sas7bdat
path.sas7bdat	path8.sas7bdat
rules.sas7bdat	rules8.sas7bdat
nodestat.sas7bdat	nodestat8.sas7bdat

Import Model from Local Files ✕

Choose a model template: ProcArborModelTemplateTutorial ▾

Specify the model properties and then select the local files that match the template files.

Properties	Template Files	Local Files
Files	score.sas	score8.sas
	modelinput.sas7bdat	modelinput8.sas7bdat
	modeloutput.sas7bdat	modeloutput8.sas7bdat
	inputvar.xml	
	outputvar.xml	
	target.sas7bdat	target8.sas7bdat
	importance.sas7bdat	importance8.sas7bdat
	path.sas7bdat	path8.sas7bdat
	rules.sas7bdat	rules8.sas7bdat
	nodestat.sas7bdat	nodestat8.sas7bdat

OK Cancel

- Click **OK**. The **ProcArbor** model appears on the **Models** page.

Verify Model Properties


Verify the following model properties:

- On the **Models** page, select and open **ProcArbor**.
- On the **Model Properties** tab, select **Specific**.

3. Verify **BAD** as the value of the **Target variable** property.
4. Verify **DATA step** as the value of the **Score code type** property.


Map Model Output Variables to Project Output Variables

Because the project output variable name is not the same as the model output variable name, the output variables must be mapped. To map the variables:

1. On the **Models** page, select and open **ProcArbor**.
2. Select **Model Properties** ⇒ **Variables** ⇒ **Output Mapping**.
3. Click the **Value** column for score and select **P_BAD1**.
4. Click .

Create an Ad Hoc Variable Importance Report

In this exercise, you create a report that is based on the model's PROC ARBORETUM importance data.

1. Open the **HmeqVars** project and select the **Reports** page.
2. Click  and select **Ad Hoc**.
3. Enter **VariableImportance** for the name of the report.
4. Select **ProcArbor** in the **Select models** table.
5. Copy the code from VarImportance.sas in the <drive>\SMM141Tutorials\Sample Code folder in a text editor.
6. In the SAS Editor, paste the code that you copied in the previous step.

Create an Ad Hoc Report

Name: * VariableImportance

Description:

Select models:

<input type="checkbox"/> All	Name	Version	Model Function	Role
<input checked="" type="checkbox"/>	ProcArbor	1.0	Classification	
<input type="checkbox"/>				

SAS Editor

Macro Variables


```

1 Filename mmreport catalog "sashelp.modelmgr.reportexportmacros.source";
2 %include mmreport;
3 %MM_ExportReportsBegin(reportFormat=html, fileName=ProcArbor);
4
5
6 %getModelInfo(0);
7
8 data work.importance;
9   set SMMmodel.importance (obs=5);
10

```

Run Cancel

7. Click **Run**.
8. The report is generated and appears in the default viewer for the selected output type.



Chapter 10

Tutorial 9: Retraining Models

Overview of Retraining Models	127
Prerequisites	128
Tutorial 9 Models and Data Sets	128
Sign In	128
Define a Model Retrain Definition	129
Execute a Model Retrain Definition	131
Schedule a Retrain Definition	132
Viewing Retrained Models and Model Comparison Reports	133

Overview of Retraining Models

Using SAS Model Manager, you can retrain models to respond to data and market changes. Retraining models enables you to update models and to improve model performance. When you define a model retrain definition, you can select multiple models to be retrained at the same time.

The model retrain definition enables you to specify a location to store comparison reports and retrain results. When you select the models to include in the comparison report, you can use the training data source or select a different data source to compare the performance of the new models. By default, the project champion model is selected to retrain.

Note: Only models that are created by using SAS Enterprise Miner, R models, or SAS/STAT linear models can be retrained. SAS Factory Miner models cannot be retrained within SAS Model Manager.

In this tutorial, you perform the following tasks:

- define a model retrain definition
- execute the model retrain definition
- view the new retrained models and comparison report

Prerequisites

Tutorial 9 Models and Data Sets

The exercises in this tutorial depend on properties of models that were added in [Chapter 4](#), “Tutorial 3: Importing Models, Scheduling Scoring Tests, and Creating Reports,” on page 37 and [Chapter 6](#), “Tutorial 5: Performance Monitoring and Using Dashboard Reports,” on page 73. The folder path is **Tutorial3** ⇒ **HMEQ**.

Before you define a model retrain definition, complete the following tasks:

- If you want to retrain the project champion model, ensure that the champion model is set.
- Verify that the training data set that is used in Tutorial 3 has been registered in the SAS Metadata Repository using the Data category view, so that you use the same data set as the training data source.
- Verify that the appropriate project and model properties are set.

Here is a list of properties:

Classification Project Properties

- Training target variable: **BAD**
- Target event value: **1**
- Class target level: **Binary**
- Output event probability variable: **score**

Prediction Project Properties

- Training target variable: **DEBTINC**
- Class target level: **Interval**
- Output prediction variable: **P_DEBTINC**

Model Properties

- Score code type: **DATA step**
- Verify that all of the project output variables are mapped to the corresponding model output variables.

Sign In

To sign in to SAS Model Manager:


1. In the address bar of your web browser, enter **http://hostname:port/SASDecisionManager** and press Enter. The Sign In page appears.
2. Enter a user ID and password. Your user ID might be case sensitive, depending on the operating system that is used to host the application server. Your password is case sensitive.

Note: To schedule jobs in a Windows environment, you must include the domain name when entering your user ID (for example, *domain\myuserID*).

3. Click **Sign In**.

Define a Model Retrain Definition

To define a model retrain definition:

1. Open the **Tutorial3** folder and the **HMEQ** project.
2. Select the **Retrain** page, and click .
3. Select **Tree 1** from the models list.
4. Select **Standard configuration** as the data processing method.
5. Select **Register new trained model** to register the new models in the destination version on the SAS Content Server.
6. Select **New version** as the destination version for the new model.
7. For the **Training data source**, click **Browse** and select **HMEQ_TRAIN** from the **Tutorials** library.
8. Click the **SAS Application Server** list and select a server. For this exercise, accept the default value of **SASApp**.
9. Click **Browse** to select a report folder in which to store the comparison report.

Note: By default, the report is stored in the SAS session's working folder on the SAS Workspace Server. You can also create subfolders in which to store the report. Here is an example: `c:\Users\mmanalyst\Documents\My SAS Files\9.4\Model Retrain\Reports`

10. Click **Browse** to select a retrain results folder to store the model training results.

Note: This setting is for informational purposes only. The data sets and files that are created during model retraining are stored in this location. By default, the training results are stored in the SAS session's working folder on the SAS Workspace Server. You can also create subfolders in which to store the results. The length of the directory path for the retrain result folder must be equal to or less than 100 bytes. Here is an example: `c:\Users\mmanalyst\Documents\My SAS Files\9.4\Model Retrain\Results`

11. (Optional) Select **Trace on** to print trace information to the SAS log file.
12. (Optional) Select **Retrain when the dashboard project status is Alert or Warning**. If the dashboard project status is Alert, the model is automatically retrained. If the dashboard project status is Warning, select whether to retrain the model or ignore the task. If the dashboard project status is Normal, the model is not retrained.

Edit Retrain Definition Step 1 of 3

Set Training Settings

Models

Only models that are configured to be retrainable and that contain a valid retrain SAS code file appear in the Models list. Select one or more models to retrain.

<input type="checkbox"/> All	Name	Version	Type	Role
<input type="checkbox"/>	Reg 1	1.0	Classification	Challenger
<input type="checkbox"/>	HPForest	1.0	Classification	
<input checked="" type="checkbox"/>	Tree 1	1.0	Classification	Champion
<input type="checkbox"/>	HMEQ_STAT_Item	1.0	Classification	

Settings

Data processing method: ☒ Standard configuration ☐ High-performance configuration

☒ Register new trained model

Destination version for new models:

Training data source: [Browse](#)

SAS Application Server:

Report folder: [Browse](#)

Retrain results folder: [Browse](#)

☐ Trace on

☐ Retrain when the dashboard project status is Alert or Warning

If status is Warning, then:

[Previous](#) [Next](#) [Save](#) [Cancel](#)

13. Click **Next**.

14. Select **Reg 1** and **HMEQ_STAT_Item** models to compare them to the new retrained model.

Note: If you do not select a model, the champion model is used to perform the comparison.

15. Specify the data source options:

- Select **Use training data source** if you want to use **HMEQ_TRAIN** as the comparison data source. The percent that is specified is the percentage of data that is used for model comparison; the other part of the data is used for training. The random seed value is used to generate the training data based on the random sampling method. For this example, the default values are used. However, you can either use the whole training data source to compare or you can partition it into two parts, based on partition percent and random seed. The percentage that is specified is the percentage of data that is used for model comparison; the other part of the data is used for training. The random seed value is used to generate the training data, based on the random sampling method.
- Select **Use other data source for comparison** if you do not want to use the training data source. Click **Browse** to select a performance data set as the comparison data source. For example, you can select **HMEQ_PERF_Q4** as the data source to reflect the data and market change when retraining the model.

16. Specify the report options:

- Enter a report name. Here is an example: **HMEQModelComparison**.
- Select the **HTML** format for the report output.
- Select a style for the report. The available styles are **SAS default**, **Seaside**, **Meadow**, and **Harvest**. The default is **SAS default**.

Set Comparison Settings Step 2 of 3

Set Training Settings
Set Comparison Settings
Set Notifications

Models
Select one or more models to compare.

	Name	Version	Type	Role
<input type="checkbox"/>	Neural	1.0	Classification	Challenger
<input checked="" type="checkbox"/>	Reg 1	1.0	Classification	Challenger
<input type="checkbox"/>	HPForest	1.0	Classification	Challenger
<input type="checkbox"/>	Tree 1	1.0	Classification	Champion
<input checked="" type="checkbox"/>	HMEQ_STAT_Item	1.0	Classification	Champion

Data Source Options ?

☒ Use training data source

Partition percent:

Random seed:

☐ Use other data source for comparison

Data source: [Browse](#)

Report Options

Name:

Output type:

Style:


Previous Next Save Cancel


17. Click **Next**.
18. (Optional) To send the retrain results by email, click **+** and enter an email address.
19. Click **Save**.
20. After you create the retrain definition, you can either execute the definition or create a schedule to execute the definition on a specific day and at a specific time.

Execute a Model Retrain Definition

The prerequisites for retraining a model must be completed and a model retrain definition must be defined before you can execute a model retrain definition.

To execute a model retrain definition:

1. Click  on the **Retrain** page.
2. After the models are retrained, a confirmation message appears. Click **Close**.
3. Click the **Results** tab to view the results.

Note: You can check the status of a job by clicking  and then selecting the **Results** tab or the **Job History** tab.


Schedule a Retrain Definition


After you create a retrain definition, you can create a schedule to execute the definition to run once, hourly, daily, weekly, or monthly.

You cannot edit a schedule for a retrain definition. To modify a schedule, delete the schedule and create a new schedule.

After retrain jobs execute, you can view the job history using the **Job History** tab on the **Retrain** page.

To schedule a retrain definition:

1. Click  on the **Retrain** page.
2. On the **Recurrence** tab, select the recurrence pattern.




3. Specify the criteria for when and how often the job should be run.
4. (Optional) Click the **Advanced** tab.
 - a. Select the server that schedules the job from the **Scheduling server** list box.
 - b. Select the batch server that runs the job from the **Batch server** list box.
 - c. Click **Browse** to select a location for the output and click **OK**.
5. Click **OK**.
6. After the job has been scheduled, a confirmation message appears. Click **Close**.
7. Click the **Job History** tab to view the job status.
8. After the job is complete, click the **Results** tab to view the retrain results.

Viewing Retrained Models and Model Comparison Reports

After a model retrain task is executed, the new retrained models are available on the **Models** page for the specified version. The retrained model comparison report is also generated. This report compares the new retrained model to the models that were selected for comparison. The report is available on the **Results** tab on the **Retrain** page.

To view the retrain results and reports:

1. Select the **Results** tab on the **Retrain** page.
2. Double-click a result in the list. The report appears in your browser window. Here is an example of a lift chart that is part of the model comparison report.



3. (Optional) To view the new retrained model in the new version:
 - a. Select the **Versions** page.
 - b. Double-click the new version to set it as the displayed version.
 - c. Select the **Models** page and open the retrained model.

Chapter 11

Tutorial 10: Creating and Managing Portfolios

Overview of Portfolios	135
Prerequisites	136
Tutorial 10 Models and Data Sets	136
Verify Your User ID as a Member of Model Manager User Groups	136
Sign In	136
Organize the Model Hierarchy	137
Create a Folder	137
Create a Portfolio	137
Set a Champion Model	141
Set the Champion Model	141
(Optional) Flag the Challenger Model	141
Publish Project Champion Models from a Portfolio	142
Publish Project Champion Models	142
Publish Project Champion and Challenger Models	143
Monitor Performance of Project Champion Models	144
Add a New Version	148
Add an Input Variable	149
Add Attachments	150
Add Comments	150
View SAS Factory Miner Models	150
Overview	150
Prerequisites	150
View SAS Factory Miner Project Segments and Models	151

Overview of Portfolios

SAS Model Manager enables you to create a portfolio in the model repository. From a portfolio level, you can create multiple projects from a control table, and then add new versions or new input variables to all projects within the portfolio. After you set the champion model for each project, you can monitor the performance of the champion models for all projects, and publish the champion models to the SAS Metadata Repository.

Portfolios are also created when you use SAS Factory Miner to register projects to the model repository. The portfolios contain the project segments and models from the SAS Factory Miner project. For more information about how to register SAS Factory Miner project segments and models, see *SAS Factory Miner: User's Guide*

Prerequisites

Tutorial 10 Models and Data Sets

The exercises in this tutorial require that the Tutorial 10 data sets and models be extracted from SMM141Tutorials.zip, and the data sets be registered in the SAS Metadata Repository. If they have not been extracted and registered, see [“Install and Register the Tutorial Files” on page 4](#) and [“The Required Tutorial 10 Files” on page 10](#) to extract and register the files.

Importing models requires that you know where the SAS Model Manager administrator installed the Tutorial 10 models.

To perform the View SAS Factory Miner Models exercise in this tutorial, you must be a licensed user of SAS Model Manager and SAS Factory Miner, and have the appropriate user permissions. You must also have registered SAS Factory Miner projects and models in the SAS Model Manager model repository. For information about how to register SAS Factory Miner project segments and models, see *SAS Factory Miner: User's Guide*.

Verify Your User ID as a Member of Model Manager User Groups

In this exercise, you ensure that your user ID is a member of the **Model Manager Advanced Users** group.

1. Open SAS Management Console and log on to the SAS Metadata Server.
2. On the **Plug-ins** tab, select **User Manager**.
3. Find and double-click your user ID in the right pane of SAS Management Console.
4. Click the **Groups and Roles** tab. Review the **Member of** pane and locate the group **Model Manager Advanced Users**. If your user ID is not a member of this group, ask your administrator to add you to this group. Close the properties window.
5. Close SAS Management Console.

Sign In

To sign in to SAS Model Manager:

1. In the address bar of your web browser, enter **http://hostname:port/SASDecisionManager** and press Enter. The Sign In page appears.
2. Enter a user ID and password. Your user ID might be case sensitive, depending on the operating system that is used to host the application server. Your password is case sensitive.

Note: To schedule jobs in a Windows environment, you must include the domain name when entering your user ID (for example, *domain\myuserID*).

3. Click **Sign In**.

Organize the Model Hierarchy


In this exercise, you create a folder, a portfolio with multiple projects, and a version for each project within the portfolio.

Create a Folder

To provide a folder to manage your modeling projects for this tutorial:

1. Select **Models** ⇒ **Portfolios**.
2. Select **Tutorials** ⇒ *yourUserID*.


Note: If the **Tutorials** folder or a folder with your user ID does not already exist, see [“Create Tutorials Folders” on page 12](#).

3. Click  and select **New Folder**.
4. Enter **Tutorial10** for the folder name.
5. (Optional) Enter a description for the folder.
6. Click **Save**.

The new folder appears in the Portfolios category view.

Create a Portfolio

To create a portfolio:

1. When using a control table other than those that were provided in SMM141Tutorials.zip, verify that the project control table contains the required variables. For more information, see [“Prerequisites for Creating Portfolios” in SAS Model Manager: User’s Guide](#).
2. Select the **Tutorial10** folder.
3. Click  and select **New Portfolio**. The New Portfolio window appears.

New Portfolio [X]

Name and Project Settings Step 1 of 4

Name and Project Settings Specify the portfolio information and project settings to create the projects.

Add Input and Output Tables
Add Project Properties
Summary

Portfolio name: *

Description:

Control table: * [Browse](#) [View](#)

Location of models: * [Browse](#)

Settings for Each Project

Version: 1.0

Model function:

[Previous](#) [Next](#) [Finish](#) [Cancel](#)

Note: The value for the initial version is auto-populated and is the version name that is created within each project for the new portfolio.

4. Enter **Portfolio1** for the name of the portfolio.
5. (Optional) Enter a description for the portfolio.
6. Click **Browse** to select the control table.

Select Data Source [X]

Tables (75 of 75) Search: none

Name	Library	Physical Name
CONTROL_TABLE	Tutorials	CONTROL_TABLE
CONTROL_TABLE2	Tutorials	CONTROL_TABLE2
DELINQUENCY_PROJECT_I...	Tutorials	DELINQUENCY_PROJECT_...
DELINQUENCY_PROJECT_O..	Tutorials	DELINQUENCY_PROJECT_...
DELINQUENCY_SCORING_I...	Tutorials	DELINQUENCY_SCORING_...
DELINQUENCY_SCORING_O..	Tutorials	DELINQUENCY_SCORING_...
DELINQUENCY_TEST	Tutorials	DELINQUENCY_TEST
DELINQUENCY_TRAIN	Tutorials	DELINQUENCY_TRAIN
HMEQ_PERF_Q1	Tutorials	HMEQ_PERF_Q1
HMEQ_PERF_Q2	Tutorials	HMEQ_PERF_Q2
HMEQ_PERF_Q3	Tutorials	HMEQ_PERF_Q3
HMEQ_PERF_Q4	Tutorials	HMEQ_PERF_Q4
HMEQ_PROJECT_INPUT	Tutorials	HMEQ_PROJECT_INPUT
HMEQ_PROJECT_OUTPUT	Tutorials	HMEQ_PROJECT_OUTPUT
HMEQ_SCORE_INPUT	Tutorials	HMEQ_SCORE_INPUT

[OK](#) [Cancel](#)

For this exercise, select **CONTROL_TABLE** from the **Tutorials** library folder where you registered the data sets, and then click **OK**.

Note: If you want to set both a champion model and a challenger for the projects, use **CONTROL_TABLE2**.

7. (Optional) Click **View** to display the contents of the control table.

View Control Table "Tutorials.CONTROL_T...

segid	project_name	model
seg01	US	reg1.spk
seg02	Canada	tree1.spk
seg03	Germany	hpf_class.spk

Close

8. Click **Browse** to select the location of the model SPK files that are specified in the control table (for example, **C:\SMM141Tutorials\Models\segmodels**).

Click **OK**.

9. Select **Classification** for the model function to indicate the type of models that should be imported into each project within the portfolio.

New Portfolio

Name and Project Settings Step 1 of 4

Specify the portfolio information and project settings to create the projects.

Name and Project Settings

Add Input and Output Tables

Add Project Properties

Summary

Portfolio name: * Portfolio1

Description:

Control table: * Tutorials.CONTROL_TABLE [Browse](#) [View](#)

Location of models: * C:\SMM141Tutorials\Models\segmodels [Browse](#)

Settings for Each Project

Version: 1.0

Model function: Classification

Previous Next Finish Cancel

10. Click **Next**.

11. Click **Browse** to select **HMEQ_PROJECT_INPUT** as the input table, and **HMEQ_PROJECT_OUTPUT** as the output table. The input and output variables in the tables are applied to all of the projects.

New Portfolio [X]

Add Input and Output Tables Step 2 of 4

Specify the input and output variables to apply to all of the projects in the portfolio.

Input table: * Tutorials.HMEQ_PROJECT_INPUT [Browse](#)

Output table: * Tutorials.HMEQ_PROJECT_OUTPUT [Browse](#)

Previous Next Finish Cancel

Click **Next**.

- Specify the project properties to apply to all projects within the portfolio. The properties are used to perform tasks and generate reports.

Default test table

Click **Browse**. In the Select Data Source window, select **HMEQ_TEST** from the **Tutorials** library, and click **OK**.

Training target variable

Enter **BAD**.

Target event value

Enter **1**.

Class target level

Select **Binary**.

Output event probability variable

Select **score**.

New Portfolio [X]

Add Project Properties Step 3 of 4

Specify the project properties to generate the performance monitoring reports.

Default test table: Tutorials.HMEQ_TEST [X] [Browse](#)

Training target variable: BAD

Class target level: Binary [v]

Target event value: 1

Output event probability variable: score [v]

Previous Next Finish Cancel

- Click **Next** to view the summary of information that has been specified.

New Portfolio

Summary Step 4 of 4

Name and Project Settings
Add Input and Output Tables
Add Project Properties
Summary

Name	Version
Portfolio1	
US	1.0
Canada	1.0
Germany	1.0

Input Variables

Variables	Description
DEBTINC	
CLAGE	
NINQ	
VALUE	
MORTDUE	

Output Variables

Variables	Description
score	

Previous Next Finish Cancel

14. Click **Finish**.


15. Click **Close** in the confirmation message. The new portfolio appears in the list.

Set a Champion Model

In this exercise, you set a champion model for each project within the portfolio.

Set the Champion Model

To set a champion model:

1. Open **Portfolio1** and select the **Projects** page.
2. Open a project and select the **Models** page.
3. Select one of the models and click  to set the model as the project champion model.

Note: You might receive a prompt if project or model variables have not been defined or mapped. Select the model variables to map with the project output variables and click **OK**.

The value in the **Role** column changes to **Champion**.

4. Repeat steps 1 through 3 for each project within the portfolio.

For more information, see [“Champion Models” in SAS Model Manager: User’s Guide](#).

(Optional) Flag the Challenger Model

If you create your own project control table that contains more than one model in each project, you can set a challenger model after the champion model has been set. Both the champion model and challenger models must be set at the project level.

To flag a challenger model:

1. Open a project and select the **Models** page.
2. Select one of the models and click  to flag the model as a challenger.

Note: You might receive a prompt if project or model variables have not been defined or mapped.

The value in the **Role** column changes to **Challenger**.

3. Repeat steps 1 through 3 for each project within the control group.

For more information, see “Challenger Models” in *SAS Model Manager: User’s Guide*.

Publish Project Champion Models from a Portfolio


In this exercise, you use the comprehensive publishing environment for model delivery to share models. Model delivery most often includes model score code and its associated input and output metadata. To publish the champion models for projects within a portfolio, you must have already set a model within one or more of the projects as a champion model.

Publish Project Champion Models

In the Portfolios category view, you can publish the champion models for projects within a portfolio to the SAS Metadata Repository.

To publish champion models for projects in a portfolio:

1. Select a portfolio and click .



<input type="checkbox"/> All	Model Name	Role	Version	Model Function	Publish Name	Date Published
<input type="checkbox"/>	tree1	Champion	1.0	Classification	Canada	
<input type="checkbox"/>	reg1	Champion	1.0	Classification	US	
<input type="checkbox"/>	hpf_class	Champion	1.0	Classification	Germany	

SAS Metadata Repository Settings

Location: [Browse](#)

2. Select one or more champion models that you want to publish from the models list.
3. Click **Browse** and select the location to publish the models to.
4. Click **Publish**.

- Click **Close** in the confirmation message.


For more information, see “Publishing Project Champion Models” in *SAS Model Manager: User’s Guide*.


Publish Project Champion and Challenger Models

About Publishing Project Models

From the **Projects** page of a portfolio, you can publish the project champion model and its challengers to the SAS Metadata Repository, a SAS channel, or to a database. In this exercise you publish a champion model to the SAS Metadata Repository and to a database.

Publish to the SAS Metadata Repository

- Open **Portfolio1** and select the **Projects** page.
- Select a project and click .
- Select **SAS Metadata Repository** from the publish destination list.



Publish destination: SAS Metadata Repository

Select one or more models to publish, and specify a publish name for each model.

<input type="checkbox"/> All	Model Name	Role	Version	Model Function	Publish Name	Date Published
<input type="checkbox"/>	hpf_class	Champion	1.0	Classification	Germany	


SAS Metadata Repository Settings

Location: [Browse](#)

- Select one or more models that you want to publish from the models list.
- Specify a **Publish Name** for the challenger models. The publish name for a champion model cannot be modified.
- Click **Browse** and select the location to publish the models to.
- Click **Publish**.

For more information, see “Publish to the SAS Metadata Repository” in *SAS Model Manager: User’s Guide*.

(Optional) Publish to a Database

- Open **Portfolio1** and select the **Projects** page.
- Select a project and click .

3. Select a database from the publish destination list.

Publish Models

Publish destination:

Publish method: ☒ SAS Embedded Process ☐ Scoring function

Select one or more models to publish, and specify a publish name for each model.

<input type="checkbox"/> All	Model Name	Role	Version	Model Function	Publish Name	Date Published
<input type="checkbox"/>	reg1	Champion	1.0	Classification	US	Aug 18, 2015 05:57 PM

☐ Replace scoring functions that have the same publish name

Specify an identifier to add to the database target table for each model:

☒ Validate scoring results

Validation table: [Browse](#)

Teradata Settings

Server:

Database:

User ID: Password:

[More Options...](#)

4. Select the **SAS Embedded Process** publish method.
5. Select one or more models that you want to publish from the models list.
6. Specify a **Publish Name** for each model.
Note: The default format of the publish name is configured by the SAS administrator in SAS Management Console.
7. (Optional) Select whether to **Replace scoring files that have the same publish name**.
8. Specify an identifier to add to the database target table for each model.
9. (Optional) Select whether to **Validate scoring results**. If this option is selected, click **Browse** to navigate to the appropriate train table.
10. Specify the database settings.
11. Click **More Options** to specify other options for the database.
12. Click **Publish**.


For more information, see “[Publish to a Database](#)” in *SAS Model Manager: User’s Guide*.


Monitor Performance of Project Champion Models

In this exercise, you define and execute a performance definition to create performance monitoring reports for all projects within a portfolio. Execution of the generated code

creates the SAS data sets that are used to display the performance monitoring reports on the **Performance** page of each project.

To monitor the performance of the champion models for all projects:

1. Open **Portfolio1** and select the **Performance** page.
2. Click .
3. Select one or more output variables for stability analysis. To select all output variables, click **All**.
4. Select one or more input variables for characteristic analysis. To select all input variables, click **All**.



Edit Performance Definition

Select Variables Step 1 of 3

Select Variables

Set Performance Options

Set Alerts and Notifications

Select the output variables for stability analysis:

<input checked="" type="checkbox"/> All	Variables	Description
<input checked="" type="checkbox"/>	score	

Select the input variables for characteristic analysis:


<input checked="" type="checkbox"/> All	Variables	Description
<input checked="" type="checkbox"/>	CLAGE	
<input checked="" type="checkbox"/>	CLNO	
<input checked="" type="checkbox"/>	DEBTINC	
<input checked="" type="checkbox"/>	DELINQ	
<input checked="" type="checkbox"/>	DEROG	
<input checked="" type="checkbox"/>	JOB	

Previous Next Save Cancel

Click **Next**.

5. Specify the performance data options.
 - a. Click **Browse** and select the performance data source **HMEQ_SEG_Q1** from the **Tutorials** library.

Note: The performance data source must contain the same segment identifier variables as the control table. For this exercise the variable is **segID**.

- b. To run the score code in the performance monitor job, select the **Run model score code** check box. If the check box is not selected, all of the output variables for stability analysis must be in the performance data source.
 - c. Click  and select a date. The date can be any date in the time period when the performance data was collected.

For this exercise, select **March 31, 2014**.

- d. Enter a report label to associate with the performance data. The report label represents the time point of the performance data source. Because the report label appears in the performance charts, use a label that has not been used for another time period, is short, and is understandable (for example, Q1).

Note: If you duplicate report labels, previous performance results are overwritten.

6. Specify the properties that are used to generate the performance monitoring reports. The properties default to the values that were set when you created a portfolio.

Edit Performance Definition [X]

Set Performance Options Step 2 of 3

Select Variables
Set Performance Options
 Set Alerts and Notifications

Specify the performance data options.

Performance data source: [Browse](#)

☒ Run model score code

Collection date:

Report label:

Specify the following properties to generate the performance monitoring reports.

Class target level: ▼

Training target variable:

Target event value:

Output event probability variable: ▼

[Previous](#) [Next](#) [Save](#) [Cancel](#)

Click **Next**.

7. (Optional) Specify values for the alert and warning conditions or accept the defaults.
8. (Optional) To send the results by email, click **+**. A new row is added to the table.
- Enter an email address.
 - Select **Yes** if you want an alert or warning to be sent by email when alert or warning thresholds have been exceeded.
 - Select **Yes** if you want a completion notice with the job status to be sent by email every time the report runs.

Edit Performance Definition ✕

Set Alerts and Notifications Step 3 of 3

Select Variables

Select Performance Options

Set Alerts and Notifications

Specify values for the alert and warning conditions.

Condition	Value
Characteristic - Alert	p1>5 or p25>0
Stability - Alert	outputDeviation > 0.03
Model - Alert	(lift5Decay>0.15 and lift10Decay>0.12) or gin...
Characteristic - Warning	p1>2
Stability - Warning	outputDeviation > 0.01
Model - Warning	lift5Decay>0.05

Specify who should receive notifications and when.

Email Address	Send Alert or Warning	Send Job Status
mmanalyst@email.com	Yes	Yes

Previous Next Save Cancel

9. Click **Save**.

10. Click .

11. After the performance monitoring is complete, a confirmation message appears. Click **Close**.

SAS Decision Manager ✕

Performance monitoring results for "Portfolio1":


Model	Version	Project	Status
reg1	1.0	US	✔
tree1	1.0	Canada	✔
hpf_class	1.0	Germany	✔

Close

12. (Optional) Repeat steps 2 through 11 to monitor performance of the champion models for multiple performance data sources.

Data Source	Collection Date	Report Label
HMEQ_SEG_Q2	June 30, 2014	Q2
HMEQ_SEG_Q3	September 30, 2014	Q3
HMEQ_SEG_Q4	December 31, 2014	Q4

13. To view the performance results, select the **Projects** page, and open a project. Select the **Performance** page to view results.



Add a New Version

In this exercise, you add a new version to all projects within a portfolio.

1. Open a portfolio, select the **Projects** page, and click **+**. The Add a New Version window appears.

The screenshot shows the 'Add a New Version' dialog box. It has a title bar with a close button (X). The main text area contains the following instructions: 'Click Save to add a version to each project in the portfolio. The version number is incremented by one for each project.' and 'Enter an optional description for each new version.' Below the text is a large empty text box for entering a description. At the bottom right are two buttons: 'Save' and 'Cancel'.


2. (Optional) Enter a description for each new version.
3. Click **Save**. The version number is incremented by one for each project within the portfolio.
4. Click **OK** for the confirmation message.

For more information, see “[Overview of Project Versions](#)” in *SAS Model Manager: User's Guide*.

Add an Input Variable


In this exercise, you add an input variable to each project within a portfolio.

1. Open a portfolio.
2. Select the **Variables** page and click the **Input** tab.



Name	Type	Measurement	Length	Description
YOJ	N		8	
MORTDUE	N		8	
REASON	C		7	
DEROG	N		8	
VALUE	N		8	
CLNO	N		8	
LOAN	N		8	
CLAGE	N		8	
DELINQ	N		8	
DEBTINC	N		8	
JOB	C		7	
NINQ	N		8	

3. Click **+**.



Add a New Input Variable

Specify an input variable to add to each project in the portfolio.

Name: *

Description:

Type: * Numeric

Measurement:

Length: *


OK Cancel


4. Enter a name.
5. (Optional) Enter a description.
6. Select a type.
7. (Optional) Enter a measurement.
8. Enter a length.
9. Click **OK**. The input variable is added to the portfolio and to all projects within the portfolio.

Add Attachments

In this exercise, you view and add attachments such as images or documents. Attachments can be added at the object level for portfolios, projects, and models.

To add an attachment:


1. Select the **Attachments** page.
2. Click .
3. Select a file to attach and click **Open**.

Note: Click  to remove an attachment.

Add Comments

In this exercise, you add new topics or respond to an existing topic. Comments can be added at the object level for portfolios, projects, and models.

To add a comment:

1. Select the **Comments** page.
2. Enter a topic name and a comment.
3. (Optional) Click  to attach a file to the new topic. Repeat this step to attach multiple files.

Note: You can also click **Remove** to remove an attachment.

4. Click **Post**.

View SAS Factory Miner Models

Overview

When you use SAS Factory Miner to register projects and models to the SAS Model Manager model repository, portfolios are created. The portfolios contain the project segments and models from the SAS Factory Miner project. You can perform the same portfolio tasks for SAS Factory Miner project segments and models that you can for SAS Model Manager projects and models, except for retraining a model. Retraining of SAS Factory Miner models is not supported in SAS Model Manager 14.1. For more information, see [“Overview of Portfolios” in SAS Model Manager: User’s Guide](#).

Prerequisites


To perform this exercise, you must be a licensed user of SAS Model Manager and SAS Factory Miner, and have the appropriate user permissions. You must also have registered

SAS Factory Miner projects and models in the SAS Model Manager model repository. For information about how to register SAS Factory Miner project segments and models, see *SAS Factory Miner: User's Guide*.

View SAS Factory Miner Project Segments and Models


In this exercise, you view project segments and models that were registered in the SAS Model Manager model repository from SAS Factory Miner. The first time a user registers projects and models from SAS Factory Miner to the SAS Model Manager model repository, the **FactoryMiner** top-level folder is created in the Portfolios category view.

1. Expand the **FactoryMiner** folder to view the portfolios that contain the SAS Factory Miner project segments and models that are registered in the model repository.
2. Open a portfolio.
3. Select the **Projects** page.



Name	Model Function	Location	Operation Status	Date Modified	Created By
Segment 2_Mgr	Classification	FactoryMiner/HM...	Under Development	Jul 3, 2015 05:48 PM	sasdemo
Segment 3_Office	Classification	FactoryMiner/HM...	Under Development	Jul 3, 2015 05:48 PM	sasdemo
Segment 4_Other	Classification	FactoryMiner/HM...	Under Development	Jul 3, 2015 05:47 PM	sasdemo
Segment 5_ProfExe	Classification	FactoryMiner/HM...	Under Development	Jul 3, 2015 05:47 PM	sasdemo
Segment 6_Sales	Classification	FactoryMiner/HM...	Under Development	Jul 3, 2015 05:48 PM	sasdemo
Segment 7_Self	Classification	FactoryMiner/HM...	Under Development	Jul 3, 2015 05:48 PM	sasdemo

4. Open a project segment and select the **Models** page.



Name	Role	Version	Description	Model Function	Date Published	Date Modified	Created By
Segment 2_MgrDecision Tree...	Champion	1.0		Classification		Jul 3, 2015 05...	sasdemo

5. Open a model and select **Properties** ⇒ **Factory Miner**.

Segment 2_MgrDecision Tree template (Segment 2_Mgr : 1.0)

Model Properties | Versions | Attachments | Comments

Version: Current

▼ Variables
Input
Output
Output Mapping
▼ Properties
General
Specific
System
User-Defined
Factory Miner
▼ Scoring
Status
▼ Advanced
Score Code
Model Files
▼ History
Log
Published

Factory Miner Properties

Model ID: 8af8863e4e1cee52014e5010c7d8012d

Date created: Jul 02, 2015 10:44:27

Segment ID: 8af8863e4e1cee52014e5010c7b0011a

Segment server ID: 2

Library: FMLIB

Table: HMEQ_TEST

Project ID: 8af8863e4e1cee52014e5009ef22000f

Project name: FCMR_sasdemo_1435861903187

Number of targets: 1

Number of segments: 1

Segments:

Variable	Value
JOB	Mgr

Chapter 12

Tutorial 11: Using My Tasks and Managing Workflows

Overview of Using My Tasks and Managing Workflows	153
Prerequisites	154
Make Workflow Template Available	154
Tutorial Project Setup	154
Sign In	154
Add a New Version	154
Start a Workflow	156
Working with Workflow Tasks	156
Manage Workflows	159
About Workflows	159
Assign Participants to Tasks	159
Releasing a Task	161
(Optional) Editing Task Properties	161
Terminating a Workflow	161

Overview of Using My Tasks and Managing Workflows

SAS Model Manager uses the Workflows and My Tasks category views to interface with SAS Workflow. A *workflow* is a copy of a workflow template. A workflow can be used to track the progress of objects, such as model projects and rule flows at the version level. An authorized user can use SAS Workflow Studio to define workflow templates and to make them available to SAS Model Manager for use. Workflow templates contain the set of tasks, participants, policies, statuses, and data objects that comprise a business task. The status that you select when completing a task determines the next task in the workflow.

All users have access to view the My Tasks category view. Only administrators can view the Workflows category view.

This tutorial shows you the features of the My Tasks category view and how to manage workflows.

Prerequisites

Make Workflow Template Available

The exercises in this tutorial require that the workflow templates for Tutorial 2 or Tutorial 3 be available to SAS Model Manager. If you have permissions to upload workflow templates using SAS Workflow Studio and have access to the Workflows category, see [Chapter 2, “Tutorial 1: Prepare for Using SAS Workflow,”](#) on page 15. Otherwise, contact your SAS administrator or another authorized user.

Tutorial Project Setup

Before starting these exercises, you must have already created a new project in Tutorial 2 or 3. For more information, see [Chapter 3, “Tutorial 2: Performing Basic SAS Model Manager Tasks,”](#) on page 19 and [Chapter 4, “Tutorial 3: Importing Models, Scheduling Scoring Tests, and Creating Reports,”](#) on page 37.

Sign In

To sign in to SAS Model Manager:

1. In the address bar of your web browser, enter **http://hostname:port/SASDecisionManager** and press Enter. The Sign In page appears.
2. Enter a user ID and password. Your user ID might be case sensitive, depending on the operating system that is used to host the application server. Your password is case sensitive.

Note: To schedule jobs in a Windows environment, you must include the domain name when entering your user ID (for example, *domain\myuserID*).

3. Click **Sign In**.

Add a New Version


If you started and completed a workflow previously for a project as part of the exercises in Tutorial 2 or Tutorial 3, you can either start a new workflow for the same project version or you can add a new version.

To add a new version:

1. From the Projects category, expand **Tutorials** ⇒ **<your-userID>** ⇒ **Tutorial#**.

Note: You can complete this exercise using either the **Tutorial2** or **Tutorial3** folder that was previously created.

2. Open a project (for example, open **HMEQ** in the **Tutorial3** folder).
3. Select the **Versions** page.
4. Click **+**. The Add a New Version window appears.



Add a New Version [X]


Version: 3.0


Description:

Created by: SAS Model Manager Analyst

Date created: Aug 19, 2015 02:47 PM

[OK] [Cancel]

5. The next sequential number appears as the new version number for the project.
6. (Optional) Enter a description for the version.
7. Click **OK**. The new version appears in the list. The  icon that is displayed in the top right-hand corner for the new version indicates that it is now the displayed version.





HMEQ [Min] [Max] [Close]

Properties | Versions | Models | Variables | Scoring | Performance | Retrain | Reports | History | Attachments | Comments

[Icons] Version: 3.0

Number of versions: 3

Version: 3.0	
Description:	
Created by: mmanalyst	Date created: Aug 19, 2015 02:49 PM
▶ Details	
Version: 2.0	
Description:	
Created by: mmanalyst	Date created: Aug 14, 2015 04:59 PM
▶ Details	
Version: 1.0	
Description:	
Created by: mmanalyst	Date created: Jul 30, 2015 12:03 PM
▶ Details	


For more information, see [“Overview of Project Versions”](#) in *SAS Model Manager: User’s Guide*.


Start a Workflow


To start a new workflow:

1. Verify that the version that you want to start a workflow for is the currently displayed version on the **Versions** page of the project.

Note: Each version of a project can have only one workflow in progress at a time. However, a project can have multiple workflows associated with different versions at one time.

2. Click  in the project toolbar.
3. Enter **Tutorial 11** for the name for the new workflow.
4. (Optional) Enter a description for the workflow.
5. Select the template for this tutorial from which to create the workflow. For example, use **MM Tutorial 3 Workflow**.



6. Click **Start**. The  icon is displayed in the right-hand corner for the associated version.

Working with Workflow Tasks

The My Tasks category view displays the tasks for workflows that are in progress and that you have been assigned as a potential owner or that have been claimed by you. In this exercise, you explore the content that is available in the My Tasks category view and complete tasks in a workflow.

My Tasks (3 of 3) | Search: (none) | | Search: My Tasks | Save Search

Task: M0: Set up project

Date started: Aug 19, 2015 02:55 PM | Claimed: No

Workflow: Tutorial 11

► Details

Task: Approve version

Date started: Jul 5, 2015 07:47 PM | Claimed: No

Workflow: HMEQ-Interval July 5, 2015

► Details

Task: M01: Import Models

Date started: Jul 5, 2015 07:01 PM | Claimed: No

Workflow: HMEQ July 5, 2015

► Details

To complete a task:

1. Click **Details** to view the task information. The **Details** section includes information about which model project and version the task is associated with, as well as the potential owners and possible actions that can be taken.

Task: M0: Set up project

Date started: Aug 19, 2015 02:55 PM | Claimed: No

Workflow: Tutorial 11

▼ Details

Model project: HMEQ [View Workflow...](#)

Version: 3.0


Potential owners:

Name	Claimed
mdlmggradvusers	No
mdlmggradminusers	No


Possible actions:



Completed


2. Click **View Workflow** to view the workflow diagram.



Click **Close**.

3. Select a task and click  in order to open the associated object and perform the task.

Note: If you click , the project is opened and the **Models** page is displayed for the associated version. The task is not claimed. If you click , the claimed status is set to Yes for the select task.

4. Navigate through the project's pages to perform the steps for the current task. For example, select the **Models** page to import models.
5. Click .

6. Select an action to take for the selected task. For this exercise, select **Completed**. The actions that are available are the status values for the task in the workflow.
7. Click **Done**. The workflow process continues to the next task.
8. Repeat steps 4 through 7 for each task until the workflow has been completed.

For more information, see [“Working with Workflow Tasks” in SAS Model Manager: User’s Guide](#).

Manage Workflows

About Workflows

The Workflows category can be used to manage workflows. You can create new workflows, view workflows, and interact with tasks that are associated with a workflow. If a user is assigned to the workflow role of business administrator, he or she can influence the progress of a task by performing actions such as assigning a task, or releasing the task that is claimed by another user. A user can also specify values for properties to share information with other users. After the workflow templates are made available, an application administrator can set the object mappings using the Workflows category view.

Note: To view the Workflows category in the navigation pane, you must be a member of the Decision Manager Administrators group or a group that has been assigned the role of Decision Manager Common: Administration.





Select **Workflows** to view a list of the available workflows.

Workflows (5 of 5)

Search: (none)












Search: Workflows

Save Search



Open

Actions

Workflow Name	Started By	State	Current Task	Date Started
▼  MM Tutorial 3 Workflow				
 Tutorial 11 (HMEQ : 3.0)	mmanalyst		M1: Import Models	Aug 19, 2015 02:55 PM
 HMEQ August 19, 2015 (HMEQ : 1.0)	mdlmgradmin		M0: Set up project	Aug 19, 2015 03:20 PM
▼  MM Tutorial 2 Workflow				
 Delinquency August 19, 2015 (Delinquency ...)	mdlmgradmin		M0: Set up project	Aug 19, 2015 03:20 PM
▶  SimpleApprovalRevise				
▶  SimpleApproval				
▶  MM Workflow Mini Demo				


For more information, see [“Overview of Managing Workflows” in SAS Model Manager: User’s Guide](#).

Assign Participants to Tasks

Default participants have already been assigned to tasks in the workflows that are used in the tutorials.

To assign an additional participant to a task:

1. From the Workflows category view, double-click a workflow. The Workflow details view is displayed.
2. Select a task, and then click in the Participants pane. The Assign a Participant window appears.



Assign a Participant


Specify the values for the participant that you want to assign to this task.

Identity type: User


Name: * Enter a name

Workflow role: Potential owner

OK Cancel

3. Select one of the identity types: user, group, or role.
4. Enter part of the user, group, or role name, and click .

Note: If you do not enter part of the name, all of the names for the selected identity type are displayed.



Select an Identity

Select a user, group, or role name.

Name	Display Name	Identity Type
sasadm	SAS Administrator	User
sasdemo	SAS Demo User	User
sasfcmr	SAS Factory Miner User	User
mdlmgradmin	SAS Model Manager Administrator	User
mmanalyst	SAS Model Manager Analyst	User

OK Cancel

Select a name and click **OK**.

5. Select a workflow role for the participant.

Here are the workflow roles that you can assign to participants for a workflow task:


- **Business administrator:** a participant who can influence the progress of a task by actions such as assigning a task, or releasing the task that has been claimed by another user.
- **Potential owner:** a participant who can claim a task in a workflow process and who becomes the actual owner of a task.

6. Click **OK**. The new participant is added to the list in the Participants pane.

Releasing a Task

An authorized user with access to the Workflows category view can release a task that has been claimed by a workflow participant. The name of the actual owner is displayed in the Participants pane.


To release a task:


1. From the Workflows category view, double-click the **Tutorial 11** workflow. The Workflow details view is displayed.
2. Select a task name, and click . The **Claimed By** value for the selected task is cleared and is now available to all potential owners.

(Optional) Editing Task Properties

If you have created your own workflow template using SAS Workflow Studio and added data objects to a task, the objects appear as properties in the Properties pane when you select a task in the Workflow details view. Properties that are editable display a triangular icon in the bottom right corner of the property value in the data grid.

To edit the properties for a task:


1. From the Workflows category view, open the workflow, and select a task. The properties that are associated with the task are displayed to the right in the Properties pane.
2. Click on the property value, and then enter a value or change the existing value.
3. To save the changes to the properties, click .

If you do not want to save the changes to the properties, click .

Terminating a Workflow

When you terminate a workflow process, all tasks that have not yet been completed are changed to a state of Terminated. After you terminate a workflow process, it cannot be restarted. However, you can start a new workflow for the same version.

To terminate a workflow:

1. From the Workflows category view, select a workflow name and click .
2. Click **Yes** to terminate the selected workflow.

Chapter 13

Tutorial 12: Managing Model Inventory

Overview of Managing Model Inventory	163
Prerequisites	163
Import Models into a Folder	163
Modify Model Content	165
View Model Content	165
Add Model Keywords	166
Add a Model Version	168
Add Model User-Defined Properties	168
Add Model User-Defined Properties to the Inventory List	170
Search and Filter Model Inventory	171

Overview of Managing Model Inventory

The Inventory category enables you to access all of the models in the model repository in one place, whether they are located in a folder, portfolio, or project. If you have registered SAS Factory Miner models in the SAS Model Manager model repository, they appear in the list of models in the Inventory category view as well. You can also filter the search results by date modified, keywords, model properties, and user-defined properties. You can add user-defined properties as columns in the list in order to display the values for each model.

Prerequisites

The exercises in this tutorial depend on properties of models that were added in Tutorial 2 and Tutorial 3.

Import Models into a Folder


In this exercise, you import generic models and then view them in using the Inventory category view.

You can also export, update, duplicate, and move models that are located within a folder. For more information, see [“Importing Models into a Folder” in SAS Model Manager: User’s Guide](#).

To import models:

1. Select a folder, click , and select **Import models**.


Note: Alternatively, right-click a folder and select **Import Models**.



2. Select the location of the model or models on the SAS Workspace Server. For this exercise, select the **RiskModels** folder for the location to import the models from.
3. Click **OK**.

Models: Projects (12 of 12) Search: (none) Search: Projects			
Name	Model Function	Type	Location
▼ FactoryMiner			
▶ HMEQ			
▼ Tutorials			
▼ mmanalyst			Tutorials
▼ RiskModels			Tutorials/mmanalyst
COV	Analytical	Model	Tutorials/mmanalyst
Price	Analytical	Model	Tutorials/mmanalyst
TimeSeries	Analytical	Model	Tutorials/mmanalyst

4. Select **Inventory** from the left navigation menu.
5. Enter **RiskModels** in the search box.
6. Open the **COV** model.
7. Select **Advanced** ⇒ **Model Files** on the **Model Properties** page. The files that are listed include the model files from the **RiskModels\COV** model folder that was imported from the SAS Workspace Server.



Name	Location	Date Modified
Analyticalmodel.xml	//ModelManagerDefaultRepo/MMR...	Aug 20, 2015 04:23 PM
cov.sas7bdat	//ModelManagerDefaultRepo/MMR...	Aug 20, 2015 04:23 PM
score.sas	//ModelManagerDefaultRepo/MMR...	Aug 20, 2015 04:23 PM
smmpostcode.sas	//ModelManagerDefaultRepo/MMR...	Aug 20, 2015 04:23 PM

Modify Model Content

In this exercise, you view the model inventory that you imported in the previous tutorials, view the content of a model, add model keywords, add user-defined properties, and add a model version. You can also add model dependencies. For more information, see [“Add Model Dependencies and View Lineage” in SAS Model Manager: User’s Guide](#).

View Model Content

1. Select **Models** ⇒ **Inventory**.
2. Enter your user ID in the search box.

Note: Enter the name of the folder that you are using to store your tutorials, if it is not the same as your user ID.

Models: Inventory (16 of 42) Search: Contains: mmanalyst 🔍 🔗 mmanalyst ✖ Save Search 🔍

Name	Model Function	Location	Algorithm	Date Modified	Created By	Keywords
HPForest	Classification	Tutorials\mmanalyst\Tutorial3\HME...	HPDMForest	Aug 19, 2015 04:56 PM	sasdemo	
reg1	Classification	Tutorials\mmanalyst\Tutorial10\Por...	Regression	Aug 18, 2015 05:57 PM	mdlmgradmin	
HMEQ_STAT_Item	Classification	Tutorials\mmanalyst\Tutorial3\HME...	PROC LOGISTIC	Aug 19, 2015 04:55 PM	sasdemo	
tree1	Classification	Tutorials\mmanalyst\Tutorial10\Por...	DecisionTree	Aug 18, 2015 05:57 PM	mdlmgradmin	
ProcArbor	Classification	Tutorials\mmanalyst\Tutorial8\Hme...		Aug 13, 2015 06:23 PM		
LGD	Prediction	Tutorials\mmanalyst\Tutorial6\LGD...		Aug 12, 2015 05:33 PM		
HMEQ Scorecard	Classification	Tutorials\mmanalyst\Tutorial6\PD\1...	Scorecard	Aug 12, 2015 05:38 PM	sasdemo	
Model 1	Classification	Tutorials\mmanalyst\Tutorial2\Delin...		Aug 18, 2015 03:45 PM		
Model 3	Classification	Tutorials\mmanalyst\Tutorial2\Delin...		Aug 18, 2015 03:43 PM		
Neural	Classification	Tutorials\mmanalyst\Tutorial3\HME...	Nonlinear Optimization	Jul 31, 2015 02:11 PM		
Reg1_Interval	Prediction	Tutorials\mmanalyst\Tutorial3\HME...	Regression	Jul 30, 2015 05:36 PM	sasdemo	
Tree_1_20150814T165934	Classification	Tutorials\mmanalyst\Tutorial3\HME...	DecisionTree	Aug 14, 2015 05:01 PM		
Reg 1	Classification	Tutorials\mmanalyst\Tutorial3\HME...	Regression	Aug 3, 2015 02:52 PM	mdlmgradmin	
Tree 1	Classification	Tutorials\mmanalyst\Tutorial3\HME...	DecisionTree	Aug 3, 2015 03:06 PM	mdlmgradmin	
hpf_class	Classification	Tutorials\mmanalyst\Tutorial10\Por...	HPDMForest	Aug 19, 2015 04:55 PM	sasdemo	
Model 2	Classification	Tutorials\mmanalyst\Tutorial2\Delin...		Aug 18, 2015 03:43 PM		

3. Double-click the **Model 1** model that is located in the **Tutorial2** folder to view its model content.

Model 1

Model Properties | Versions | Attachments | Comments

Version: Current


- Variables
 - Input

Name	Type	Measurement	Length	Description
AGE	N		8	
NUMCARDS	N		8	
 - Output
 - Output Mapping
 - Properties
 - General
 - Specific
 - System
 - User-Defined
 - Scoring
 - Status
 - Advanced
 - Score Code
 - Model Files
 - History
 - Log
 - Published


Add Model Keywords

To add keywords:

1. Select **Properties** ⇒ **General** to view the model keywords.
2. Click **+**. The Select Keywords window appears.



3. (Optional) Click **Edit Keywords** to add or remove keywords from the list. The Edit Keywords window appears.




- a. Click **+** to add a keyword to the list. Enter a value for the keyword and specify a category.
 - b. Select a keyword and click **X** to remove it from the list. Click **Remove** in the confirmation message.
 - c. Click **OK**.
4. Select one or more keywords from the list.
 5. Click **OK**.
 6. Click  to save the model properties.

Figure 13.1 Inventory List with Keyword Icons

Models: Inventory (16 of 42)		Search: Contains: mmanalyst			<input type="text" value="mmanalyst"/>		Save Search
				Open			
Name	Model Function	Location	Algorithm	Date Modified	Created By	Keywords	
HPForest	Classification	Tutorials/mmanalyst/Tutorial3/HME...	HPDMForest	Aug 19, 2015 04:56 PM	sasdemo		
reg1	Classification	Tutorials/mmanalyst/Tutorial10/Por...	Regression	Aug 18, 2015 05:57 PM	mdlmgadmin		
HMEQ_STAT_Item	Classification	Tutorials/mmanalyst/Tutorial3/HME...	PROC LOGISTIC	Aug 19, 2015 04:55 PM	sasdemo		
tree1	Classification	Tutorials/mmanalyst/Tutorial10/Por...	DecisionTree	Aug 18, 2015 05:57 PM	mdlmgadmin		
ProcArbor	Classification	Tutorials/mmanalyst/Tutorial8/Hme...		Aug 13, 2015 06:23 PM			
LGD	Prediction	Tutorials/mmanalyst/Tutorial6/LGD...		Aug 12, 2015 05:33 PM			
HMEQ Scorecard	Classification	Tutorials/mmanalyst/Tutorial6/PD/1...	Scorecard	Aug 12, 2015 05:38 PM	sasdemo		
Model 1	Classification	Tutorials/mmanalyst/Tutorial2/Delin...		Aug 19, 2015 05:20 PM			
Model 3	Classification	Tutorials/mmanalyst/Tutorial2/Delin...		Aug 18, 2015 03:43 PM			
Neural	Classification	Tutorials/mmanalyst/Tutorial3/HME...	Nonlinear Optimization	Jul 31, 2015 02:11 PM			
Reg1_interval	Prediction	Tutorials/mmanalyst/Tutorial3/HME...	Regression	Jul 30, 2015 05:36 PM	sasdemo		
Tree 1_20150814T165934	Classification	Tutorials/mmanalyst/Tutorial3/HME...	DecisionTree	Aug 14, 2015 05:01 PM			
Reg 1	Classification	Tutorials/mmanalyst/Tutorial3/HME...	Regression	Aug 3, 2015 02:52 PM	mdlmgadmin		
Tree 1	Classification	Tutorials/mmanalyst/Tutorial3/HME...	DecisionTree	Aug 19, 2015 05:19 PM	mdlmgadmin		
hpf_class	Classification	Tutorials/mmanalyst/Tutorial10/Por...	HPDMForest	Aug 19, 2015 04:55 PM	sasdemo		
Model 2	Classification	Tutorials/mmanalyst/Tutorial2/Delin...		Aug 18, 2015 03:43 PM			

Add a Model Version

1. Select the **Versions** page.
2. Click . The Add a New Version window appears. The next sequential number appears as the new version number.

Add a New Version

Version: 2.0

Description:

Created by: SAS Model Manager Analyst

Date created: Aug 19, 2015 05:30 PM

OK

Cancel

3. (Optional) Enter a description for the version.
4. Click **OK**.

Add Model User-Defined Properties

1. Select the **Model Properties** page.


2. Select **Properties** ⇒ **User-Defined**.
3. Click **+**. The Add User-Defined Properties window appears.


Name	Data Type	Value

4. Click **+** to insert a new row.
Note: Alternatively, you can click **Advanced** to manually specify the name and value pairs for the new properties.
5. Specify a name and data type for the property. The available data types are **String**, **Numeric**, **Date**, and **Date and time**. A value for the property is optional.

Table 13.1 Sample User-Defined Properties

Property Name	Data Type	Value
Tester	String	mmanalyst
Review_Date	Date	<i>select today's date</i>

6. Click **OK**.
7. (Optional) Select a user-defined property and click  to view the history of changes for that property. Click **Close**.




Modified By	Date Modified	Value
mmanalyst	Aug 20, 2015 12:10 PM	mmanalyst


Close

Add Model User-Defined Properties to the Inventory List

In this exercise, you add user-defined properties as columns to the list. The values of the properties are displayed for each model.





To add user-defined properties to the list:






1. Click .
2. Select the properties that you want to appear in the list. For this exercise, select the user-defined properties that you added in the previous exercise.




3. Click **OK**. The columns that are added to the list can then be used to sort the list of models.

Figure 13.2 User-defined Properties in the Inventory List

Models: Inventory (16 of 42) Search: Contains: mmanalyst   mmanalyst  Save Search 


    Open 

Name	Model Function	Location	Algorithm	Date Modified	Created	Keywords	Tester	Review_Date
tree1	Classification	Tutorials/mmanalyst/Tutorial1...	DecisionTree	Aug 18, 2015 05:57 PM	mdlm...			
hpf_class	Classification	Tutorials/mmanalyst/Tutorial1...	HPDMForest	Aug 19, 2015 04:55 PM	sasd...			
reg1	Classification	Tutorials/mmanalyst/Tutorial1...	Regression	Aug 18, 2015 05:57 PM	mdlm...			
Model 1	Classification	Tutorials/mmanalyst/Tutorial2/...		Aug 20, 2015 12:10 PM			mmanalyst	August 20, 2015
Model 2	Classification	Tutorials/mmanalyst/Tutorial2/...		Aug 18, 2015 03:43 PM				
Model 3	Classification	Tutorials/mmanalyst/Tutorial2/...		Aug 18, 2015 03:43 PM				

Search and Filter Model Inventory

In this exercise, you search the model inventory, and filter the results by model properties and user-defined properties.

1. Click . The additional search options appear.



2. Expand the **Properties** search option.
3. Select a keyword (for example, KW1) from the **Keywords** property drop-down list. The model inventory list is filtered automatically.
4. Expand the **User-Defined Text Properties** search option.
5. Select a user-defined property name and value.

Figure 13.3 Inventory Category – Search Results

Models: Inventory (1 of 42) | Search: Contains: mmanalyst | Properties: Keywor... | mmanalyst | Save Search

Name	Model Function	Location	Algorithm
Model 1	Classification	Tutorials/mmanalyst/Tutorial12/...	

Open

► Date Modified

▼ Properties

Model function:

Algorithm:

Modeler:

Input variable:

Target variable:

Keywords: KW1

▼ User-Defined Text Properties

Name: Tester

Value: mmanalyst

► User-Defined Numeric Properties

Chapter 14

Tutorial 13: Scoring a SAS Model Manager Model Using SAS Data Integration Studio

Overview of Using Published Models in SAS Data Integration Studio	173
Prerequisites	174
Tutorial 13 Models	174
Verify Your User ID as a Member of Model Manager User Groups	174
Sign In	174
Publish a Project Champion Model from SAS Model Manager	175
Score a Model Using a SAS Data Integration Studio Job	175
Open the SAS Data Integration Studio Desktop	175
Create a New Job	175
Run the SAS Data Integration Studio Scoring Job	177
Verify the Model Code Used in the Job	178
Declare and Publish a New Champion Model in SAS Model Manager	179
Update the Job to Use the Latest Champion Model	180

Overview of Using Published Models in SAS Data Integration Studio

The SAS Model Manager publish feature enables you to publish models to the SAS Metadata Repositories, making them available for other SAS products such as SAS Data Integration Studio and SAS Enterprise Guide.

When you publish a SAS Model Manager project champion model to the metadata repository, the result is a mining results object that contains the champion model of the project's default version. In order for the mining results object in the SAS Metadata Repository to be updated with the new champion model, two conditions must be met: the champion model in the project's default version is changed and the model is published from the project level again to the same SAS metadata folder.

To illustrate an application that can use a published SAS Model Manager project champion model, this tutorial uses SAS Data Integration Studio to connect metadata objects (including a mining results object) to create a scoring job.

Prerequisites

Tutorial 13 Models

The exercises in this tutorial depend on some of the properties of the specific models that were added in [Chapter 4, “Tutorial 3: Importing Models, Scheduling Scoring Tests, and Creating Reports,”](#) on page 37. Use the projects, versions, or models that are specified here. This tutorial is designed to follow Tutorial 3.

The scoring input and output tables from SMM141Tutorials.zip must be extracted and registered in SAS Metadata Repository. If they have not been extracted and registered, see [“Install and Register the Tutorial Files”](#) on page 4 to extract and register the files. . Users must also have Write and Modify permissions to `<server-name>\<drive>\SMM141Tutorial\Data`.

This exercise requires SAS Data Integration Studio. Use the SAS Deployment Wizard to install the SAS Data Integration Studio client.

Verify Your User ID as a Member of Model Manager User Groups

In this exercise, you ensure that your user ID is a member of the **Model Manager Advanced Users** group.

1. Open SAS Management Console and log on to the SAS Metadata Server.
2. On the **Plug-ins** tab, select **User Manager**.
3. Find and double-click your user ID in the right pane of SAS Management Console.
4. Click the **Groups and Roles** tab. Review the **Member of** pane and locate the group **Model Manager Advanced Users**. If your user ID is not a member of this group, ask your administrator to add you to this group. Close the properties window.
5. Close SAS Management Console.

Sign In

To sign in to SAS Model Manager:

1. In the address bar of your web browser, enter `http://hostname:port/SASDecisionManager` and press Enter. The Sign In page appears.
2. Enter a user ID and password. Your user ID might be case sensitive, depending on the operating system that is used to host the application server. Your password is case sensitive.

Note: To schedule jobs in a Windows environment, you must include the domain name when entering your user ID (for example, `domain\myuserID`).


3. Click **Sign In**.

Publish a Project Champion Model from SAS Model Manager

In this exercise, you publish a project champion model from SAS Model Manager in order for that model to be accessed and scored by SAS Data Integration Studio. When you publish from the project level, you publish the project champion model.

Note: This task requires that you use a user ID that is a member of the SAS Model Manager Advanced Users group or the SAS Model Manager Administrator Users group.

Note: If you create user-defined properties at the project level, these properties are published with the champion model. User-defined properties might be helpful for scoring applications that search mining result objects for specific name-value pairs. Each user-defined project property is stored in the SAS Metadata Repository as an Extension metadata object, which is a name-value pair.

1. Open the **Tutorial3** folder and select the **HMEQ** project.
2. Click  and select **SAS Metadata Repository** from the publish destination list.
3. Select **Tree 1** from the list of models.
4. Click **Browse** and navigate to the folder where you want to store the model. For example, double-click **Shared Data** ⇒ **Model Manager** and then select the **Tutorials** folder. Click **OK**.
5. Click **Publish**.
6. An information message indicates whether the champion model was successfully published. Click **Close**.

Score a Model Using a SAS Data Integration Studio Job

In this exercise, you create a SAS Data Integration Studio scoring job by using the **HMEQ** mining result from the SAS Metadata Repository. After you create the job, you run the job and view the output.

Open the SAS Data Integration Studio Desktop


To log on to SAS Data Integration Studio:

1. Launch SAS Data Integration Studio.
2. If prompted, create a SAS Metadata Profile for the SAS Metadata Server.
3. Log on with the profile for SAS Metadata Server.


Create a New Job

To create a new job:


1. Use the New Job Wizard to add the job:
 - a. From the SAS Data Integration Studio window, right-click **My Folder**. Then select **New** ⇒ **Job**. The New Job window appears.
 - b. In the **Name** box, enter **Tutorial113** and click **OK**.
Note: If prompted to choose a default application server, select **SASApp**, click **Test Connection**, and click **OK** in the confirmation message. Then click **OK** in the Default Application Server window.
 - c. Click the **Inventory** tab, expand **Table**, and find the tables **SCORE_INPUT** and **SCORE_OUTPUT** that have the folder location for the Tutorial13 data sets. Here is an example: **/Shared Data/Model Manager/Tutorials**.
 - d. Click and drag **SCORE_INPUT** to the **Diagram** tab. Click and drag **SCORE_OUTPUT** to the **Diagram** tab. Position the **SCORE_INPUT** node so that it is now the farthest to the left. Position the **SCORE_OUTPUT** node so that it is now the farthest to the right. These nodes are the beginning and ending nodes in the diagram. Leave enough space between them for two additional diagram nodes to occupy.



- e. Click the **Transformations** tab and expand **Access**. Select and drag **Table Loader** to the **Diagram** tab. Place the **Table Loader** node before the **SCORE_OUTPUT** node.
- f. From the **Transformations** tab, expand **Data**. Select and drag **Model Scoring** to the **Diagram** tab. Place the **Model Scoring** node between the **SCORE_INPUT** node and the **Table Loader** node. Here is the **Diagram** tab:



- g. Double-click the **Model Scoring** node. The Model Scoring Properties window appears. Click the **Models** tab, expand **Mining Results**, and select **HMEQ**. The UUID in the **Key** box is the UUID of the **HMEQ** project in SAS Model Manager.
2. Click the **Target Table Columns** tab. Expand **OutputTable**, select **score**, and click the right-arrow button. Click **OK**.
3. Drag the output handle from the **SCORE_INPUT** node to the **Model Scoring** node. The half-filled circle on the **Model Scoring** node is changed to a check mark to indicate that the node requirements have been met.
4. Drag the output handle from the **Model Scoring** node to the **Table Loader** node.
5. Drag the output handle from the **Table Loader** node to the **SCORE_OUTPUT** node. The half-filled circle on the **Table Loader** node is changed to a check mark to indicate that the node requirements have been met. Here is the diagram:



6. Save the job. Click **File** ⇒ **Save**.


Run the SAS Data Integration Studio Scoring Job

To run the job and view the output:

1. On the **Diagram** tab, click **Run**. The Tutorial13 job runs. Here is the job status:

Details			
Status			
Warnings and Errors			
Statistics			
Control Flow			
		Last Run: Aug 20, 2015 3:04:16 PM Clear All	
Order	Name	Status	Details
1	Precode	Completed successfully	
2	Model Scoring	Completed successfully	
3	Table Loader	Completed successfully	
4	Postcode	Completed successfully	
	Tutorial12	Completed successfully	
Completed successfully			

- To view the output, right-click the **SCORE_OUTPUT** node and select **Open**. Here is part of the output:



#	customer_id	score
1	118-296-340	0.0891795...
2	126-291-396	0.0891795...
3	154-253-305	0.0891795...
4	107-281-352	0.0891795...
5	184-207-395	0.0891795...
6	129-227-368	0.1158766...
7	197-222-368	0.0891795...
8	141-255-328	0.1078593...
9	147-284-363	0.0891795...
10	158-258-337	0.0891795...
11	172-250-392	0.0891795...
12	192-258-329	0.0891795...
13	139-247-367	0.0891795...
14	117-216-386	0.0891795...
15	130-293-389	0.0891795...
16	156-205-313	0.0891795...
17	151-243-317	0.0891795...
18	166-240-312	0.0891795...
19	145-220-357	0.0891795...
20	173-244-305	0.0400147...
21	152-234-302	0.0891795...
22	171-293-344	0.0891795...
23	194-271-310	0.0891795...
24	117-227-361	0.0891795...
25	142-207-335	0.0891795...
26	170-219-315	0.1256677...
27	156-227-332	0.0319573...
28	156-204-343	0.0891795...
29	191-252-372	0.0891795...
30	190-257-319	0.0891795...

Verify the Model Code Used in the Job

To verify that you have used the correct model, view the model code that was used in the SAS Data Integration Studio job.

Click the **Code** tab and scroll through the lines until you find the following comment block:

```
*-----*;  
* TOOL: Score Node;  
* TYPE: ASSESS;  
* NODE: Score;  
*-----*;  
*-----*;  
* EM SCORE CODE;
```



```
* VERSION: 7.1;
* GENERATED BY: mdlmgradmin;
* CREATED: 19JAN2011:14:19:11;
*-----*;
*-----*;
* TOOL: Input Data Source;
* TYPE: SAMPLE;
* NODE: Ids;
*-----*;
*-----*;
* TOOL: Decision Tree;
* TYPE: MODEL;
* NODE: Tree;
*-----*;
*****
*****          DECISION TREE SCORING CODE          *****
*****
```

The **NODE** value that is associated with **TYPE: MODEL** is the model name. In this case, the model name is **Tree**.

Declare and Publish a New Champion Model in SAS Model Manager

In this exercise, you declare a different model as the champion model after an initial project champion model has been published to the SAS Metadata Repository. You then publish the new project champion model to the metadata repository.

To declare and publish a new champion model:

1. Open the **Tutorial3** folder and the **HMEQ** project.
2. On the **Models** page, select **Reg 1** and click  to set the model as the project champion model.
3. When prompted to confirm the change, click **Yes**.
4. Open the **Tutorial3** folder and select the **HMEQ** project.
5. Click  and select **SAS Metadata Repository** from the publish destination list.
6. Select **Reg 1** from the models list.
7. Click **Browse** and navigate to the folder where you want to store the model. For example, double-click **Shared Data** ⇒ **Model Manager** and then select the **Tutorials** folder. Click **OK**.
8. Click **Publish**. An information message indicates that a champion model already exists. Click **Replace** to replace the model.
9. An information message indicates whether the champion model was successfully published. Click **Close**.

For more information about this task, see the [SAS Model Manager: User's Guide](#).

Update the Job to Use the Latest Champion Model

This exercise demonstrates the steps to update the SAS Data Integration Studio job after you change the champion model in SAS Model Manager. After you publish the **HMEQ** project from SAS Model Manager, SAS Data Integration Studio recognizes a new mining results object.


To update the job:

1. Close and reopen Tutorial13.
 - a. Click the Tutorial13 window and select **File** ⇒ **Close**.
 - b. Click the **Folders** tab and expand **My Folder**. Double-click **Tutorial13** to reopen the job. When the job reopens, it uses the new score code from the Mining Result object and regenerates the code that is associated with the job.
2. In the **Tutorial13** diagram, right-click the **Model Scoring** node and select **Properties**. The Model Scoring Properties window appears. Click the **Models** tab. The **HMEQ** mining result is highlighted. The **Algorithm** box shows that the model is a **Regression** model.
3. Click the **Model Attributes** tab. A message box might appear that warns of potential table changes if you change the mining result. Click **Yes**.
4. Click **View Source Code**. Scroll to the top of the window. Compare the text in the comment tags to the Reg 1 model code in SAS Model Manager. They are the same, as shown in the displays below.


To view the model code in SAS Model Manager:

- a. Open the **Tutorial13** folder and the **HMEQ** project.
- b. On the **Models** page, open the **Reg 1** model and select the **Model Properties** tab.
- c. Select **Advanced** ⇒ **Source Code**.

Here is the Reg 1 score code in SAS Model Manager.




Here is the Reg 1 score code in SAS Data Integration Studio.



5. Click **Cancel** to close the View Source Code window.
6. Identify the variables to be used in the transform output. Click the **Target Table Columns** tab. If **score** and **customer_id** are not in the **Selected** list, move them manually:
 - a. From the **Available** list, select **score** and click the right arrow button to move the **score** variable to the **Selected** list.

- b. From the **Available** list, expand **SCORE_INPUT**, select **customer_id**, and click the right arrow button to move the **customer_id** variable to the **Selected** list.
7. Click the **Mappings** tab. Right-click the space between the two lists of variables and select **Map All**. Here is the **Mappings** tab:



Click **OK**.

8. Double-click the **Table Loader** node and click the **Mappings** tab.
9. Right-click the space between the two lists of variables and select **Map All**. Click **OK**.
10. On the **Diagram** tab, and click **Run**. The **Tutorial13** job runs.
11. To view the output, right-click the **SCORE_OUTPUT** node and select **Open**. Here is a partial view of the output:

View Data: SCORE_OUTPUT

Go to row Go


#	customer_id	score
1	118-296-340	0.0891795...
2	126-291-396	0.0891795...
3	154-253-305	0.0891795...
4	107-281-352	0.0891795...
5	184-207-395	0.0891795...
6	129-227-368	0.1158766...
7	197-222-368	0.0891795...
8	141-255-328	0.1078593...
9	147-284-363	0.0891795...
10	158-258-337	0.0891795...
11	172-250-392	0.0891795...
12	192-258-329	0.0891795...
13	139-247-367	0.0891795...
14	117-216-386	0.0891795...
15	130-293-389	0.0891795...
16	156-205-313	0.0891795...
17	151-243-317	0.0891795...
18	166-240-312	0.0891795...
19	145-220-357	0.0891795...
20	173-244-305	0.0400147...
21	152-234-302	0.0891795...
22	171-293-344	0.0891795...
23	194-271-310	0.0891795...
24	117-227-361	0.0891795...
25	142-207-335	0.0891795...
26	170-219-315	0.1256677...
27	156-227-332	0.0319573...
28	156-204-343	0.0891795...
29	191-252-372	0.0891795...
30	190-257-319	0.0891795...

Recommended Reading

- *SAS Factory Miner: User's Guide*
- *SAS Model Manager: Administrator's Guide*
- *SAS Model Manager: User's Guide*
- *SAS Workflow Studio: User's Guide*

For a complete list of SAS publications, go to sas.com/store/books. If you have questions about which titles you need, please contact a SAS Representative:

SAS Books
SAS Campus Drive
Cary, NC 27513-2414
Phone: 1-800-727-0025
Fax: 1-919-677-4444
Email: sasbook@sas.com
Web address: sas.com/store/books



Gain Greater Insight into Your SAS® Software with SAS Books.

Discover all that you need on your journey to knowledge and empowerment.



SAS and all other SAS Institute Inc. product or service names are registered trademarks or trademarks of SAS Institute Inc. in the USA and other countries. ® indicates USA registration. Other brand and product names are trademarks of their respective companies. © 2013 SAS Institute Inc. All rights reserved. S107969US.0613

