## **System Requirements**

# The SAS<sup>®</sup> System Release 6.12 (TS051) Mac<sup>™</sup>OS for PowerPC<sup>™</sup>

This document provides requirements for installing and running the SAS System for MacOS for PowerPC. You must update your system to meet the minimum requirements before running the SAS System. The major requirements listed in the document are:

ш	Software Requirements
	Hardware Requirements
	Space Requirements
	Specific Product Requirements
	Graphics Hardware and Software Compatibility

For additional information and to view the latest system requirements for your system, access the SAS Institute Web site at:

http://www.sas.com/software/enclosures/system\_req.html

or contact SAS Institute Technical Support (refer to "Contacting SAS Institute Technical Support" in the installation instructions included in your package).

For information about Year 2000 compliance, see http://www.sas.com/techsup/download/technote/y2kcomp.html.

## Software Requirements

Coftman Dominos

#### **Operating System**

• System 7.5.3 or higher

## Hardware Requirements

#### **Machines Supported**

• Release 6.12 of the SAS System only supports systems with a currently available PowerPC microprocessor. 680x0-based machines are no longer supported.

#### **Media Supported**

CD-ROM

#### **Memory Requirements**

- 18 MB minimum
- 24 MB recommended

If you run out of memory when running the SAS System, we recommend that you increase the Preferred size memory requirement of the SAS application icon in 4-MB allocations. If you continue to exceed available physical memory, we recommend that you enable Virtual Memory.

## **Space Requirements**

The media you received is customized for your site and contains all of the SAS software products for which you are licensed.

The following list contains space requirements in MB for all of the products available with this version of the SAS System for MacOS for PowerPC. Use this information to help you determine how much free disk space you must have available before you can install the SAS System.

Software Product	Required Disk	Additional Space for Samples and
	Space	<b>Optional Files</b>
Base SAS Software	54.4	18.0
SAS/ACCESS Interface to ODBC Software	0.1	0.0
SAS/AF Software	1.1	0.0
SAS/ASSIST Software	9.0	0.0
SAS/CALC Software	3.3	0.0
SAS/CONNECT Software	1.4	0.1
SAS/EIS Software	17.8	10.6
SAS/ENGLISH Software	4.2	0.3
SAS/ETS Software	12.0	0.3
SAS/FSP Software	0.5	0.0
SAS/GRAPH Software	14.3	4.2
SAS/GRAPH Map Data Sets	35.8	0.0
SAS/IML Software	3.3	0.5
SAS/INSIGHT Software	3.6	0.3
SAS/LAB Software	4.4	0.0
SAS/MDDB Server Software	0.1	0.0
SAS/OR Software	19.1	2.1
SAS/QC Software	9.3	3.1
SAS/SHARE Software	0.3	0.0
SAS/SPECTRAVIEW Software	1.3	10.0
SAS/STAT Software	14.9	1.8
SAS/TUTOR Software: Fundamentals of the SAS System (CBT101)	4.8	0.0
SAS/TUTOR Software: Reading Raw Data and Formatting Values with the DATA Step (CBT102)	2.4	0.0
SAS/TUTOR Software: Creating, Modifying and Processing Variables with the DATA Step (CBT103)	2.4	0.0
SAS/TUTOR Software: Developing Custom Data Entry Applications (CBT104)	2.6	0.0
SAS/TUTOR Software: Creating and Enhancing SAS/GRAPH Output (CBT105)	4.1	0.0
SAS/TUTOR Software: Creating Tables with PROC TABULATE (CBT106)	2.6	0.0
HTML-based Help and Documentation	13.4	0.0
SAS Usage Notes	3.2	0.0
SAS Product Updates		0.0
Total	262.5	51.3
SAS Extras		
AppleScript Extension	0.5	0.0
OpenDoc Part	0.8	0.0

Space Requirements for Third Party Packages		
OpenDoc	1.1	0.0
CyberDog	5.2	0.0
Internet Config	0.4	0.0
Adobe Acrobat Reader	8.1	0.0

### Specific Product Requirements

#### **SAS/ACCESS Interface to ODBC Software**

#### **Products Required:**

- Base SAS software
- SAS/ACCESS Interface to ODBC software

#### **DBMS Products Required:**

An ODBC driver for the data source from which you want to access data is required. These drivers are often available from the DBMS vendor and other third party ODBC driver developers. The driver you choose may require additional DBMS software in order to access the data.

- MacOS for PowerPC ODBC driver required
- Support for 680x0 Macintosh ODBC driver no longer available

#### **SAS/AF Software**

#### **Products Required for Build Mode:**

- Base SAS software
- SAS/AF software
- SAS/FSP software (to create and display SAS/FSP objects)
- SAS/GRAPH software (to create and display some graphics objects)
- Other products may be required depending on the application

#### **Products Required for Run Mode:**

- Base SAS software
- SAS/FSP software (to create and display SAS/FSP objects)
- SAS/GRAPH software (to display some graphics objects)
- Other products may be required depending on the application

#### Memory Required:

• 32 MB partition minimum

### **SAS/EIS Software**

#### **Products Required for Build Mode:**

- Base SAS software
- SAS/AF software
- SAS/EIS software
- SAS/FSP software
- SAS/GRAPH software
- Other products may be required depending on the application

#### **Products Required for Run Mode:**

- Base SAS software
- SAS/GRAPH software
- SAS/EIS software
- Other products may be required depending on the application

#### Memory Required:

• 32 MB partition minimum

### **Graphics Hardware and Software Compatibility**

#### **Printers**

SAS/GRAPH software provides device drivers for all Hewlett-Packard printers (and compatibles), and printers that support PostScript, HP-GL, HP PCL, and other printer languages.

Here is a partial list of printers that SAS/GRAPH software supports:

CalComp ColorMaster, ColorMaster Plus, PlotMaster

Canon Bubble Jet, Laser Shot

Digital printers that support either SIXEL, HP PCL, Tektronix, or PostScript emulation modes

Epson FX and LQ series printers (and all printers running in Epson emulation mode)

Hewlett-Packard LaserJet, DeskJet, PaintJet, and DesignJet printers (and compatibles)

IBM Graphics, Proprinter, and ColorJet printers

PostScript printers (including color and gray-scale PostScript printers)

QMS Colorgrafix with CGM interpreter

QMS 800, 1200, 1500, 2200, and 2400 using QUIC or Tektronix emulation modes

Talaris 800, 802, 1200, 1500, and 2400 using QUIC or Tektronix emulation modes

Talaris printers using the EXCL language

Tektronix Phaser printers (all models)

Tektronix 4693 printers with Tektronix 4510 rasterizer

Xerox 2700 and 4045 printers with a GRAPHX cartridge

Xerox 3700 (with imaging board and at least 1 MB of memory)

Xerox 4030 (contact Technical Support), 4213, 4235, and 4700

Xerox 4700 printer

Xerox 5775 color copier with an EFI Fiery attachment

SAS/GRAPH device drivers may also be available for additional printers not listed above and that do not support PostScript, HP-GL, or HP PCL. For additional information on these drivers, contact SAS Institute Technical Support.

#### **Terminals and Displays**

SAS/GRAPH software supports graphics display on graphics terminals from DEC, Tektronix, HP, and on X Windows terminals. SAS/GRAPH software also supports graphics emulators that emulate any of the above terminals. Note the use of the SAS/GRAPH graphics editor requires an X Windows display or X Windows emulation software.

#### **Plotters**

SAS/GRAPH software provides device drivers for all HP plotters supporting HP-GL or HP-GL/2, and plotters from other manufacturers that support the HP-GL or HP-GL/2 language. SAS/GRAPH software also supports Houston Instruments plotters using the DMPL language and ZETA plotters that support the GML language.

#### Film Recorders

SAS/GRAPH software provides device drivers that support the following film recorders:

Genigraphics Masterpiece Camera System with SCODL interface Lasergraphics MPS 2000 film recorder with a Lasergraphics UI-100 or RASCOL rasterizer Matrix QCR and PCR cameras with Matrix QVP, MVP, or Lasergraphics rasterizers Polaroid Palette CI-3000 and CI-5000 Presentation Technologies Montage film recorder

Support may be available for other film recorders not listed here. For details, contact SAS Institute Technical Support.

#### **Interfaces to Other Graphics Software**

Included with SAS/GRAPH software is a series of drivers that can produce Computer Graphics Metafiles (CGM) in binary, character, and clear-text formats. These drivers can be used to transfer SAS/GRAPH output to other products that support CGM input, such as Word for Windows, WordPerfect for Windows, Harvard Graphics, and Lotus Freelance, or to devices that can process CGM input.

SAS/GRAPH software can also generate encapsulated PostScript vector files, which can be exported to word processing packages such as Microsoft Word, WordPerfect, and several others. Many other graphics and word processing applications can process files in Hewlett-Packard (HP-GL) format. The HPGL driver can be used to produce files that can be transferred to most applications that can process HP-GL files.

SAS/GRAPH software can also export graphics in the following formats:

BMP - Microsoft Windows Bitmap

EPS - Encapsulated PostScript

GIF - Graphics Interchange Format

PNG - Portable Network Graphics

PPM - Portable Pixmap

PS - PostScript Bitmap

TIF - Tagged Image File Format

XPM - X11 Pixmap

JPG - JPEG Files

XBM - X11 Bitmap

In addition, SAS/GRAPH software can import graphics in the following formats:

BMP - Microsoft Windows Bitmap

EPS - Encapsulated PostScript

GIF - Graphics Interchange Format

PBM - Portable Bitmap

PCD - Kodak Photo-CD

PCX - PC PaintBrush

PGM - Portable Graymap

PNG - Portable Network Graphics

PNM - Portable Anymap

PPM - Portable Pixmap

TGA - Targa format

TIF - Tagged Image File Format

XBM - X11 Bitmap

XPM - X11 Pixmap

XWD - X Window Dump

JPG - JPEG Files

#### **Writing Your Own Device Driver**

SAS Institute's Metagraphics driver facility can be used to develop driver support for virtually any device you choose. The Metagraphics driver facility is device-intelligent and supports most hardware features. A user-written program is required to translate the metafile into the appropriate graphics language recognized by the hardware. SAS/GRAPH software will, optionally, perform device I/O. For details, contact SAS Institute Technical Support.

#### **The Macintosh Meta Application**

The Macintosh Meta Application is a free program that can be installed on your Macintosh. A metafile produced by the SAS/GRAPH Metagraphics driver can be transferred to the Macintosh from your host system and viewed on the screen. Images can then be stored in PICT or clipboard format to be used by other applications or printed on an attached Apple LaserWriter (or compatible) printer. Images can be saved into the Macintosh clipboard and used by MacDraw and other Macintosh packages. For details, contact SAS Institute Technical Support.