

# **SAS/STAT<sup>®</sup> 12.3 User's Guide**

## **Sashelp Data Sets**

### **(Chapter)**

This document is an individual chapter from *SAS/STAT® 12.3 User's Guide*.

The correct bibliographic citation for the complete manual is as follows: SAS Institute Inc. 2013. *SAS/STAT® 12.3 User's Guide*. Cary, NC: SAS Institute Inc.

Copyright © 2013, SAS Institute Inc., Cary, NC, USA

All rights reserved. Produced in the United States of America.

**For a Web download or e-book:** Your use of this publication shall be governed by the terms established by the vendor at the time you acquire this publication.

The scanning, uploading, and distribution of this book via the Internet or any other means without the permission of the publisher is illegal and punishable by law. Please purchase only authorized electronic editions and do not participate in or encourage electronic piracy of copyrighted materials. Your support of others' rights is appreciated.

**U.S. Government Restricted Rights Notice:** Use, duplication, or disclosure of this software and related documentation by the U.S. government is subject to the Agreement with SAS Institute and the restrictions set forth in FAR 52.227-19, Commercial Computer Software-Restricted Rights (June 1987).

SAS Institute Inc., SAS Campus Drive, Cary, North Carolina 27513.

July 2013

SAS® Publishing provides a complete selection of books and electronic products to help customers use SAS software to its fullest potential. For more information about our e-books, e-learning products, CDs, and hard-copy books, visit the SAS Publishing Web site at [support.sas.com/bookstore](http://support.sas.com/bookstore) or call 1-800-727-3228.

SAS® and all other SAS Institute Inc. product or service names are registered trademarks or trademarks of SAS Institute Inc. in the USA and other countries. ® indicates USA registration.

Other brand and product names are registered trademarks or trademarks of their respective companies.

# Appendix B

## Sashelp Data Sets

### Contents

Overview of Sashelp Data Sets . . . . .	8705
Bone Marrow Transplant Data . . . . .	8707
Class Data . . . . .	8708
El Niño Southern Oscillation Data . . . . .	8709
Finland's Lake Laengelmavesi Fish Catch Data . . . . .	8710
Exhaust Emissions Data . . . . .	8712
Fisher (1936) Iris Data . . . . .	8714
Coal Seam Thickness Data . . . . .	8716
Flying Mileages between Five U.S. Cities Data . . . . .	8717
References . . . . .	8718

## Overview of Sashelp Data Sets

SAS provides over 200 data sets in the Sashelp library. These data sets are available for you to use for examples and for testing code. For example, the following step uses the Sashelp.Class data set:

```
proc reg data=sashelp.class;  
    model weight = height;  
run; quit;
```

You do not need to provide a DATA step to use Sashelp data sets.

The following steps list all of the data sets that are available in Sashelp:

```
ods listing close;  
proc contents data=sashelp._all_;  
    ods output members=m;  
run;  
ods listing;  
  
proc print;  
    where memtype = 'DATA';  
run;
```

The results of these steps (over 200 data set names) are not displayed.

The following steps provide detailed information about the Sashelp data sets:

```
proc contents data=sashelp._all_;  
run;
```

The results of this step (hundreds of pages of PROC CONTENTS information) are not displayed.

Eight data sets are frequently used in SAS/STAT documentation, and information about these data sets is displayed in the next sections:

<a href="#">Sashelp.BMT</a>	Bone marrow transplant data
<a href="#">Sashelp.Class</a>	Class data
<a href="#">Sashelp.ENS0</a>	El Niño southern oscillation data
<a href="#">Sashelp.Fish</a>	Finland's Lake Laengelmavesi fish catch data
<a href="#">Sashelp.Gas</a>	Exhaust emissions data
<a href="#">Sashelp.Iris</a>	Fisher (1936) iris data
<a href="#">Sashelp.Thick</a>	Coal seam thickness data
<a href="#">Sashelp.Mileages</a>	Flying mileages between five U.S. cities data

## Bone Marrow Transplant Data

The following steps display information about the data set Sashelp.BMT and create [Figure B.1](#):

```

title 'Bone Marrow Transplant Data';
proc contents data=sashelp.bmt varnum;
    ods select position;
run;

title 'The First Five Observations Out of 137';
proc print data=sashelp.bmt (obs=5);
run;

title 'The Risk Group Variable';
proc freq data=sashelp.bmt;
    tables group;
run;

```

**Figure B.1** Bone Marrow Transplant Data

Bone Marrow Transplant Data				
Variables in Creation Order				
#	Variable	Type	Len	Label
1	Group	Char	13	Disease Group
2	T	Num	8	Disease-Free Survival Time
3	Status	Num	8	Event Indicator: 1=Event 0=Censored

  

The First Five Observations Out of 137				
Obs	Group	T	Status	
1	ALL	2081	0	
2	ALL	1602	0	
3	ALL	1496	0	
4	ALL	1462	0	
5	ALL	1433	0	

  

The Risk Group Variable				
Disease Group				
Group	Frequency	Percent	Cumulative Frequency	Cumulative Percent
ALL	38	27.74	38	27.74
AML-High Risk	45	32.85	83	60.58
AML-Low Risk	54	39.42	137	100.00

## Class Data

The following steps display information about the data set Sashelp.Class and create [Figure B.2](#):

```
title 'Class Data';
proc contents data=sashelp.class varnum;
  ods select position;
run;

title 'The Full Data Set';
proc print data=sashelp.class;
run;
```

**Figure B.2** Class Data

Class Data					
Variables in Creation Order					
#	Variable	Type	Len		
1	Name	Char	8		
2	Sex	Char	1		
3	Age	Num	8		
4	Height	Num	8		
5	Weight	Num	8		
The Full Data Set					
Obs	Name	Sex	Age	Height	Weight
1	Alfred	M	14	69.0	112.5
2	Alice	F	13	56.5	84.0
3	Barbara	F	13	65.3	98.0
4	Carol	F	14	62.8	102.5
5	Henry	M	14	63.5	102.5
6	James	M	12	57.3	83.0
7	Jane	F	12	59.8	84.5
8	Janet	F	15	62.5	112.5
9	Jeffrey	M	13	62.5	84.0
10	John	M	12	59.0	99.5
11	Joyce	F	11	51.3	50.5
12	Judy	F	14	64.3	90.0
13	Louise	F	12	56.3	77.0
14	Mary	F	15	66.5	112.0
15	Philip	M	16	72.0	150.0
16	Robert	M	12	64.8	128.0
17	Ronald	M	15	67.0	133.0
18	Thomas	M	11	57.5	85.0
19	William	M	15	66.5	112.0

## El Niño Southern Oscillation Data

The following steps display information about the data set Sashelp. ENSO and create [Figure B.3](#):

```
title 'El Nino Southern Oscillation Data';
proc contents data=sashelp.enso varnum;
  ods select position;
run;

title 'The First Five Observations Out of 168';
proc print data=sashelp.enso(obs=5);
run;
```

**Figure B.3** El Niño Southern Oscillation Data

El Nino Southern Oscillation Data			
Variables in Creation Order			
#	Variable	Type	Len
1	Month	Num	8
2	Year	Num	8
3	Pressure	Num	8
The First Five Observations Out of 168			
Obs	Month	Year	Pressure
1	1	0.08333	12.9
2	2	0.16667	11.3
3	3	0.25000	10.6
4	4	0.33333	11.2
5	5	0.41667	10.9

## Finland's Lake Laengelmavesi Fish Catch Data

The following steps display information about the data set Sashelp.Fish and create [Figure B.4](#):

```

title 'Finland's Lake Laengelmavesi Fish Catch Data';
proc contents data=sashelp.fish varnum;
    ods select position;
run;

title 'The First Five Observations Out of 159';
proc print data=sashelp.fish(obs=5);
run;

title 'The Fish Species Variable';
proc freq data=sashelp.fish;
    tables species;
run;

```

**Figure B.4** Finland's Lake Laengelmavesi Fish Catch Data

Finland's Lake Laengelmavesi Fish Catch Data							
Variables in Creation Order							
	#	Variable	Type	Len			
	1	Species	Char	9			
	2	Weight	Num	8			
	3	Length1	Num	8			
	4	Length2	Num	8			
	5	Length3	Num	8			
	6	Height	Num	8			
	7	Width	Num	8			
The First Five Observations Out of 159							
Obs	Species	Weight	Length1	Length2	Length3	Height	Width
1	Bream	242	23.2	25.4	30.0	11.5200	4.0200
2	Bream	290	24.0	26.3	31.2	12.4800	4.3056
3	Bream	340	23.9	26.5	31.1	12.3778	4.6961
4	Bream	363	26.3	29.0	33.5	12.7300	4.4555
5	Bream	430	26.5	29.0	34.0	12.4440	5.1340



**Figure B.4** *continued*

The Fish Species Variable				
Species	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bream	35	22.01	35	22.01
Parkki	11	6.92	46	28.93
Perch	56	35.22	102	64.15
Pike	17	10.69	119	74.84
Roach	20	12.58	139	87.42
Smelt	14	8.81	153	96.23
Whitefish	6	3.77	159	100.00

## Exhaust Emissions Data

The following steps display information about the data set Sashelp.Gas and create [Figure B.5](#):

```

title 'Exhaust Emissions Data';
proc contents data=sashelp.gas varnum;
  ods select position;
run;

title 'The First Five Observations Out of 171';
proc print data=sashelp.gas (obs=5);
run;

title 'The Fuel Type Variable';
proc freq data=sashelp.gas;
  tables fuel;
run;

```

**Figure B.5** Exhaust Emissions Data

Exhaust Emissions Data				
Variables in Creation Order				
#	Variable	Type	Len	Label
1	Fuel	Char	8	
2	CpRatio	Num	8	Compression Ratio
3	EqRatio	Num	8	Equivalence Ratio
4	NOx	Num	8	Nitrogen Oxide
The First Five Observations Out of 171				
Obs	Fuel	Cp Ratio	Eq Ratio	NOx
1	Ethanol	12	0.907	3.741
2	Ethanol	12	0.761	2.295
3	Ethanol	12	1.108	1.498
4	Ethanol	12	1.016	2.881
5	Ethanol	12	1.189	0.760

**Figure B.5** *continued*

The Fuel Type Variable				
Fuel	Frequency	Percent	Cumulative Frequency	Cumulative Percent
82rongas	9	5.26	9	5.26
94%Eth	25	14.62	34	19.88
Ethanol	90	52.63	124	72.51
Gasohol	13	7.60	137	80.12
Indolene	22	12.87	159	92.98
Methanol	12	7.02	171	100.00

## Fisher (1936) Iris Data

The following steps display information about the data set Sashelp.Iris and create [Figure B.6](#):

```

title 'Fisher (1936) Iris Data';
proc contents data=sashelp.iris varnum;
    ods select position;
run;

title 'The First Five Observations Out of 150';
proc print data=sashelp.iris(obs=5);
run;

title 'The Iris Species Variable';
proc freq data=sashelp.iris;
    tables species;
run;

```

**Figure B.6** Fisher (1936) Iris Data

Fisher (1936) Iris Data				
Variables in Creation Order				
#	Variable	Type	Len	Label
1	Species	Char	10	Iris Species
2	SepalLength	Num	8	Sepal Length (mm)
3	SepalWidth	Num	8	Sepal Width (mm)
4	PetalLength	Num	8	Petal Length (mm)
5	PetalWidth	Num	8	Petal Width (mm)

  

The First Five Observations Out of 150					
Obs	Species	Sepal Length	Sepal Width	Petal Length	Petal Width
1	Setosa	50	33	14	2
2	Setosa	46	34	14	3
3	Setosa	46	36	10	2
4	Setosa	51	33	17	5
5	Setosa	55	35	13	2

**Figure B.6** *continued*

The Iris Species Variable				
Iris Species				
Species	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Setosa	50	33.33	50	33.33
Versicolor	50	33.33	100	66.67
Virginica	50	33.33	150	100.00

## Coal Seam Thickness Data

The following steps display information about the data set Sashelp.Thick and create [Figure B.7](#):

```
title 'Coal Seam Thickness Data';
proc contents data=sashelp.thick varnum;
  ods select position;
run;

title 'The First Five Observations Out of 75';
proc print data=sashelp.thick(obs=5);
run;
```

**Figure B.7** Coal Seam Thickness Data

Coal Seam Thickness Data				
Variables in Creation Order				
#	Variable	Type	Len	Label
1	East	Num	8	
2	North	Num	8	
3	Thick	Num	8	Coal Seam Thickness
The First Five Observations Out of 75				
Obs	East	North	Thick	
1	0.7	59.6	34.1	
2	2.1	82.7	42.2	
3	4.7	75.1	39.5	
4	4.8	52.8	34.3	
5	5.9	67.1	37.0	

## Flying Mileages between Five U.S. Cities Data

The following steps display information about the data set Sashelp.Mileages and create Figure B.8:

```

title 'Flying Mileages between Five US Cities Data';
proc contents data=sashelp.mileages varnum;
    ods select position;
run;

title 'The Full Data Set';
proc print data=sashelp.mileages label;
    id city;
run;

```

**Figure B.8** Flying Mileages between Five U.S. Cities Data

Flying Mileages between Five US Cities Data										
Variables in Creation Order										
	#	Variable	Type	Len						
	1	Atlanta	Num	8						
	2	Chicago	Num	8						
	3	Denver	Num	8						
	4	Houston	Num	8						
	5	LosAngeles	Num	8						
	6	Miami	Num	8						
	7	NewYork	Num	8						
	8	SanFrancisco	Num	8						
	9	Seattle	Num	8						
	10	WashingtonDC	Num	8						
	11	City	Char	15						
The Full Data Set										
City	Atlanta	Chicago	Denver	Houston	Los Angeles	Miami	New York	San Francisco	Seattle	Washington DC
Atlanta	0	.	.	.	.	.	.	.	.	.
Chicago	587	0	.	.	.	.	.	.	.	.
Denver	1212	920	0	.	.	.	.	.	.	.
Houston	701	940	879	0	.	.	.	.	.	.
Los Angeles	1936	1745	831	1374	0	.	.	.	.	.
Miami	604	1188	1726	968	2339	0	.	.	.	.
New York	748	713	1631	1420	2451	1092	0	.	.	.
San Francisco	2139	1858	949	1645	347	2594	2571	0	.	.
Seattle	2182	1737	1021	1891	959	2734	2408	678	0	.
Washington D.C.	543	597	1494	1220	2300	923	205	2442	2329	0

## References

Fisher, R. A. (1936), “The Use of Multiple Measurements in Taxonomic Problems,” *Annals of Eugenics*, 7, 179–188.



## Your Turn

---

We welcome your feedback.

- If you have comments about this book, please send them to **`yourturn@sas.com`**. Include the full title and page numbers (if applicable).
- If you have comments about the software, please send them to **`suggest@sas.com`**.



# SAS® Publishing Delivers!

Whether you are new to the work force or an experienced professional, you need to distinguish yourself in this rapidly changing and competitive job market. SAS® Publishing provides you with a wide range of resources to help you set yourself apart. Visit us online at [support.sas.com/bookstore](http://support.sas.com/bookstore).

## SAS® Press

Need to learn the basics? Struggling with a programming problem? You'll find the expert answers that you need in example-rich books from SAS Press. Written by experienced SAS professionals from around the world, SAS Press books deliver real-world insights on a broad range of topics for all skill levels.

**[support.sas.com/saspress](http://support.sas.com/saspress)**

## SAS® Documentation

To successfully implement applications using SAS software, companies in every industry and on every continent all turn to the one source for accurate, timely, and reliable information: SAS documentation. We currently produce the following types of reference documentation to improve your work experience:

- Online help that is built into the software.
- Tutorials that are integrated into the product.
- Reference documentation delivered in HTML and PDF – **free** on the Web.
- Hard-copy books.

**[support.sas.com/publishing](http://support.sas.com/publishing)**

## SAS® Publishing News

Subscribe to SAS Publishing News to receive up-to-date information about all new SAS titles, author podcasts, and new Web site features via e-mail. Complete instructions on how to subscribe, as well as access to past issues, are available at our Web site.

**[support.sas.com/spn](http://support.sas.com/spn)**



**THE  
POWER  
TO KNOW®**

