

Paper 070-30

Exploring DICTIONARY Tables and Views

Kirk Paul Lafler, Software Intelligence Corporation

Abstract

SAS® users can quickly and conveniently obtain useful information about their SAS session with a number of read-only SAS data views called DICTIONARY tables or DICTIONARY views. At any time during a SAS session, information about currently defined system options, libnames, table names, column names and attributes, formats, indexes, and more can be accessed and captured. This paper will explore the purpose of DICTIONARY tables and views, how they are accessed, and what information is available to SAS users. Attendees will learn how these important tables and views can be applied using real-world code examples.

Introduction

The SAS System generates and maintains valuable information at run time about SAS libraries, data sets, catalogs, indexes, macros, system options, titles, and views in a collection of read-only tables called dictionary tables. Although called tables, Dictionary tables are not real tables. Information is automatically generated at runtime and the tables contents are made available once a SAS session is started.

Dictionary tables and their contents permit a SAS session's activities to be easily accessed and monitored. This becomes useful when building software applications since the information can be queried with the results acted upon in a specific task such as in the allocation of filerefs or librefs.

TABLES USED IN EXAMPLES

The data used in all the examples in this paper consists of a selection of movies that I've viewed over the years, along with actors. The Movies table consists of six columns: title, length, category, year, studio, and rating. Title, category, studio, and rating are defined as character columns with length and year being defined as numeric columns. The data stored in the Movies table is illustrated below.

MOVIES Table

	Title	Length	Category	Year	Studio	Rating
1	Brave Heart	177	Action Adventure	1995	Paramount Pictures	R
2	Casablanca	103	Drama	1942	MGM / UA	PG
3	Christmas Vacation	97	Comedy	1989	Warner Brothers	PG-13
4	Coming to America	116	Comedy	1988	Paramount Pictures	R
5	Dracula	130	Horror	1993	Columbia TriStar	R
6	Dressed to Kill	105	Drama Mysteries	1980	Filmways Pictures	R
7	Forrest Gump	142	Drama	1994	Paramount Pictures	PG-13
8	Ghost	127	Drama Romance	1990	Paramount Pictures	PG-13
9	Jaws	125	Action Adventure	1975	Universal Studios	PG
10	Jurassic Park	127	Action	1993	Universal Pictures	PG-13
11	Lethal Weapon	110	Action Cops & Robber	1987	Warner Brothers	R
12	Michael	106	Drama	1997	Warner Brothers	PG-13
13	National Lampoon's Vacation	98	Comedy	1983	Warner Brothers	PG-13
14	Poltergeist	115	Horror	1982	MGM / UA	PG
15	Rocky	120	Action Adventure	1976	MGM / UA	PG
16	Scarface	170	Action Cops & Robber	1983	Universal Studios	R
17	Silence of the Lambs	118	Drama Suspense	1991	Orion	R
18	Star Wars	124	Action Sci-Fi	1977	Lucas Film Ltd	PG
19	The Hunt for Red October	135	Action Adventure	1989	Paramount Pictures	PG
20	The Terminator	108	Action Sci-Fi	1984	Live Entertainment	R
21	The Wizard of Oz	101	Adventure	1939	MGM / UA	G
22	Titanic	194	Drama Romance	1997	Paramount Pictures	PG-13

The data stored in the ACTORS table is illustrated below.

ACTORS Table

	Title	Actor_Leading	Actor_Supporting
1	Brave Heart	Mel Gibson	Sophie Marceau
2	Christmas Vacation	Chevy Chase	Beverly D'Angelo
3	Coming to America	Eddie Murphy	Arsenio Hall
4	Forrest Gump	Tom Hanks	Sally Field
5	Ghost	Patrick Swayze	Demi Moore
6	Lethal Weapon	Mel Gibson	Danny Glover
7	Michael	John Travolta	Andie MacDowell
8	National Lampoon's Vacation	Chevy Chase	Beverly D'Angelo
9	Rocky	Sylvester Stallone	Talia Shire
10	Silence of the Lambs	Anthony Hopkins	Jodie Foster
11	The Hunt for Red October	Sean Connery	Alec Baldwin
12	The Terminator	Arnold Schwarzenegger	Michael Biehn
13	Titanic	Leonardo DiCaprio	Kate Winslet

Exploring Dictionary Tables and Views

SAS users can quickly and conveniently obtain useful information about their SAS session with a number of read-only SAS data views called DICTONARY tables. At any time during a SAS session, DICTONARY tables can be used to capture information related to currently defined libnames, table names, column names and attributes, formats, and much more. DICTONARY tables are accessed using the libref DICTONARY in the FROM clause of a PROC SQL SELECT statement. The name of each DICTONARY table and view along with its purpose are presented below.

DICTONARY Tables and Purpose

DICTONARY table	Purpose
CATALOGS	Provides information about SAS catalogs.
CHECK_CONSTRAINTS	Provides check constraints information.
COLUMNS	Provides information about column in tables.
CONSTRAINT_COLUMN_USAGE	Provides column integrity constraints information.
CONSTRAINT_TABLE_USAGE	Provides information related to tables with integrity constraints defined.
DICTONARIES	Provides information about all the DICTONARY tables.
EXTFILES	Provides information related to external files.
FORMATS	Provides information related to defined formats and informats.
GOPTIONS	Provides information about currently defined SAS/GRAPH software graphics options.
INDEXES	Provides information related to defined indexes.
LIBNAMES	Provides information related to defined SAS data libraries.
MACROS	Provides information related to any defined macros.
MEMBERS	Provides information related to objects currently defined in SAS data libraries.

OPTIONS	Provides information related to SAS system options.
REFERENTIAL_CONSTRAINTS	Provides information related to tables with referential constraints.
STYLES	Provides information related to select ODS styles.
TABLE_CONSTRAINTS	Provides information related to tables containing integrity constraints.
TABLES	Provides information related to currently defined tables.
TITLES	Provides information related to currently defined titles and footnotes.
VIEWS	Provides information related to currently defined data views.

DICTIONARY Views and Purpose

DICTIONARY view	Purpose
VCATALOG	Provides information about SAS catalogs.
VCOLUMN	Provides information about column in tables.
VEXTFL	Provides information related to external files.
FORMATS	Provides information related to defined formats and informats.
VINDEX	Provides information related to defined indexes.
VMACRO	Provides information related to any defined macros.
VOPTION	Provides information related to SAS system options.
VTABLE	Provides information related to currently defined tables.
VTITLE	Provides information related to currently defined titles and footnotes.
VVIEW	Provides information related to currently defined data views.

Displaying Dictionary Table Definitions

A dictionary table's definition can be displayed by specifying a DESCRIBE TABLE statement. The results of the statements and clauses used to create each dictionary table can be displayed on the SAS Log. For example, a DESCRIBE TABLE statement is illustrated below to display the CREATE TABLE statement used in building the OPTIONS dictionary table containing current SAS System option settings.

PROC SQL Code

```
PROC SQL;
  DESCRIBE TABLE
    DICTIONARY.OPTIONS;
QUIT;
```

SAS Log Results

```

create table DICTIONARY.OPTIONS
(
  optname char(32) label='Option Name',
  setting char(1024) label='Option Setting',
  optdesc char(160) label='Option Description',
  level char(8) label='Option Location'
);

```

Note: The information contained in dictionary tables is also available to DATA and PROC steps outside the SQL procedure. Referred to as dictionary views, each view is prefaced with the letter “V” and may be shortened with abbreviated names. Dictionary view can be accessed by referencing the view by its name in the SASHELP library. Please refer to the SAS Procedures Guide for further details on accessing and using dictionary views in the SASHELP library.

Dictionary.COLUMNS

Retrieving information about the columns in one or more data sets is easy with the COLUMNS dictionary table. Similar to the results of the CONTENTS procedure, you will be able to capture column-level information including column name, type, length, position, label, format, informat, and indexes, as well as produce cross-reference listings containing the location of columns in a SAS library. For example, the following code requests a cross-reference listing of the tables containing the TITLE column in the WORK library.

Note: Care should be used when specifying multiple functions on the WHERE clause since the SQL Optimizer is unable to optimize the query resulting in all allocated SAS session librefs being searched. This can cause the query to run much longer than expected.

PROC SQL Code

```

PROC SQL;
  SELECT *
    FROM DICTIONARY.COLUMNS
      WHERE UPCASE(LIBNAME) = "WORK" AND
           UPCASE(NAME) = "TITLE";
QUIT;

```

Results

Library Name	Member Name	Member Type	Column Name	Column Type	Column Length	Column Position	Column Number in Table	Column Label	Column Format	Column Informat	Column Index Type
Order in Key Sequence	Extended Type	Not NULL?	Precision	Scale	Transcoded?						
WORK	ACTORS	DATA	Title	char	30	0	1				
0	char	no	.	.	yes						
WORK	MOVIES	DATA	Title	char	30	7	1				SIMPLE
0	char	no	.	.	yes						

Dictionary.TABLES

When you need more information about SAS files consider using the TABLES dictionary table. The TABLES dictionary table provides detailed information about the library name, member name and type, date created and last modified, number of observations, observation length, number of variables, password protection, compression, encryption, number of pages, reuse space, buffer size, number of deleted observations, type of indexes, and requirements vector. For example, to obtain a detailed list of files in the WORK library, the following code is specified.

Note: Because the TABLE Dictionary table produces a considerable amount of information, users should specify a WHERE clause when using.

PROC SQL Code

```
PROC SQL;
  SELECT *
    FROM DICTIONARY.TABLES
      WHERE UPCASE(LIBNAME) = "WORK" ;
QUIT;
```

Results

Library Name	Member Name	Member Type	DBMS Member Type	Dataset Label	Dataset Type	Date Created	Date Modified	Number of Physical Observations			
Observation Length	Number of Variables	Type of Password Protection	Compression Routine	Encryption	Number of Pages	Size of File	Percent Compression	Reuse Space	Bufsize		
Number of Deleted Observations	Number of Logical Observations	Longest variable name	Longest label	Maximum number of generations	Generation number	Dataset Attributes	Type of Indexes	Data Representation			
Name of Collating Sequence	Sorting Type	Charset Sorted By	Requirements Vector				Data Representation Name	Data Encoding	Audit Trail Active?		
Audit Before Image?	Audit Admin Image?	Audit Error Image?	Audit Data Image?								
WORK	ACTORS	DATA			DATA	09AUG04:15:40:18	09AUG04:15:40:18	13			
70	3	---	NO	NO	1	16384	0	no	8192		
0	13	16	0	0	.	ON		NATIVE			
			181F101122220032220102320432012222003E0000100301				WINDOWS_32	wlatin1 Western (Windows)	no		
no	no	no	no								
WORK	MOVIES	DATA			DATA	09AUG04:15:40:18	09AUG04:15:40:18	22			
88	6	---	NO	NO	2	24576	0	no	8192		
0	22	8	0	0	.	ON	SIMPLE	NATIVE			
			181F101122220032220102320432012222003E0000100301				WINDOWS_32	wlatin1 Western (Windows)	no		
no	no	no	no								

Conclusion

The SAS System read-only dictionary tables provide valuable information about SAS libraries, data sets, catalogs, indexes, macros, system options, titles, and views available.

Acknowledgments

I would like to thank Debbie Buck Coders' Corner Section Chair for accepting my abstract and paper, as well as the SUGI Leadership for their support of a great Conference.

References

Lafler, Kirk Paul (2004). *PROC SQL: Beyond the Basics Using SAS*, SAS Institute Inc., Cary, NC, USA.

Lafler, Kirk Paul (2003), "Undocumented and Hard-to-find PROC SQL Features," *Proceedings of the Eleventh Annual Western Users of SAS Software Conference*.

Lafler, Kirk Paul (1992-2004). *PROC SQL for Beginners*; Software Intelligence Corporation, Spring Valley, CA, USA.

Lafler, Kirk Paul (1998-2004). *Intermediate PROC SQL*; Software Intelligence Corporation, Spring Valley, CA, USA.

Lafler, Kirk Paul (2001-2004). *Advanced PROC SQL*; Software Intelligence Corporation, Spring Valley, CA, USA.

Lafler, Kirk Paul (2002). *PROC SQL Programming Tips*; Software Intelligence Corporation, Spring Valley, CA, USA.

SAS® Guide to the SQL Procedure: Usage and Reference, Version 6, First Edition (1990). SAS Institute, Cary, NC, USA.

SAS® SQL Procedure User's Guide, Version 8 (2000). SAS Institute Inc., Cary, NC, USA.

Contact Information

Kirk Paul Lafler, a SAS Certified Professional® and SAS Alliance Partner® (1996 - 2002) with 27 years of SAS software experience, provides consulting services and hands-on SAS training around the world. Kirk has written four books including PROC SQL: Beyond the Basics Using SAS by SAS Institute, Power SAS and Power AOL by Apress, and more than one hundred peer-reviewed articles in professional journals and SAS User Group proceedings. His popular SAS Tips column appears regularly in the BASAS, HASUG, SANDS, SAS, SESUG, and WUSS Newsletters and websites. Kirk welcomes comments and can be reached at:

Kirk Paul Lafler
Software Intelligence Corporation
P.O. Box 1390
Spring Valley, California 91979-1390
Voice: 619-277-7350
E-mail: KirkLafler@cs.com
Web: www.software-intel.com



SAS and all other SAS Institute Inc. product or service names are registered trademarks or trademarks of SAS Institute Inc. in the USA and other countries. ® indicates USA registration.

Other brand and product names are trademarks of their respective companies.